

Your Personalised Land Rover

DEFENDER

DEFENDER

DEFENDER SEDONA EDITION Ingenium 3,0 litre 6-cylinder 400PS Turbocharged Petrol MHEV (Automatic) All Wheel Drive



EXTERIOR



EXTERIOR FEATURES

Colours	Sedona Red
Colour Finish	Gloss finish
Roof Colour	Body-coloured roof
Glass	Privacy glass
Bonnet Type	Body-coloured bonnet
Towing	Tow hitch receiver
Wheels	22" Style 5098, Gloss Black wheels
Tyres	All-season tyres

INTERIOR



INTERIOR FEATURES

Seat Configuration	5 seats
Trim	Ebony Windsor leather and Kvadrat™ seats with Ebony interior
Finishers	Ebony finisher
Powder cross beam	Cross car beam in Metallic Grey Powder Coat finish
Interior upgrades	Signature Interior Upgrade
Headlining	Ebony suedecloth headlining

OPTIONS

CORE PACKS

Towing Pack	Tow hitch receiver All Terrain Progress Control (ATPC) Terrain Response 2 Configurable Terrain Response Advanced Tow Assist
Air Suspension Pack	Electronic Air Suspension Adaptive Dynamics
Cold Climate Pack	Heated steering wheel Heated windscreen Heated washer jets Headlight power wash

ROOF TYPE

Sliding panoramic roof	A full-size sliding panoramic tinted glass roof, designed to provide abundant light and space, plus high solar protection. An electric sunblind extends for extra shade or privacy.
------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

ROOF RAILS

Black roof rails	<p>Roof rails facilitate easy fitment of cross bars for roof carrying. Pre-set positioning points ensure cross bars are fixed in optimum position for weight distribution and dynamics.</p> <p>Maximum payload is 100kg. Maximum payload equals the load capacity of the roof mounted accessory.</p> <p>Objects placed above the roof mounted satellite antenna may reduce the quality of the signal received by the vehicle and could have a detrimental effect on the navigation and satellite radio systems, if fitted.</p>
------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

EXTERIOR LIGHTING

Matrix LED headlights with signature DRL	The Matrix LED headlights with Signature DRL enable an Adaptive Driving Beam. By splitting the main beam into vertical strips, the adaptive beam maximises the number of high beam sections for ultimate visibility, while casting a shadow over oncoming traffic to
------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

help to prevent dazzling. The adaptive beam is also able to optimise the light distribution to suit the driving conditions of town, country, motorway or bad weather.

SIGNATURE GRAPHIC

Signature graphic (with interior storage)

Defender's signature graphic demonstrating its strength and proportions. Also includes interior storage.

EXTERIOR FEATURES

Solar attenuating windscreen

This windscreen filters sunlight to reduce heat and prevent UV rays from entering the cabin. Its laminated construction also buffers sound to keep Land Rover Defender quieter.

FOG LIGHTS

Front Fog Lights

Full LED front fog lights seamlessly integrate with your vehicle, combining style and functionality.

CONSOLE CONFIGURATION

Centre console with armrest

-

SEATING FUNCTIONALITY

14-way heated and cooled electric memory front seats with 4-way manual winged headrests

Personalise your comfort by setting and saving your seat position and posture, heating or cooling your seats depending on where your next adventure takes you. In addition, our new winged headrests add extra comfort and support.

REAR SEAT OPTIONS

40:20:40 folding, heated rear seats with winged headrests and centre armrest -

INTERIOR FEATURES

Heated steering wheel

Heated steering wheel for the ultimate driver comfort in colder temperatures.

STEERING WHEEL

Leather steering wheel

A strong, stylish accompaniment to our sophisticated Windsor Leather or Windsor Leather with Kvadrat trims.

GEARSHIFT

Leather gearshift

A strong, stylish, leather-wrapped gearshift that adds the ideal finishing touch to our sophisticated Windsor Leather or Windsor Leather Kvadrat trims.

INFOTAINMENT

HD radio -

CONVENIENCE

ClearSight interior rear view mirror

A first for Land Rover and among the many innovative features that make Land Rover Defender a pleasure to drive. This technology provides an unobstructed view of the road behind you regardless of rear seat passengers or objects in the loadspace.

Customers who wear varifocal or bifocal lenses may have issues adjusting to the mirror's digital mode. The normal mirror mode, however, can be used at any time.

Garage Door Opener (HomeLink®)

The HomeLink® System is a universal transmitter fitted to the underside of the interior rear view mirror. This transmitter can be programmed to operate up to 3 home or office wireless controlled systems, such as garage doors, automatic gates, or security lighting. By replacing the individual remote control units normally required for each system, the driver no longer needs to search the car interior for the correct handset when needed.

HomeLink® is the registered trademark of Gentex Corporation.

Roof Pod Camera for ClearSight Interior Mirror

-

TRANSMISSION AND DYNAMICS

Electronic Active Differential with Torque Vectoring by Braking

Torque Vectoring by Braking delivers controlled cornering and handling through the tightest of bends. The electronic differential and braking system balances the distribution of engine torque between the four wheels when cornering.

SPARE WHEELS

22" full size spare wheel

Full size spare wheel with vehicle jack, wheel brace and toolkit stored under loadspace floor.

TOUCHSCREENS

11.4" Touchscreen

-

Standard features

EXTERIOR FEATURES

Body-coloured bonnet	Heated, electric, power fold door mirrors with approach lights and auto-dimming driver side	Electric Parking Brake (EPB)
Brake pad wear indicator	Emergency Brake Assist	Anti-lock Braking System (ABS)
Electronic Brake-force Distribution (EBD)	Electric windows with one-touch open/close and anti-trap	Heated rear window with timer
Rear wash wiper	Alpine lights	Side-hinged tailgate
Standard tail door	Extended Black Exterior Pack	Unique Sedona Edition bonnet decal
New Sedona Red Exterior Side-Mounted Gear Carrier	Automatic Headlight Levelling	Soft close tail door
Black exposed rear recovery eyes		

EXTERIOR LIGHTING

LED tail lights	Centre high-mounted stop light	Puddle lights
Automatic headlights and rain sensing wipers	Rear fog lights	Follow me home lighting

INTERIOR FEATURES

Carpet mats	Standard treadplates	Sunvisors with illuminated vanity mirrors
Bright metal pedals	Configurable Cabin Lighting	Two-zone Climate Control
Loadspace cover	Rear centre headrest	Durable rubber cabin flooring

INTERIOR FEATURES

Durable rubber loadspace flooring	Footwell lights	Rear reading lights
Twin front cupholders	Glovebox storage	Hooks in loadspace
Ebony Windsor leather and Kvadrat™ Seats	Nubuck edged carpet mats	Electrically adjustable steering column

INFOTAINMENT

Interactive Driver Display	Meridian™ Surround Sound System	Android Auto™ (subject to availability)
Apple CarPlay® (subject to availability)	12V power socket in loadspace	Pivi Pro
AM/FM radio		

CONVENIENCE

Auto-dimming interior rear view mirror	Keyless Entry	Wireless device charging
Remote		

TOWING

Trailer Stability Assist (TSA)

SAFETY AND SECURITY

Rear ISOFIX	Perimetric alarm	Customer Configurable Autolock
Power operated child locks	Seat belt reminder	Push Button Start
Front airbags, with passenger seat occupant detector	Tyre Pressure Monitoring System (TPMS)	

TRANSMISSION AND DYNAMICS

All Wheel Drive (AWD)	Twin-speed transfer box (high/low range)	Coil suspension
Terrain Response	8-speed Automatic Transmission	Hill Launch Assist
Electric Power Assisted Steering (EPAS)	Dynamic Stability Control (DSC)	Low traction launch
Electronic Traction Control (ETC)	Roll Stability Control (RSC)	Cornering Brake Control (CBC)
Hill Descent Control (HDC)	Brake Hold	

DRIVER ASSISTANCE

Emergency Braking	Blind Spot Assist	3D Surround Camera
Adaptive Cruise Control	Lane Keep Assist	360° Parking Aid
Rear Collision Monitor	Rear Traffic Monitor	Driver Condition monitor

WHEEL AND TYRE OPTIONS

Full size spare wheel

Body-coloured Spare Wheel Cover

Technical specifications

Technical specifications

PERFORMANCE

Maximum speed km/h (mph)	191 (119)‡
Acceleration (secs) 0-100 km/h (0-60mph)	6,1 (5,8)

FUEL ECONOMY

Combined WLTP Consumption - l/100km (mpg)	-
Combined WLTP CO ₂ Emissions - g/km	-
Tank capacity (litres approx.)	90

POWERTRAIN

Capacity (cc)	2.996
Maximum power (PS/kW/rpm)	400 / 294 / 5.500 - 6.500
Maximum torque (Nm/rpm)	550 / 2.000 - 5.000
Transmission	Automatic

WEIGHTS

Unladen weight (EU) (kg)	2.401 (5 seats) / 2.470 (5+2 seats) △
Unladen weight (DIN) (kg)	2.326 (5 seats) / 2.395 (5+2 seats) ▲
Gross Vehicle Weight (GVW) (kg)	3.165 (5 seats) / 3.270 (5+2 seats)

TOWING

Unbraked trailer (kg)	750
Maximum towing (kg)	3.500
Maximum coupling point (nose weight) (kg)	150
Maximum vehicle and trailer combination (GTW) (kg)	6.665 (5 seats) / 6.770 (5+2 seats)

ROOF CARRYING

Maximum roof load (including cross bars) (kg)	100 (All-season tyres) / 168 (All-Terrain Tyres)◇
-----------------------------------------------	---------------------------------------------------

DIMENSIONS

Height (mm)	1.972 (Coil suspension) 1.967 (Air suspension)
Length (mm)	4.758 (Without spare wheel) 5.018 (With spare wheel)
Width with mirrors folded (mm)	2.008
Width with mirrors out (mm)	2.105
Front wheel track (mm)	1.702 (Coil suspension) 1.704 (Air suspension)
Rear wheel track (mm)	1.697 (Coil suspension) 1.702 (Air Suspension)
Wheelbase (mm)	3.022

HEADROOM

Maximum first row / second row / third row headroom with standard roof (mm)	1.032 / 1.025 / NA (5 seats) 1.032 / 1.025 / 1.041 (5+2 seats)
Maximum first row / second row / third row headroom with panoramic/fabric roof (mm)	1.032 / 1.025 / NA (5 seats) 1.032 / 1.025 / 1.041 (5+2 seats)

LEGROOM

Maximum first row / second row / third row legroom (mm)	993 / 992 / NA (5 seats) 993 / 975 / 517 (5+2 seats)
---------------------------------------------------------	--------------------------------------------------------

LOADSPACE CAPACITY

Height (mm)	904
Width (mm)	1.211 (5 seats) / 1.188 (5+2 seats)
Width between arches (mm)	1.160
Length behind first row (mm)	1.763 (5 seats) / 1.789 (5+2 seats)
Maximum loadspace volume behind first row - Dry (litres)	1.875 (5 seats) / 1.826 (5+2 seats)↕
Maximum loadspace volume behind first row - Wet (litres)	2.277 (5 seats) / 2.233 (5+2 seats)◆
Length behind second row (mm)	919 (5 seats) / 900 (5+2 seats)
Maximum loadspace volume behind second row - Dry (litres)	786 (5 seats) / 743 (5+2 seats)↕
Maximum loadspace volume behind second row - Wet (litres)	972 (5 seats) / 916 (5+2 seats)◆

LOADSPACE CAPACITY

Length behind third row (mm)	289
Maximum loadspace volume behind third row - Dry (litres)	160↕
Maximum loadspace volume behind third row - Wet (litres)	231◆

GROUND CLEARANCE - STANDARD

Ride height (mm)	228 (Coil suspension) 218 (Air suspension)
Approach Angle	31,2° (Coil suspension) 30,1° (Air suspension)
Departure Angle	37,8° (Coil suspension) 37,7° (Air suspension)
Ramp Angle	22,6° (Coil suspension) 22,0° (Air suspension)

GROUND CLEARANCE - OFF ROAD

Ride height (mm)	226 (Coil Suspension) 293 (Air Suspension)
Approach Angle	32,0° (Coil suspension) ▽ 37,4° (Air suspension) ▽
Departure Angle	37,5° (Coil suspension) ▽ 40,0° (Air suspension) ▽
Ramp Angle	22,2° (Coil suspension) 27,9° (Air suspension)

WADING DEPTH

Maximum wading depth (mm)	850 (Coil Suspension) 900 (Air Suspension)
---------------------------	----------------------------------------------

TURNING CIRCLE

Kerb-to-kerb (m)	12,84
------------------	-------

Wall-to-wall (m)	13,1
------------------	------

Turns lock-to-lock (no. of turns)	2,7
-----------------------------------	-----

*Plug In Hybrid models are only available with 5 seats, due to battery geometry in loadspace.

**Market dependent availability.

††The figures provided are as a result of official manufacturer's tests in accordance with EU legislation with a fully charged battery. For comparison purposes only. Real world figures may differ. CO2, fuel economy, energy consumption and range figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment, accessories fitted, actual route and battery condition. Range figures are based upon production vehicle over a standardised route.

‡Max speed is 209km/h (130mph) when fitted with 22" wheels.

◇Max speed is 191km/h (119mph) when fitted with 20" wheels.

‡‡When combined with electric motor.

△ Includes a 75kg driver, full fluids and 90% fuel.

▲ Includes full fluids and 90% fuel.

◇Dynamic roof load allows for up to 118kg/168kg (90/110 and 130) when fitted with Off-road tyres and Expedition Roof Rack. Static roof load allows for up to 300kg.

◆Behind row 1 figures for Hard Top relates to behind loadspace partition.

◇Dry: Volume as measured with VDA-compliant solid blocks (200mm x 50mm x 100mm). Hard Top models: Includes underfloor stowage, excludes jack and tools.

◆Wet: Volume as measured by simulating the loadspace filled with liquid. Hard Top models: Includes underfloor stowage, excludes jack and tools.

▼ Defender V8 models have no dynamic roof loading capacity. Static roof load allows for up to 300kg.

▽ With towing eye cover removed.

Weights reflect vehicles to standard specifications. Optional extras increase weight.

Optional features and their availability may differ by vehicle specification (model and powertrain), or require the installation of other features in order to be fitted. Please contact your local Retailer for more details, or configure your vehicle online.

- [COOKIE AND PRIVACY POLICY](#)
- [TERMS AND CONDITIONS](#)
- [CONTACT US](#)
- [SELECT A COUNTRY](#)
- [SITE DISCLAIMER](#)
- [ACCESSIBILITY STATEMENT](#)
-

© Jaguar Land Rover Limited 2024: Registered office: Abbey Road, Whitley, Coventry CV3 4LF. Registered in England No: 1672070

Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice. Some features may vary between optional and standard for different model years.

DEFENDER

<https://www.landrover.com/index.html>