



Hayden Fan Clutch Operation & Troubleshooting

The Fan Clutch is a component of the cooling system that varies the fan speed to meet the cooling needs of the engine. Nearly all rear wheel drive vehicles use Fan Clutches to control fan speed because of their ability to provide high volumes of air and good fuel economy. Despite their popularity, they are one of the least understood cooling components. There are two types of Fan Clutches, the Non-Thermal (also called centrifugal clutches) and the Thermal Fan Clutch.

Non-Thermal Fan Clutch

- Low cost alternative for some standard thermal clutches.
- Always engaged, less fuel savings than a thermal clutch.
- Spins at about 30-60% of the water pump speed.
- Shorter life expectancy
- Cannot replace a heavy-duty clutch
- Identified by the smooth, steel faceplate (without a thermal spring assembly) on the front.




Thermal Fan Clutch

- Varies the fan speed with temperature of the air behind the radiator.
- Engaged (high speed) operation provides maximum cooling
- Disengaged (low speed) operation provides fuel savings and noise reduction.
- Greater life expectancy than a non-thermal clutch
- Briefly engaged at cold start-up.
- Engages at about 170° radiator air temperature (about 30° lower than coolant temperature).

The air temperature coming through the radiator is sensed by the bi-metal thermal spring on the front of the thermal fan clutch. It expands and contracts with the change in air temperature operating a valve inside of the clutch. When cold, the silicone drive fluid is pumped from the working area to the reservoir. When hot, the valve opens allowing fluid from the reservoir to be transferred to the working area thereby increasing the fan speed. The clutch disengages as the air temperature decreases, closing the valve and allowing the silicone fluid to be pumped back into the reservoir.

A thermal fan clutch is engaged on a cold startup because the fluid drains into the working area when the engine is shut off. The fan clutch will slow down shortly after startup as a result of a pumping action produced by a difference in speed between the shaft and the body of the clutch.

Most models are designed to duplicate original equipment performance. Some Chevrolet/GMC truck models are specifically designed to engage at lower temperatures than the original equipment parts that they replace.




Thermal Fan Clutch Design Types

We make four different types of thermal fan clutches; Standard, Heavy Duty, Severe Duty and Truck Fan Drives. Each type is engineered to simulate the performance, fit and appearance of the original equipment clutch that it replaces. All fan clutches are for specific applications and should only be applied for which they are cataloged. Use of the wrong fan clutch may result in poor cooling, excess noise, reduced mileage, or fan clutch failure.

Standard Duty Thermal

- Turns fan 60-70% of shaft speed when engaged.
- Disengage to 20-30% of the shaft speed
- Used with lighter pitch fans. (1-1/2" of pitch)
- Flat plate impeller design with up to 11.4 Sq. In. of working surface.
- Identified by a smooth steel faceplate & thermal spring assembly on the front side.



Heavy-Duty Thermal

- Turns the fan 70-90% of the shaft speed when engaged for increased cooling.
- Turns the fan 25-35% of the shaft speed when disengaged.
- Used with deeper pitch fans. (2-1/2" of pitch).
- Land and groove design with up to 27 Sq. In. of working surface.
- Identified by finned aluminum faceplate and thermal spring on the front.



Severe Duty Thermal


- Turns the fan 80-90% of the shaft speed when engaged.
- Turns the fan 20-30% of the shaft speed when disengaged.
- Used with deeper pitch fans. (2-1/2" of pitch).
- Land and groove design with up to 72 Sq. In. of working area.
- Larger working surface provides cooler running and longer life expectancy.
- Thicker body and deep finned faceplate dissipate more heat.
- Can be used in place of many heavy-duty clutches.





Truck Fan Drive

- Turns the fan 80-90% of the shaft speed when engaged.
- Turns the fan 20-30% of the shaft speed when disengaged.
- Used with larger fans found on medium-duty truck applications.
- Land and groove design with up to 150 Sq. In. of working area.
- Larger working surface provides cooler running and longer life expectancy.



Fan Clutch Trouble Shooting

Faulty fan clutches can be detected by checking for obvious indications of failure such as:

- Leaking fluid - oily build up around the bearing or thermal spring.
- Bad bearing - seized, turns rough or has excessive play (more than 1/4" at fan tip).
- Worn thermal spring - spring is loose.

Some fan clutches will show no visible indication of a problem yet may still be faulty.

The following may also indicate a faulty fan clutch:

- Fan spins excessively - three or more times when hot engine is shut off.
- Poor air conditioning - At low speed due to excessive high side refrigerant pressures.
- Doesn't engage or "lockup"- Fan speed does not increase when engine is hot.
 - Does not disengage - Fan clutch won't slow down when engine is cold.

Other Cooling Systems Problems Affecting Fan Clutch Operation

- Plugged radiator (inside or outside) can delay or eliminate fan clutch engagement.
- Partially opened thermostat does not allow full coolant flow to the radiator.
- Too much antifreeze concentration does not transfer heat as well as 50/50% mixture.

Symptoms of Fan Clutch Problems

- Poor cooling at low speed but good cooling at high speeds.
- Poor air conditioning at low speeds.
- No increase in fan noise when engine is hot.


Symptoms of Radiator Problems

- Poor cooling at high speeds.
- Good cooling at low speeds.



FAN CLUTCHES

Specification Chart




Fan Clutch Specification Chart

MODEL	DRAWING TYPE	ROTATION (1)	A" OVERALL DIA.	"B" PILOT DIA. OR THREAD SIZE	"C" PILOT DEPTH	"D" FLANGE OR HEX DIA.	"E" FAN MOUNT HEIGHT	"F" FAN BOLT CIRCLE	"G" FAN MOUNT DIA.	"H" OVERALL HEIGHT	BOLT/NUT THREADS
211011	B	STD & REV	7.20	.63/.75 *	.75	2.33	1.75	3.00	2.37	3.31	5/16-18 HOLE (4)
211026	B	STD & REV	7.20	.63	1.03	2.59	1.75	3.25	2.62	3.33	5/16-18 HOLE (4)
211043	B	STD & REV	7.20	.63	1.03	2.60	2.03	3.25	2.62	3.60	5/16-18 HOLE (4)
211049	B	STD & REV	7.20	.63	1.03	2.60	1.53	3.25	2.62	3.09	5/16-18 HOLE (4)
215010	A	STD	5.85	.63	.75	2.56	2.40	4.88	4.37	2.92	M6x1.0 HOLE (4)
215011	B	STD	7.20	.63.75*	.75	2.33	1.75	3.00	2.37	3.30	5/16-18 HOLE (4)
215012	B	STD	7.20	.63.75*	.75	2.33	1.40	3.00	2.37	2.98	5/16-18 HOLE (4)
215013	A	STD	5.48	.63	.56	2.56	1.89	4.88	4.37	2.42	M6x1.0 HOLE (4)
215014	A	STD	5.43	M24x1.5 LEFT	0.51	1.25 HEX	1.37	4.88	4.37	2.02	M6 x 1.0 HOLE (4)
215015	A	STD	6.65	.63	.75	2.56	2.53	6.03	5.39	3.10	M6x1.0 HOLE (4)
215017	B	STD	7.20	.75	.63	2.56	1.80	3.25	2.62	3.32	5/16-18 HOLE (4)
215018	B	STD	7.20	.75	.56	2.32	1.09	3.25	2.62	2.67	5/16-18 HOLE (4)
215019	B	STD	5.99	M30x1.5 LEFT	.70	1.44 [36mm] HEX	2.32	3.25	2.62	3.91	M6x1.0 HOLE (4)
215020	A	STD	5.85	.63/1.25	0.460	3.00	1.82	5.27	4.72	2.34	M6x1.0 HOLE (4)
215021	B	STD	5.99	.63	1.03	2.60	1.53	3.25	2.62	3.11	5/16-18 HOLE (4)
215022	A	STD	6.65	.63/2.28	.97	4.18	2.34	5.35	4.09	2.91	M6x1.0 HOLE (4)
215023	A	STD	6.84	0.67	0.46	2.84	1.84	4.18	3.63	3.58	M6x1.0 HOLE (4)
215024	A	STD	6.30	M24x1.5 LEFT	0.52	1.25 HEX	1.44	5.79	5.31	1.95	M6x1.0 HOLE (3)
215025	A	STD	6.65	.59/.63	0.20	2.73	2.29	5.35	4.09	2.86	M6x1.0 HOLE (4)
215026	B	STD	7.20	.63	1.03	2.59	1.75	3.25	2.62	3.30	5/16-18 HOLE (4)
215027	D	STD	6.45	.63	.63	2.58	1.63	3.25	2.62	3.65	5/16-18 HOLE (4)
215028	A	STD	4.45	0.94	0.24	2.06	2.02	3.86	3.23	2.87	M6x1.0 HOLE (4)
215029	A	STD	4.45	0.94	0.24	2.06	1.86	3.86	3.23	2.71	M6x1.0 HOLE (4)
215030	A	STD	5.85	.59/.75***	.50	2.56	1.79	4.80	4.09	2.32	M6x1.0 HOLE (4)
215031	C	STD	7.20	.63	1.03	2.43	2.25	3.25	2.62	3.97	5/16-18 HOLE (4)
215032	A	STD	6.65	.63/1.81	.81	3.07	2.70	5.35	4.09	3.39	M6x1.0 HOLE (4)
215033	A	STD	6.65	.63/1.81	.81	3.07	2.70	5.35	4.09	3.39	M6x1.0 HOLE (4)
215034	A	STD	6.84	0.95	0.60	2.76	1.56	4.17	3.62	3.31	M6x1.0 HOLE (4)
215035	D	STD	6.45	M30x1.5 LEFT	.70	1.44 [36mm] HEX	1.25	3.25	2.62	3.27	5/16-18 HOLE (4)
215036	A	STD	6.65	.71	.55	2.44	2.10	6.03	5.39	2.67	M6x1.0 HOLE (4)
215038	A	STD	6.46	0.76	0.46	2.84	2.38	5.47	4.84	4.50	M6x1.0 HOLE (4)
215039	B	STD	7.20	.63	1.03	2.43	2.32	3.25	2.62	3.85	5/16-18 HOLE (4)
215040	A	REV	6.65	.63/1.81	.81	3.07	2.70	5.35	4.09	3.39	M6x1.0 HOLE (4)
215041	C	STD	7.20	.75	.63	2.56	1.80	3.25	2.62	3.51	5/16-18 HOLE (4)
215042	A	STD	5.85	.71/1.36	0.16	2.75	2.46	4.80	4.09	2.99	M6x1.0 HOLE (4)
215043	B	STD	7.20	.63	1.03	2.60	2.03	3.25	2.62	3.60	5/16-18 HOLE (4)
215044	B	STD	5.99	.63	1.03	2.43	2.32	3.25	2.62	3.88	M6x1.0 HOLE (4)
215045	D	STD	6.45	.63	.63	2.58	1.63	3.25	2.62	3.65	5/16-18 HOLE (4)
215046	C	STD	7.20	.63.75*	.63	2.59	1.62	3.25	2.62	3.34	5/16-18 HOLE (4)
215047	A	STD	6.30	M24x1.5 LEFT	0.51	1.25 HEX	1.46	5.79	5.31	2.08	M6x1.0 HOLE (3)
215048	A	STD	6.30	M24x1.5 LEFT	0.58	1.25 HEX	1.46	5.79	5.31	2.16	M6x1.0 HOLE (3)
215049	B	STD	7.20	.63	1.03	2.60	1.53	3.25	2.62	3.11	5/16-18 HOLE (4)

(1) STD = Clockwise rotation when looking at engine from radiator. REV = Counter clockwise rotation when looking at engine from radiator.
 * Includes 5/8" - 3/4" reducer bushing. ** Stepped pilot. *** Includes 15mm - 19mm reducer bushing.

FAN CLUTCHES

Specification Chart




Fan Clutch Specification Chart

MODEL	DRAWING TYPE	ROTATION (1)	A" OVERALL DIA.	"B" PILOT DIA. OR THREAD SIZE	"C" PILOT DEPTH	"D" FLANGE OR HEX DIA.	"E" FAN MOUNT HEIGHT	"F" FAN BOLT CIRCLE	"G" FAN MOUNT DIA.	"H" OVERALL HEIGHT	BOLT/NUT THREADS
215050	A	STD	6.65	.63/1.81	.90	3.07	2.98	5.35	4.09	3.66	M6x1.0 HOLE (4)
215051	A	STD	6.32	M24x1.5 LEFT	0.60	1.25 HEX	1.03	5.79	5.31	2.78	M6x1.0 HOLE (4)
215052	D	STD	6.45	.75	.63	2.58	1.63	3.25	2.62	3.65	5/16-18 HOLE (4)
215053	C	STD	7.20	M24x1.5 LEFT	.58	1.25 HEX	1.02	3.25	2.62	2.73	5/16-18 HOLE (4)
215055	B	STD	5.99	.63	1.03	2.59	1.75	3.25	2.62	3.08	M8x1.25 HOLE (4)
215056	A	STD	6.20	.63/1.26	0.50	3.00	2.36	5.65	5.07	2.93	M6x1.0 HOLE (4)
215057	A	STD	6.20	.63/1.25	0.44	3.00	3.15	5.65	5.07	3.72	M6x1.0 HOLE (4)
215058	A	STD	6.20	.63/1.25	0.50	3.00	2.17	5.65	5.07	2.74	M6x1.0 HOLE (4)
215059	A	STD	6.65	.88/.94	.42	2.75	2.28	6.03	5.39	2.97	M6x1.0 HOLE (4)
215060	B	STD	5.99	M30x1.5 LEFT	.70	1.44 [36mm] HEX	1.75	3.25	2.62	3.35	M6x1.0 HOLE (4)
215061	B	STD	7.20	M30x1.5 LEFT	.70	1.44 [36mm] HEX	1.25	3.00	2.37	2.83	5/16-18 HOLE (4)
215062	A	STD	6.65	.82/1.26	1.00	3.00	2.35	5.98	5.35	3.04	M6x1.0 HOLE (4)
215063	A	STD	6.65	.63	.88	2.60	2.25	6.03	5.39	2.94	M6x1.0 HOLE (4)
215064	B	STD	5.99	M30x1.5 LEFT	.70	1.44 [36mm] HEX	2.76	3.25	2.62	4.35	M6x1.0 HOLE (4)
215065	B	STD	7.20	.75	.63	2.59	1.62	3.25	2.62	3.19	5/16-18 HOLE (4)
215066	B	STD	5.90	.75	.56	2.32	1.09	3.25	2.62	2.92	5/16-18 HOLE (4)
215067	A	STD	5.85	M30x1.5 LEFT	.70	1.44 [36mm] HEX	.84	3.94	3.37	2.51	M8x1.25 HOLE (4)
215068	A	STD	5.43	0.71	0.33	1.92	1.55	4.88	4.37	2.25	M6x1.0 HOLE (4)
215069	A	STD	5.43	M24x1.5 LEFT	0.51	1.25 HEX	1.28	4.88	4.37	1.97	M6x1.0 HOLE (4)
215070	D	STD	6.45	M30x1.5 LEFT	.70	1.44 [36mm] HEX	1.25	3.25	2.62	3.63	5/16-18 HOLE (4)
215071	A	STD	6.65	.63/2.32	.95	3.63	2.85	5.83	5.11	3.54	M6x1.0 HOLE (4)
215072	B	STD	5.99	.63	1.03	2.43	1.75	3.25	2.62	3.32	M6x1.0 HOLE (4)
215073	A	STD	6.65	.63/.95	.55	2.68	2.34	6.03	5.39	2.91	M6x1.0 HOLE (4)
215074	A	STD	6.65	.87/1.81	.83	3.07	2.85	5.35	4.09	3.42	M6x1.0 HOLE (4)
215075	A	REV	6.30	0.42	THRU	.59	0.95	5.79	5.31	1.49	M6x1.0 HOLE (3)
215076	A	STD	6.65	.63/1.81	.90	3.07	2.44	5.35	4.09	3.01	M6x1.0 HOLE (4)
215077	A	STD	6.65	.63/1.81	.90	3.07	2.44	5.35	4.09	3.01	M6x1.0 HOLE (4)
215078	A	STD	6.30	M30x1.5 LEFT	0.52	1.44 [36mm] HEX	1.41	5.79	5.31	2.03	M6x1.0 HOLE (3)
215079	A	STD	6.51	0.41	THRU	.59	1.26	5.98	5.20	3.57	M6x1.0 HOLE (3)
215080	A	STD	5.85	.63	.60	3.00	1.76	5.03	3.54	2.29	M6x1.0 HOLE (4)
215081	A	STD	5.85	.63	.75	3.07	1.96	4.80	4.09	2.48	M6x1.0 HOLE (4)
215082	A	STD	5.85	.63/1.25	0.50	3.00	1.94	5.27	4.72	2.47	M6x1.0 HOLE (4)
215083	A	STD	6.34	0.63	0.26	2.31	2.07	5.98	5.20	2.58	M6x1.0 HOLE (4)
215084	A	REV	6.65	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	2.19	6.03	5.39	2.87	M6x1.0 HOLE (4)
215086	A	STD	5.85	.63	.88	2.28	2.15	4.80	4.09	2.68	M6x1.0 HOLE (4)
215087	A	STD	5.85	.63	.70	2.70	2.15	4.80	4.09	2.68	M6x1.0 HOLE (4)
215088	A	STD	5.85	.55/.98 **	0.29	2.60	2.21	5.27	4.72	2.73	M6x1.0 HOLE (4)
215089	A	STD	5.85	N/A	0.64	WP MOUNT	3.84	5.27	4.72	4.98	M6x1.0 HOLE (4)
215090	A	STD	6.65	.69	.55	3.00	2.14	6.03	5.39	2.71	M6x1.0 HOLE (4)
215091	A	STD	6.20	.63/1.25	0.50	3.00	2.36	5.65	5.07	2.93	M6x1.0 HOLE (4)
215092	A	STD	5.85	.63	.50	2.28	1.81	4.80	4.09	2.33	M6x1.0 HOLE (4)
215094	A	STD	5.85	.63/1.26	0.60	3.00	2.10	4.80	4.09	2.63	M6x1.0 HOLE (4)

(1) STD = Clockwise rotation when looking at engine from radiator. REV = Counter clockwise rotation when looking at engine from radiator.
 * Includes 5/8" - 3/4" reducer bushing. ** Stepped pilot. *** Includes 15mm - 19mm reducer bushing.

FAN CLUTCHES

Specification Chart




Fan Clutch Specification Chart

MODEL	DRAWING TYPE	ROTATION (1)	A" OVERALL DIA.	"B" PILOT DIA. OR THREAD SIZE	"C" PILOT DEPTH	"D" FLANGE OR HEX DIA.	"E" FAN MOUNT HEIGHT	"F" FAN BOLT CIRCLE	"G" FAN MOUNT DIA.	"H" OVERALL HEIGHT	BOLT/NUT THREADS
215095	A	STD	6.65	.63/1.81	.81	3.07	2.70	5.35	4.09	3.39	M6x1.0 HOLE (4)
215096	A	STD	5.59	.63/.95	0.55	2.68	1.60	5.11	4.40	2.73	M6x1.0 HOLE (4)
215098	A	STD	6.65	.67	.45	3.00	1.94	6.03	5.39	2.51	M6x1.0 HOLE (4)
215099	A	STD	6.20	1.25	0.50	3.00	2.17	5.65	5.07	2.74	M6x1.0 HOLE (4)
215100	B	REV	5.99	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.25	3.25	2.62	2.78	5/16-18 HOLE (4)
215101	B	REV	5.99	.63	1.03	2.60	1.53	3.25	2.62	3.11	5/16-18 HOLE (4)
215102	A	REV	6.65	.63/2.32	.90	3.70	2.55	5.35	4.09	3.12	M6x1.0 HOLE (4)
215103	B	REV	7.20	.63	1.03	2.43	2.25	3.25	2.52	3.80	M10x1.5 HOLE (4)
215104	D	REV	6.45	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	2.42	3.25	2.62	4.44	5/16-18 HOLE (4)
215105	C	REV	7.20	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.25	3.25	2.62	2.97	5/16-18 HOLE (4)
215106	D	REV	6.45	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.25	3.25	2.62	3.27	5/16-18 HOLE (4)
215107	C	REV	7.20	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.75	3.25	2.52	3.47	M10x1.5 HOLE (4)
215108	C	REV	7.20	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.25	3.25	2.62	2.97	5/16-18 HOLE (4)
215111	D	REV	6.45	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.50	3.25	2.62	3.52	5/16-18 HOLE (4)
215112	D	STD	6.45	M30x1.5 LEFT	.70	1.44 [36mm] HEX	2.76	3.25	2.62	4.78	M6x1.0 HOLE (4)
215113	D	REV	6.45	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.25	3.25	2.52	3.27	M10x1.5 HOLE (4)
215114	D	REV	6.45	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.25	3.25	2.52	3.27	M6x1.0 HOLE (4)
215115	D	REV	6.45	.63	.63	2.46	1.63	3.25	2.62	3.65	5/16-18 HOLE (4)
215116	B	REV	5.99	.63	1.03	2.43	1.75	3.25	2.52	3.47	M10x1.5 HOLE (4)
215117	B	REV	5.99	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.75	3.25	2.52	3.47	M10x1.5 HOLE (4)
215118	A	REV	6.65	.63/1.81	.81	3.07	2.70	5.35	4.09	3.39	M6x1.0 HOLE (4)
215119	A	REV	6.65	.63/2.33	.88	3.63	2.59	5.35	4.09	3.28	M6x1.0 HOLE (4)
215120	A	REV	6.65	.63/2.33	.88	3.63	2.59	5.35	4.09	3.28	M6x1.0 HOLE (4)
215121	A	REV	6.65	.63/2.33	.88	3.63	2.59	5.35	4.09	3.28	M6x1.0 HOLE (4)
215122	A	REV	6.65	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	2.19	6.03	5.39	2.76	M6x1.0 HOLE (4)
215123	C	REV	7.20	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.25	3.25	2.62	2.97	5/16-18 HOLE (4)
215124	D	REV	6.45	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.25	3.25	2.43	3.27	M6x1.0 HOLE (4)
215125	D	REV	6.45	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.25	3.25	2.52	3.27	M6x1.0 HOLE (4)
215126	B	REV	7.20	.63	1.03	2.59	1.75	3.25	2.62	3.33	5/16-18 HOLE (4)
215127	C	REV	7.20	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.25	3.25	2.62	2.97	5/16-18 HOLE (4)
215128	B	REV	5.99	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	2.00	3.25	2.62	3.71	5/16-18 HOLE (4)
215129	B	REV	5.99	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.75	3.25	2.62	3.32	5/16-18 HOLE (4)
215130	D	REV	6.45	.63	.63	2.58	1.80	3.25	2.62	3.82	5/16-18 HOLE (4)
215131	A	REV	6.30	0.42	THRU	.59	0.95	5.79	5.31	1.62	M6x1.0 HOLE (4)
215132	A	REV	6.30	M30x1.5 RIGHT	0.52	1.44 [36mm] HEX	1.41	5.79	5.31	2.05	M6x1.0 HOLE (3)
215133	A	REV	6.30	M30x1.5 RIGHT	0.52	1.44 [36mm] HEX	1.41	5.79	5.31	2.06	M6x1.0 HOLE (3)
215134	C	REV	7.20	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	2.70	3.25	2.62	4.42	5/16-18 HOLE (4)
215135	C	REV	7.20	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	2.70	3.25	2.62	4.42	5/16-18 HOLE (4)
215136	C	REV	7.20	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	2.00	3.25	2.62	3.72	5/16-18 HOLE (4)
215137	C	REV	7.20	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	2.70	3.25	2.62	4.42	5/16-18 HOLE (4)
215138	D	REV	6.45	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	2.60	3.25	2.52	4.62	M10x1.5 HOLE (4)
215139	D	REV	6.45	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.75	3.25	2.52	3.77	M10x1.5 HOLE (4)

(1) STD = Clockwise rotation when looking at engine from radiator. REV = Counter clockwise rotation when looking at engine from radiator.
 * Includes 5/8" - 3/4" reducer bushing. ** Stepped pilot. *** Includes 15mm - 19mm reducer bushing.

FAN CLUTCHES

Specification Chart




Fan Clutch Specification Chart

MODEL	DRAWING TYPE	ROTATION (1)	A" OVERALL DIA.	"B" PILOT DIA. OR THREAD SIZE	"C" PILOT DEPTH	"D" FLANGE OR HEX DIA.	"E" FAN MOUNT HEIGHT	"F" FAN BOLT CIRCLE	"G" FAN MOUNT DIA.	"H" OVERALL HEIGHT	BOLT/NUT THREADS
215140	D	REV	6.45	.63	.63	2.46	1.63	3.25	2.52	3.65	M10x1.5 HOLE (4)
215141	C	REV	6.45	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	2.20	3.25	2.62	4.22	5/16-18 HOLE (4)
215142	B	REV	7.20	.63	1.03	2.43	1.63	3.25	2.52	3.21	M10x1.5 HOLE (4)
215143	B	REV	7.20	.63	1.03	2.47	2.00	3.25	2.52	3.58	M10x1.5 HOLE (4)
215144	D	REV	6.45	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	2.20	3.25	2.62	4.22	5/16-18 HOLE (4)
215145	C	REV	7.20	.63	1.03	2.43	1.63	3.25	2.52	3.34	M10x1.5 HOLE (4)
215146	C	REV	7.20	.63	1.03	2.59	1.75	3.25	2.62	3.47	5/16-18 HOLE (4)
215147	D	REV	6.45	.75	.63	2.46	1.63	3.25	2.52	3.65	M10x1.5 HOLE (4)
215148	B	REV	5.99	.63	1.03	2.60	1.53	3.25	2.62	3.09	5/16-18 HOLE (4)
215149	C	REV	7.20	.63	1.03	2.60	1.53	3.25	2.62	3.24	5/16-18 HOLE (4)
215150	D	REV	6.45	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	2.60	3.25	2.62	4.62	5/16-18 HOLE (4)
215151	D	REV	6.45	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.25	3.25	2.52	3.27	M6x1.0 HOLE (4)
215152	D	REV	6.45	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.75	3.25	2.52	3.77	M10x1.5 HOLE (4)
215153	B	REV	7.20	.63	1.03	2.43	1.75	3.25	2.52	3.33	M10x1.5 HOLE (4)
215155	B	REV	7.20	M33x1.5 RIGHT	.63	1.63 [40mm] HEX	1.25	3.00	2.37	2.83	5/16-18 HOLE (4)
215156	D	REV	7.48	M30x1.5 RIGHT	.81	1.44 [36mm] HEX	1.87	3.81	3.25	5.69	M8x1.25 HOLE (4)
215157	B	REV	5.99	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.75	3.25	2.52	3.32	M10x1.5 HOLE (4)
215158	D	REV	6.45	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.75	3.25	2.52	4.59	M10x1.5 HOLE (4)
215159	D	REV	6.45	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.75	3.25	2.62	3.77	5/16-18 HOLE (4)
215160	C	REV	7.20	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.75	3.25	2.62	3.47	5/16-18 HOLE (4)
215161	B	REV	7.20	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.25	3.00	2.37	2.83	5/16-18 HOLE (4)
215162	D	STD	6.45	M30x2.0 LEFT	.90	1.44 [36mm] HEX	2.07	3.25	2.52	4.09	M10x1.5 HOLE (4)
215165	B	REV	5.99	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	2.42	3.25	2.62	3.95	M8x1.25 HOLE (4)
215166	B	REV	7.20	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.25	3.25	2.52	2.83	M6x1.0 HOLE (4)
215168	D	REV	6.45	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	2.42	3.25	2.62	4.44	5/16-18 HOLE (4)
215169	D	REV	6.45	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	2.42	3.25	2.62	4.44	M6x1.0 HOLE (4)
215170	D	REV	6.45	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.25	3.25	2.62	3.27	5/16-18 HOLE (4)
215175	A	REV	6.65	.63	.70	2.70	2.29/1.55	6.03	5.39	2.86	M6x1.0 HOLE (4)
215179	A	REV	5.65	.63	.70	2.70	2.15	5.03	4.37	2.68	M6x1.0 HOLE (4)
216001	D	STD	7.40	1-1/4-16 LEFT	.64	1.88 HEX	1.20	6.00	5.00	3.52	5/16-18 HOLE (6)
216002	D	STD	7.40	.75	.65	3.18	1.50	6.00	5.00	3.82	5/16-18 HOLE (6)
216003	D	STD	6.45	.75	.65	3.22	1.50	3.81	3.25	3.96	3/8-16 HOLE (4)
216004	D	STD	6.45	.75	.65	3.22	2.12	3.81	3.25	4.58	3/8-16 HOLE (4)
216005	D	REV	7.40	.75	.65	3.22	1.76	6.00	5.00	4.08	M8x1.25 HOLE (6)
216006	D	REV	7.40	.75	.65	3.22	1.76	6.00	5.00	4.08	M8x1.25 HOLE (6)
216007	D	STD	7.40	1-1/4-16 LEFT	.64	1.88 HEX	1.20	6.00	5.00	3.52	5/16-18 HOLE (6)
216008	D	STD	7.40	M30x2.0 LEFT	.67	1.88 HEX	1.21	6.00	5.00	3.53	5/16-18 HOLE (6)
216009	D	REV	7.40	1-1/4-18 RIGHT	.67	1.88 HEX	1.22	6.00	5.00	3.54	5/16-18 HOLE (6)
216010	D	REV	7.40	M36x2.0 RIGHT	.79	1.86 HEX	2.42	3.25	2.62	4.93	5/16-18 HOLE (4)
216011	D	REV	7.40	1-1/4-18 RIGHT	.79	1.86 HEX	2.42	3.25	2.62	4.93	5/16-18 HOLE (4)
216012	D	REV	7.40	1-1/4-18 RIGHT	.76	1.86 HEX	1.20	3.25	2.62	3.71	5/16-18 HOLE (4)
216013	D	REV	7.40	.75	.65	2.82	1.75	3.81	3.25	4.26	M8x1.25 HOLE (4)

(1) STD = Clockwise rotation when looking at engine from radiator. REV = Counter clockwise rotation when looking at engine from radiator.
 * Includes 5/8" - 3/4" reducer bushing. ** Stepped pilot. *** Includes 15mm - 19mm reducer bushing.

FAN CLUTCHES

Specification Chart



Fan Clutch Specification Chart

MODEL	DRAWING TYPE	ROTATION (1)	A" OVERALL DIA.	"B" PILOT DIA. OR THREAD SIZE	"C" PILOT DEPTH	"D" FLANGE OR HEX DIA.	"E" FAN MOUNT HEIGHT	"F" FAN BOLT CIRCLE	"G" FAN MOUNT DIA.	"H" OVERALL HEIGHT	BOLT/NUT THREADS
216014	D	REV	7.40	M36x2.0 RIGHT	.79	1.86 HEX	1.75	3.81	3.25	4.26	M8x1.25 HOLE (4)
216015	C	REV	7.23	M30x1.5 RIGHT	.62	1.44 [36mm] HEX	0.60	3.81	3.25	2.67	M8x1.25 HOLE (4)
216016	D	STD	7.40	M30x1.5 LEFT	.70	1.44 [36mm] HEX	1.21	3.25	2.62	3.72	5/16-18 HOLE (4)
216017	D	REV	7.40	M36x2.0 RIGHT	.79	1.86 HEX	1.75	3.81	3.25	4.26	M8x1.25 HOLE (4)
216018	D	REV	7.35	M40x2.0 RIGHT	.67	1.86	1.88	6.00	5.00	5.37	5/16-18 HOLE (6)
216019	D	REV	7.35	M40x2.0 RIGHT	.67	1.86	1.88	6.00	5.00	5.37	5/16-18 HOLE (6)
216020	D	STD	7.40	M30x2.0 LEFT	.67	1.88 HEX	2.07	6.00	5.00	4.39	5/16-18 HOLE (6)
216021	D	STD	7.40	M30x2.0 LEFT	.58	1.88 HEX	1.70	6.00	5.00	4.02	5/16-18 HOLE (6)
216022	D	STD	7.40	M30x2.0 LEFT	.67	1.88 HEX	2.07	6.00	5.00	4.39	5/16-18 HOLE (6)
216023	D	REV	7.40	M36x2.0 RIGHT	.79	1.86 HEX	1.32	3.81	3.25	3.83	M8x1.25 HOLE (4)
216024	D	STD	7.40	M30x2.0 LEFT	.67	1.88 HEX	1.21	6.00	5.00	3.53	5/16-18 HOLE (6)
216025	D	STD	7.40	M30x2.0 LEFT	.58	1.88 HEX	1.70	6.00	5.00	4.02	5/16-18 HOLE (6)
216026	D	STD	6.45	M30x2.0 LEFT	.67	1.88 HEX	1.20	3.81	3.25	3.66	3/8-16 HOLE (4)
216027	D	REV	7.40	M30x1.5 RIGHT	.83	1.44 [36mm] HEX	1.69	3.25	2.62	4.20	5/16-18 HOLE (4)
216028	D	REV	7.40	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.21	3.25	2.62	3.72	5/16-18 HOLE (4)
216029	D	STD	7.40	.75	.65	3.22	1.50	6.00	5.00	3.82	5/16-18 HOLE (6)
216030	C	REV	7.20	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.50	3.25	2.62	3.21	M8x1.25 HOLE (4)
216031	A	REV	6.30	0.41	THRU	.59	0.95	5.79	5.31	1.49	M6x1.0 HOLE (3)
216032	D	REV	7.40	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.21	3.25	2.62	3.72	5/16-18 HOLE (4)
216033	D	REV	7.48	M30x1.5 RIGHT	.81	1.44 [36mm] HEX	1.54	3.81	3.25	5.37	M8x1.25 HOLE (4)
216034	D	REV	7.40	M30x1.5 RIGHT	.79	1.44 [36mm] HEX	1.53	3.81	3.25	4.26	M8x1.25 HOLE (4)
216035	D	REV	7.40	M36x2.0 RIGHT	0.88	1.86 HEX	2.10	3.81	3.25	4.59	M8x1.25 HOLE (4)
216036	D	REV	6.45	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	1.50	3.25	2.62	3.25	5/16-18 HOLE (4)
216037	D	REV	6.45	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	2.42	3.25	2.62	4.44	5/16-18 HOLE (4)
216038	D	REV	6.45	M30x1.5 RIGHT	.70	1.44 [36mm] HEX	2.42	3.25	2.62	4.44	M6x1.0 HOLE (4)
216039	D	REV	6.45	M30x1.5 RIGHT	0.56	1.44 [36mm] HEX	1.10	3.25	2.62	3.12	M8x1.25 HOLE (4)
216040	A	REV	6.30	0.41	THRU	.59	0.91	5.79	5.31	1.45	M6x1.0 HOLE (3)
216041	A	REV	6.30	M30x1.5 RIGHT	0.52	1.41 [36mm] HEX	1.41	5.79	5.31	2.06	M6x1.0 HOLE (3)
216044	D	REV	7.73	M30x1.5 RIGHT	0.70	1.41 [36mm] HEX	2.61	7.01	6.45	3.58	M6x1.0 HOLE (4)
216045	D	REV	7.73	M36x2.0 RIGHT	0.81	1.87 [47mm] HEX	2.84	7.01	6.45	3.79	M6x1.0 HOLE (4)
216046	D	REV	7.35	M30x1.5 RIGHT	0.55	1.41 [36mm] HEX	1.01	6.00	5.00	4.35	5/16-18 HOLE (6)
216047	A	REV	6.61	.63/.32	0.92	3.62	3.09	5.35	4.09	3.77	M6x1.0 STUD (4)
216048	D	REV	7.40	M36x2.0 RIGHT	0.79	1.86 [47mm] HEX	2.42	3.25	2.62	4.93	M6x1.0 HOLE (4)
216049	D	REV	7.40	M30x1.5 RIGHT	0.79	1.41 [36mm] HEX	1.21	3.81	3.25	3.72	M8x1.25 HOLE (4)
216050	A	STD	6.65	.94/.63	.22/.34	2.68	2.00/1.25	6.03	5.39	2.56	M6x1.0 HOLE (4)
216051	A	STD	6.65	.94/.63	.22/.34	2.68	2.00	6.03	5.39	2.56	M6x1.0 HOLE (4)
216052	D	STD	7.73	M40x2.0 LEFT	0.70	1.86 [47mm] HEX	1.22	6.00	5.00	4.81	M6x1.0 HOLE (6)
216053	A/D	REV	7.73	M30x1.5 RIGHT	0.70	1.41 [36mm] HEX	2.62	7.00	6.455	3.57	M6x1.0 HOLE (4)

(1) STD = Clockwise rotation when looking at engine from radiator. REV = Counter clockwise rotation when looking at engine from radiator.
 * Includes 5/8" - 3/4" reducer bushing. ** Stepped pilot. *** Includes 15mm - 19mm reducer bushing.

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE					FAN CLUTCH					
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
ACURA										
SLX										
99-98	V6		3.5			215040	-	-	-	-
97-96	V6		3.2			215032	-	-	-	-
AMC CARS										
AMBASSADOR										
74-71	V8	401	6.6			215049	-	-	211049	-
78-70	V8	360	5.9			215049	-	-	211049	-
78-70	V8	304	5.0			215049	-	-	211049	-
78-71	L6	258	4.2			215049	-	-	211049	-
74-66	L6	232	3.8			215049	-	-	211049	-
CONCORD										
79-78	V8	304	5.0			215049	-	-	211049	-
83-81	L6	258	4.2	REV		215126	-	-	-	-
83-78	L6	258	4.2	STD		215049	-	-	211049	-
79-78	L6	232	3.8			215049	-	-	211049	-
83	L4	151	2.5(B)	REV		215148	-	-	-	-
83-80	L4	150	2.5(U)	STD		215049	-	-	211049	-
79-78	L4	121	2.0			215049	-	-	211049	-
EAGLE										
87-81	L6	258	4.2	REV		215126	-	-	-	-
87-80	L6	258	4.2	STD		215049	-	-	211049	-
83-80	L4	151	2.5(B)	STD		215049	-	-	211049	-
83	L4	150	2.5(U)	REV		215148	-	-	-	-
GREMLIN										
76-75	V8	304	5.0			215049	-	-	211049	-
78-71	L6	258	4.2			215049	-	-	211049	-
78-70	L6	232	3.8			215049	-	-	211049	-
78-77	L4	121	2.0			215049	-	-	211049	-
HORNET										
73-71	V8	360	5.9			215049	-	-	211049	-
77-71	V8	304	5.0			215049	-	-	211049	-
77-71	L6	258	4.2			215049	-	-	211049	-
77-70	L6	232	3.8			215049	-	-	211049	-
JAVELIN										
74-72	V8	401	6.6			215049	-	-	211049	-
74-70	V8	360	5.9			215049	-	-	211049	-
74-71	V8	304	5.0			215049	-	-	211049	-
74-71	L6	258	4.2			215049	-	-	211049	-
74-68	L6	232	3.8			215049	-	-	211049	-
MATADOR										
74-71	V8	401	6.6			215049	-	-	211049	-
78-70	V8	360	5.9			215049	-	-	211049	-
78-70	V8	304	5.0			215049	-	-	211049	-
78-71	L6	258	4.2			215049	-	-	211049	-
74-66	L6	232	3.8			215049	-	-	211049	-
PACER										
79-78	V8	304	5.0			215049	-	-	211049	-
80-75	L6	258	4.2			215049	-	-	211049	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE					FAN CLUTCH					
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
AMC CARS (Cont'd)										
PACER (Cont'd)										
78-75	L6	232	3.8			215049	-	-	211049	-
SPIRIT & AMX										
79-78	V8	304	5.0	STD		215049	-	-	211049	-
83-81	L6	258	4.2	REV		215126	-	-	-	-
83-79	L6	258	4.2	STD		215049	-	-	211049	-
79	L6	232	3.8			215049	-	-	211049	-
83-80	L4	150	2.5			215049	-	-	211049	-
79	L4	121	2.0			215049	-	-	211049	-
AM GENERAL										
HUMMER										
04-98	V8	395	6.5		FROM CHASSIS VIN 180136	-	-	-	-	-
98-97	V8	395	6.5		TO CHASSIS VIN 180136	-	-	216013	-	-
96-94	V8	395	6.5(Y)		NON TURBO	-	-	215154	-	-
96	V8	395	6.5(Z)		TURBO	-	-	-	-	-
94-92	V8	379	6.2			-	-	-	-	-
96-95	V8	350	5.7			-	215145	-	-	-
HUMMER H1										
04-02	V8	395	6.5			-	-	-	-	-
HUMMER H2										
07-03	V8	364	6.0			-	-	215158	-	-
HUMMER H3										
08-07	L5	223	3.7			-	-	215113	-	-
06	L5	211	3.5			-	-	215113	-	-
AUDI										
A4										
01-96	V6		2.8			215069	-	-	-	-
01-97	L4		1.8			215068	-	-	-	-
A4 QUATTRO										
01-96	V6		2.8			215069	-	-	-	-
01-97	L4		1.8			215068	-	-	-	-
A6										
04-00	V8		4.2			-	-	-	-	-
01-98	V6		2.8			215069	-	-	-	-
A6 QUATTRO										
04-00	V8		4.2			-	-	-	-	-
01-98	V6		2.8			215069	-	-	-	-
04-00	V6		2.7			215069	-	-	-	-
A8 QUATTRO										
03-97	V8		4.2			-	-	-	-	-
A8										
99-97	V8		3.7			-	-	-	-	-
ALLROAD QUATTRO										
05-03	V8		4.2			-	-	-	-	-
05-01	V6		2.7			-	-	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
AUDI (Cont'd)										
S4										
02-00	V6		2.7			215069	-	-	-	-
S6										
03-02	V8		4.2	AVANT		-	-	-	-	-
97-95	L5		2.2			-	-	-	-	-
S8										
03-01	V8		4.2			-	-	-	-	-
V8 QUATTRO										
94-92	V8		4.2			-	-	-	-	-
91-90	V8		3.6			-	-	-	-	-
BMW										
ALPINA ROADSTER										
03	V8		4.8			-	-	-	-	-
318I										
98-96	L4		1.9			215014	-	-	-	-
95-84	L4		1.8			215014	-	-	-	-
318IC										
97-96	L4		1.9			215014	-	-	-	-
95-91	L4		1.8			215014	-	-	-	-
318IS										
97-96	L4		1.9			215014	-	-	-	-
95-91	L4		1.8			215014	-	-	-	-
318TI										
99-96	L4		1.9			215014	-	-	-	-
95	L4		1.8			215014	-	-	-	-
323CI										
2000	L6		2.5			215024	-	-	-	-
323I										
00-99	L6		2.5			215024	-	-	-	-
323IC										
99-98	L6		2.5			215024	-	-	-	-
323IS										
99-98	L6		2.5			215024	-	-	-	-
325										
88-86	L6		2.7		FAN CLUTCH HAS 4 FAN MOUNTING HOLES	215014	-	-	-	-
325CI										
06-01	L6		2.5			215024	-	-	-	-
325E										
87-84	L6		2.7			215014	-	-	-	-
325ES										
87-86	L6		2.7			215014	-	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

ACAIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



FAN CLUTCHES

ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
BMW (Cont'd)										
325I										
95-92	L6		2.5		FAN CLUTCH HAS 3 FAN MOUNTING HOLES	215024	-	-	-	-
93-87	L6		2.5		FAN CLUTCH HAS 4 FAN MOUNTING HOLES	215014	-	-	-	-
325IS										
95-92	L6		2.5		FAN CLUTCH HAS 3 FAN MOUNTING HOLES	215024	-	-	-	-
91-87	L6		2.5		FAN CLUTCH HAS 4 FAN MOUNTING HOLES	215014	-	-	-	-
325IX										
91-88	L6		2.5			215014	-	-	-	-
325XI										
05-01	L6		2.5			215024	-	-	-	-
328CI										
2000	L6		2.8			215024	-	-	-	-
328I										
00-96	L6		2.8			215024	-	-	-	-
328IC										
99-96	L6		2.8			215024	-	-	-	-
328IS										
99-96	L6		2.8			215024	-	-	-	-
330CI										
06-01	L6		3.0			215024	-	-	-	-
330I										
05-01	L6		3.0			215024	-	-	-	-
330XI										
05-01	L6		3.0			215024	-	-	-	-
525I										
03-01	L6		2.5			215024	-	-	-	-
95-91	L6		2.5		FAN CLUTCH HAS 3 FAN MOUNTING HOLES	215024	-	-	-	-
90-89	L6		2.5		FAN CLUTCH HAS 4 FAN MOUNTING HOLES	215014	-	-	-	-
525IT										
95-93	L6		2.5			215024	-	-	-	-
528e										
88-82	L6		2.7			215014	-	-	-	-
528I										
00-97	L6		2.8			215024	-	-	-	-
81-80	L6		2.8			215014	-	-	-	-
528IT										
00-99	L6		2.8			215024	-	-	-	-
530I										
03-01	L6		3.0			215024	-	-	-	-
95-94	V8		3.0			215047	-	-	-	-
533I										
84-83	L6		3.2			215014	-	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
BMW (Cont'd)										
535I										
93-89	L6		3.5		FAN CLUTCH HAS 3 FAN MOUNTING HOLES	215048	-	-	-	-
88-85	L6		3.5		FAN CLUTCH HAS 4 FAN MOUNTING HOLES	215014	-	-	-	-
535IS										
88	L6		3.5			215014	-	-	-	-
540I										
03-97	V8		4.4			215047	-	-	-	-
95-94	V8		4.0			215047	-	-	-	-
540IT										
00-99	V8		4.4			215047	-	-	-	-
633CSI										
84-80	L6		3.2			215014	-	-	-	-
635CSI										
85-89	L6		3.5			215014	-	-	-	-
733I										
84-80	L6		3.2			-	-	-	-	-
735I										
92-88	L6		3.5			215048	-	-	-	-
87-85	L6		3.5			-	-	-	-	-
735iI										
92-88	L6		3.5			215048	-	-	-	-
740I										
01-97	V8		4.4			215047	-	-	-	-
740IL										
01-96	V8		4.4			215047	-	-	-	-
95-93	V8		4.0			215047	-	-	-	-
745I										
03	V8		4.4		FROM 3/03	-	-	-	-	-
03-02	V8		4.4		TO 3/03	215051	-	-	-	-
745LI										
03	V8		4.4		FROM 3/03	-	-	-	-	-
03-02	V8		4.4		TO 3/03	215051	-	-	-	-
750IL										
01-95	V12		5.4			215047	-	-	-	-
94-88	V12		5.0			215047	-	-	-	-
760I										
06-04	V12		6.0			215051	-	-	-	-
760LI										
08-03	V12		6.0			215051	-	-	-	-
840CI										
97-96	V8		4.4			215047	-	-	-	-
95-94	V8		4.0			215047	-	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

FAN CLUTCHES

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN CHOICE IS GIVEN, BOLDED NUMBER INDICATES O.E. EQUIVALENT



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
BMW (Cont'd)										
850CI										
97-95	V12		5.4			215047	-	-	-	-
94-93	V12		5.0			215047	-	-	-	-
850CSI										
95-94	V12		5.6			215047	-	-	-	-
850I										
92-91	V12		5.0			215047	-	-	-	-
L6										
87	L6		3.5			215014	-	-	-	-
L7										
87-86	L6		3.5			215024	-	-	-	-
M3										
06-01	L6		3.2			215048	-	-	-	-
99-96	L6		3.2			215024	-	-	-	-
95	L6		3.0			215024	-	-	-	-
91-88	L4		2.3			-	-	-	-	-
M5										
03-00	V8		5.0			-	-	-	-	-
93-91	L6		3.6			215048	-	-	-	-
88	L6		3.5			215014	-	-	-	-
M6										
88-87	L6		3.5			215014	-	-	-	-
X5										
08-04	V8		4.8			-	-	-	-	-
03-02	V8		4.6		"IS" MODEL	215051	-	-	-	-
06-04	V8		4.4			-	-	-	-	-
03-00	V8		4.4			215051	-	-	-	-
08-07	L6		3.0			-	-	-	-	-
06-01	L6		3.0			215024	-	-	-	-
Z3										
02-01	L6		3.2		M COUPE	215048	-	-	-	-
00-99	L6		3.2		M COUPE	215024	-	-	-	-
02-01	L6		3.2		M ROADSTER	215048	-	-	-	-
00-98	L6		3.2		M ROADSTER	215024	-	-	-	-
02-01	L6		3.0			215024	-	-	-	-
00-97	L6		2.8		ROADSTER	215024	-	-	-	-
00-99	L6		2.8		COUPE	215024	-	-	-	-
02-99	L6		2.5			215024	-	-	-	-
98-96	L4		1.9			215014	-	-	-	-
Z8										
03-00	V8		5.0			-	-	-	-	-
03	V8		4.8			-	-	-	-	-
BUICK										
CENTURY										
74	V8	455	7.5			215043	-	-	211043	-
73-71	V8	455	7.5			215049	-	-	211049	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLD
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
BUICK (Cont'd)										
CENTURY (Cont'd)										
77-73	V8	350	5.7			215043	-	-	211043	-
81-75	V6	231	3.8			215043	-	-	211043	220619
ELECTRA										
76-64	V8	455	7.5			215049	-	-	211049	-
70	V8	425	6.9			215049	-	-	211049	-
79-77	V8	403	6.6		w/ STD FAN CLUTCH	215049	-	-	211049	-
79-77	V8	403	6.6		w/ HD FAN CLUTCH	-	215046	215045	-	-
80	V8	350	5.7		GAS	215043	-	-	211043	-
79-78	V8	350	5.7		GAS	215049	-	-	211049	-
85-80	V8	350	5.7		DIESEL w/ STD FAN CLUTCH	215049	-	-	211049	-
85-80	V8	350	5.7		DIESEL w/ HD FAN CLUTCH	-	215046	215045	-	-
81-73	V8	350	5.7		w/ HD FAN CLUTCH, EXC. 350(X)	-	215046	215045	-	-
81	V8	350	5.7		w/ STD FAN CLUTCH, EXC. 350(X)	215043	-	-	211043	-
80-73	V8	350	5.7		w/ STD FAN CLUTCH, EXC. 350(X)	215049	-	-	211049	-
84-81	V8	307	5.0		w/ STD FAN CLUTCH	215049	-	-	211049	-
84-81	V8	307	5.0		w/ HD FAN CLUTCH	-	215046	215045	-	-
81	V8	301	4.9			-	215046	215045	-	-
84-80	V6	252	4.1			215043	-	-	211043	-
83-80	V6	231	3.8			215043	-	-	211043	220619
ESTATE WAGON, LeSABRE & ROADMASTER										
76-64	V8	455	7.5		w/ STD FAN CLUTCH	215049	-	-	211049	-
70	V8	425	6.9			215049	-	-	211049	-
79-77	V8	403	6.6		w/ STD FAN CLUTCH	215049	-	-	211049	-
79-77	V8	403	6.6		w/ HD FAN CLUTCH	-	215046	215045	-	-
78	V8	400	6.6			-	215046	-	-	-
96-94	V8	350	5.7	STD		-	215046	215045	-	-
93-92	V8	350	5.7	REV		-	215145	-	-	-
80-78	V8	350	5.7	STD	GAS, w/ AC	215043	-	-	211043	-
80-78	V8	350	5.7	STD	GAS, w/o AC	215049	-	-	211049	-
85-80	V8	350	5.7	STD	DIESEL	-	215046	215045	-	-
81	V8	350	5.7	STD	GAS	215043	-	-	211043	-
80-69	V8	350	5.7	STD	GAS, w/ STD FAN CLUTCH	215049	-	-	211049	-
80-69	V8	350	5.7	STD	GAS, w/ HD FAN CLUTCH, EXC. DIESEL	-	215046	-	-	-
91	V8	307	5.0	REV	FAN MOUNTING HOLES ARE 10 mm	-	-	215140	-	-
90-81	V8	307	5.0	STD	w/ STD FAN CLUTCH	215049	-	-	211049	-
90-81	V8	307	5.0	STD	w/ HD FAN CLUTCH	-	215046	-	-	-
82-78	V8	305	5.0	STD	w/ STD FAN CLUTCH	215049	-	-	211049	-
82-78	V8	305	5.0	STD	w/ HD FAN CLUTCH	-	215046	-	-	-
81-77	V8	301	4.9		w/ STD FAN CLUTCH	215043	-	-	211043	-
81-77	V8	301	4.9		w/ HD FAN CLUTCH	-	215046	-	-	-
82-81	V8	267	4.4		w/ STD FAN CLUTCH	215049	-	-	211049	-
82-81	V8	267	4.4		w/ HD FAN CLUTCH	-	215046	-	-	-
84-81	V6	252	4.1			215043	-	-	211043	-
85-77	V6	231	3.8			215043	-	-	211043	220619
78	V6	196	3.2			215043	-	-	211043	220619
RAINIER										
07-06	V8	325	5.3			-	-	216033	-	-
05-04	V8	325	5.3			-	215156/216033 (1)	-	-	-
07-06	V6	256	4.2			-	-	216033	-	-

(1) Sellout 215156 and reorder 216033.

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLD
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
BUICK (Cont'd)										
RAINIER (Cont'd)										
05-04	V6	256	4.2			-	215156/216033 (1)	-	-	-
REGAL										
73-72	V8	455	7.5			215049	-	-	211049	-
77	V8	403	6.6	w/ STD FAN CLUTCH		215049	-	-	211049	-
77	V8	403	6.6	w/ HD FAN CLUTCH		-	215046	-	-	-
85-80	V8	350	5.7	DIESEL w/ HD FAN CLUTCH		-	215046	215045	-	-
85-80	V8	350	5.7	DIESEL w/ STD FAN CLUTCH		215049	-	-	211049	-
80-78	V8	350	5.7	GAS, w/ STD FAN CLUTCH		215043	-	-	211043	-
80-76	V8	350	5.7	GAS, w/ HD FAN CLUTCH		-	215046	-	-	-
77-76	V8	350	5.7	w/ STD FAN CLUTCH		215049	-	-	211049	-
87-85	V8	307	5.0	w/ STD FAN CLUTCH		215049	-	-	211049	-
87-85	V8	307	5.0	w/ HD FAN CLUTCH		-	215046	-	-	-
87-82	V8	305	5.0	w/ STD FAN CLUTCH		215049	-	-	211049	-
87-78	V8	305	5.0	w/ HD FAN CLUTCH		-	215046	-	-	-
81-78	V8	305	5.0	w/ STD FAN CLUTCH		215043	-	-	211043	-
81-79	V8	301	4.9			-	215046	-	-	-
82-81	V8	267	4.4	w/ STD FAN CLUTCH		215043	-	-	211043	-
82-81	V8	267	4.4	w/ HD FAN CLUTCH		-	215046	-	-	-
81-80	V8	265(S)	4.3(S)	w/ HD FAN CLUTCH		-	215046	-	-	-
81	V8	265(S)	4.3(S)	w/ AC & STD FAN CLUTCH		215049	-	-	211049	-
81	V8	265(S)	4.3(S)	w/o AC, w/ STD FAN CLUTCH		215043	-	-	211043	-
84-82	V6	260(V)	4.3(V)	DIESEL		-	-	-	-	-
84-82	V6	252	4.1(4)			215043	-	-	211043	-
87-75	V6	231	3.8			215043	-	-	211043	220619
79-78	V6	196	3.2			215043	-	-	211043	220619
RIVIERA										
76-64	V8	455	7.5	w/ STD FAN CLUTCH		215049	-	-	211049	-
70	V8	425	6.9			215049	-	-	211049	-
80	V8	350	5.7	GAS		215043	-	-	211043	-
85-80	V8	350	5.7	DIESEL w/ STD FAN CLUTCH		215049	-	-	211049	-
85-80	V8	350	5.7	DIESEL w/ HD FAN CLUTCH		-	215046	215045	-	-
80-74	V8	350	5.7	GAS, w/ STD FAN CLUTCH		215049	-	-	211049	-
80-74	V8	350	5.7	GAS, w/ HD FAN CLUTCH		-	215046	215045	-	-
85-80	V8	307	5.0	w/ STD FAN CLUTCH		215049	-	-	211049	-
85-80	V8	307	5.0	w/ HD FAN CLUTCH		-	215046	215045	-	-
84-81	V6	252	4.1			215043	-	-	211043	-
85-79	V6	231	3.8			215043	-	-	211043	220619
ROADMASTER										
96-95	V8	350	5.7	w/ HD COOLING		-	215046	-	-	-
94	V8	350	5.7	w/ HD COOLING		-	-	215045	-	-
93-92	V8	350	5.7	w/ HD COOLING		-	-	215140	-	-
93-92	V8	350	5.7	EXCEPT w/ HD COOLING		-	215145	-	-	-
91	V8	305	5.0	w/ HD COOLING		-	-	215140	-	-
91	V8	305	5.0	EXCEPT w/ HD COOLING		-	215145	-	-	-
SKYHAWK										
81-75	V6	231	3.8	w/ STD FAN CLUTCH		215039	-	-	-	-

(1) Sellout 215156 and reorder 216033.

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
BUICK (Cont'd)										
SKYLARK										
73-72	V8	455	7.5			215049	-	-	211049	-
69-67	V8	400	6.6			215049	-	-	211049	-
79-76	V8	350	5.7		w/ STD FAN CLUTCH	215049	-	-	211049	-
79-76	V8	350	5.7		w/HD FAN CLUTCH	-	215046	-	-	-
67-66	V8	340	5.5			215043	-	-	211043	-
79-77	V8	305	5.0			215049	-	-	211049	-
77	V8	301	4.9			-	215046	-	-	-
67-64	V8	300	4.9			215043	-	-	211043	-
76	V6	260	4.3			-	215046	-	-	-
71-69	L6	250	4.0			215049	-	-	211049	220618
68	L6	250	4.0			215011	-	-	211011	220618
79-77	V6	231	3.8			215043	-	-	211043	220619
67-65	V6	225	3.6			215043	-	-	211043	220618
SPECIAL										
66-65	V8	401	6.6			215049	-	-	211049	-
69-67	V8	400	6.6			215049	-	-	211049	-
72-68	V8	350	5.7			215043	-	-	211043	-
67-66	V8	340	5.5			215043	-	-	211043	-
67-64	V8	300	4.9			215043	-	-	211043	-
71-69	L6	250	4.0			215049	-	-	211049	220618
68	L6	250	4.0			215011	-	-	211011	220618
67-65	V6	225	3.6			215043	-	-	211043	220618
CADILLAC										
BROUGHAM										
85-84	V8	350	5.7		DIESEL	215043	-	-	211043	-
82	V8	350	5.7		DIESEL	-	215031	-	-	-
92-90	V8	350	5.7	REV	FAN MOUNTING HOLES ARE 10 mm	-	215145	215140	-	-
92-91	V8	305	5.0	REV	FAN MOUNTING HOLES ARE 5/16"	-	215145	-	-	-
90-86	V8	307	5.0	STD	w/ EXTRA CAPACITY COOLING	215026	-	-	211026	-
CALAIS										
76-75	V8	500	8.0			-	215046	-	-	-
74-68	V8	472	7.8			-	215046	-	-	-
67-65	V8	429	7.0			-	215046	-	-	-
COMMERCIAL CHASSIS & FLEETWOOD LIMOUSINE										
76	V8	500	8.0			-	215046	-	-	-
79-77	V8	425	7.0			-	215031	-	-	-
84-80	V8	368	6.0			-	215031	-	-	-
85-83	V8	350	5.7		DIESEL	215049	-	-	211049	-
94	V8	350	5.7	STD	GAS, HD COOLING, FAN MOUNTING HOLES ARE 5/16"	-	215046	215045	-	-
93	V8	350	5.7	REV	GAS, HD COOLING, FAN MOUNTING HOLES ARE 10 mm	-	-	215140	-	-
85-84	V8	350	5.7	STD	DIESEL	215049	-	-	211049	-
85-84	V8	250	4.1			215043	-	-	211043	-
DeVILLE & COUPE DeVILLE										
76-75	V8	500	8.0		w/HD FAN CLUTCH	-	215046	-	-	-
74-68	V8	472	7.8			-	215046	-	-	-
67-65	V8	429	7.0			-	215046	-	-	-
79-77	V8	425	7.0			-	215031	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

FAN CLUTCHES

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN CHOICE IS GIVEN, BOLDED NUMBER INDICATES O.E. EQUIVALENT



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
CADILLAC (Cont'd)										
DeVILLE & COUPE DeVILLE (Cont'd)										
84	V8	368	6.0			-	215031	-	-	-
81-80	V8	368	6.0			-	215031	-	-	-
85-83	V8	350	5.7	DIESEL		215049	-	-	211049	-
82-79	V8	350	5.7	DIESEL		-	215031	-	-	-
92-90	V8	350	5.7	REV	HD COOLING	-	215145	215140	-	-
92-91	V8	305	5.0	REV		-	215145	215140	-	-
90-86	V8	305	5.0	STD		215043	-	-	211043	-
90-86	V8	307	5.0	STD		215026	-	-	211026	-
82-80	V6	252	4.1			-	215031	-	-	-
85-82	V8	250	4.1			215043	-	-	211043	-
ESCALADE										
10-07	V8	378	6.2			-	-	-	-	-
06-02	V8	364	6.0			-	-	215152	-	-
00-99	V8	350	5.7			-	-	215152	-	-
05-02	V8	323	5.3			-	-	215152	-	-
ELDORADO										
78-70	V8	500	8.0			-	215046	-	-	-
69-65	V8	429	7.0			-	215046	-	-	-
78-77	V8	425	7.0			-	215046	-	-	-
81-80	V8	368	6.0			-	-	-	-	-
85-82	V8	350	5.7	DIESEL		215049	-	-	211049	-
81-80	V8	350	5.7	DIESEL		-	215031	-	-	-
79	V8	350	5.7	DIESEL		215049	-	-	211049	-
81-80	V8	350	5.7	GAS		-	215031	-	-	-
79	V8	350	5.7			215049	-	-	211049	-
82-81	V6	252	4.1			215043	-	-	211043	-
85-82	V8	250	4.1			-	215046	-	-	-
FLEETWOOD BROUGHAM & FLEETWOOD 75										
76-75	V8	500	8.0		w/ HD FAN CLUTCH	-	215046	-	-	-
74-68	V8	472	7.8			-	215046	-	-	-
79-77	V8	425	7.0			-	215031	-	-	-
84-80	V8	368	6.0			-	215031	-	-	-
85-83	V8	350	5.7	DIESEL		215049	-	-	211049	-
82	V8	350	5.7	DIESEL		-	215031	-	-	-
96-94	V8	350	5.7	STD	GAS, HD COOLING	-	215046	215045	-	-
93	V8	350	5.7	REV	GAS, HD COOLING	-	-	215140	-	-
92-90	V8	350	5.7	REV		-	215145	-	-	-
92-91	V8	305	5.0	REV		-	215145	-	-	-
90-86	V8	307	5.0	STD		215043	-	-	211043	-
93	V8	301	4.9		w/HD FAN CLUTCH	-	215145	215140	-	-
82-80	V6	252	4.1			-	215031	-	-	-
85-82	V8	250	4.1			215043	-	-	211043	-
79	V8	425	7.0			-	215031	-	-	-
81-80	V8	368	6.0			-	215031	-	-	-
81-80	V6	252	4.1			-	215031	-	-	-
SEDAN & SEDAN DeVILLE										
79-78	V8	425	7.0			-	215031	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
CADILLAC (Cont'd)										
SEVILLE										
81-80	V8	368	6.0			-	-	-	-	-
85-82	V8	350	5.7	DIESEL		215049	-	-	211049	-
81-80	V8	350	5.7	DIESEL		-	215031	-	-	-
79-78	V8	350	5.7	DIESEL		215049	-	-	211049	-
80	V8	350	5.7	GAS		-	215031	-	-	-
79-76	V8	350	5.7	GAS		215049	-	-	211049	-
82-81	V6	252	4.1			215043	-	-	211043	-
85-82	V8	250	4.1			-	215046	-	-	-
SRX										
06-04	V8	281	4.6		w/ TRAILER TOW PACKAGE	-	-	215162	-	-
06-04	V8	281	4.6		w/o TRAILER TOW PACKAGE	-	-	-	-	-
06-04	V6	217	3.6			-	-	-	-	-
STS										
08-05	V8	281	4.6		w/ TRAILER TOW PACKAGE	-	-	-	-	-
08-05	V8	281	4.6		w/o TRAILER TOW PACKAGE	-	-	-	-	-
08-05	V6	217	3.6		w/o TRAILER TOW PACKAGE	-	-	-	-	-
06-05	V6	217	3.6		w/ TRAILER TOW PACKAGE	-	-	-	-	-
CHEVROLET CARS										
CAMARO										
69	V8	427	7.0			215049	-	-	211049	-
68-67	V8	427	7.0			215011	-	-	211011	-
72-69	V8	396	6.5			215049	-	-	211049	-
68-67	V8	396	6.5			215011	-	-	211011	-
81-80	V8	350	5.7		w/ STD FAN CLUTCH	215043	-	-	211043	-
81-67	V8	350	5.7		w/ HD FAN CLUTCH	-	215046	-	-	-
79-67	V8	350	5.7		w/ STD FAN CLUTCH	215049	-	-	211049	-
69-67	V8	327	5.4		w/ STD FAN CLUTCH	215049	-	-	211049	-
69-67	V8	327	5.4		w/ HD FAN CLUTCH	-	215046	-	-	-
73-71	V8	307	5.0		w/ HD FAN CLUTCH	-	215046	-	-	-
73-71	V8	307	5.0		w/ STD FAN CLUTCH	215049	-	-	211049	-
85-84	V8	305	5.0		w/o AC w/3 BLADE FAN	215049	-	-	211049	-
85-82	V8	305	5.0		w/ STD FAN CLUTCH w/o 3 BLADE FAN	215049	-	-	211049	-
86-76	V8	305	5.0		w/ HD FAN CLUTCH	-	215046	-	-	-
81-80	V8	305	5.0		w/ STD FAN CLUTCH	215043	-	-	211043	-
79-76	V8	305	5.0		w/ STD FAN CLUTCH	215049	-	-	211049	-
69-67	V8	302	5.0		w/ STD FAN CLUTCH	215049	-	-	211049	-
69-67	V8	302	5.0		w/ HD FAN CLUTCH	-	215046	-	-	-
80	V8	301	4.9			-	215046	215045	-	-
81-80	V8	267	4.4			-	215046	-	-	-
79-67	L6	250	4.1			215049	-	-	211049	220618
81-80	V6	231	3.8			215043	-	-	211043	220618
70-67	L6	230	3.8			215049	-	-	211049	220618
81-80	V6	229	3.8			-	215046	-	-	-
84-82	V6	173	2.8			215049	-	-	211049	220618
85-83	L4	151	2.5			215049	-	-	211049	-
82	L4	151	2.5		w/ HDC	215043	-	-	211043	-
82	L4	151	2.5		w/o HDC	215049	-	-	211049	-

FAN CLUTCHES / FAN BLADES

Application Guide

FAN CLUTCHES

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN CHOICE IS GIVEN, BOLDED NUMBER INDICATES O.E. EQUIVALENT



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
CHEVROLET CARS (Cont'd)										
CAPRICE & IMPALA (INCLUDING WAGONS)										
76-70	V8	454	7.4			-	215046	-	-	-
65-61	V8	409	6.7			215011	-	-	211011	-
76-70	V8	400	6.6			-	215046	-	-	-
85-80	V8	350	5.7		DIESEL w/STD FAN CLUTCH	215049	-	-	211049	-
85-80	V8	350	5.7		DIESEL w/HD FAN CLUTCH	-	215046	215045	-	-
96-94	V8	350	5.7	STD		-	215046	215045	-	-
93-89	V8	350	5.7	REV	FAN MOUNTING HOLES ARE 10 mm	-	215145	-	-	-
81-72	V8	350	5.7	STD	w/HD FAN CLUTCH, FAN MOUNTING HOLES ARE 5/16"	-	215046	215045	-	-
81-69	V8	350	5.7	STD	w/STD FAN CLUTCH, FAN MOUNTING HOLES ARE 5/16"	215049	-	-	211049	-
61-59	V8	348	5.7	STD		215011	-	-	211011	-
69-63	V8	327	5.4			215011	-	-	211011	-
90-86	V8	307	5.0	STD	w/STD FAN CLUTCH	215049	-	-	211049	-
90-86	V8	307	5.0	STD	w/HD FAN CLUTCH,	-	215046	-	-	-
93-89	V8	305	5.0	REV	w/HD FAN CLUTCH, FAN MOUNTING HOLES ARE 10 mm	-	215145	-	-	-
88-77	V8	305	5.0	STD	w/HD FAN CLUTCH	-	215046	-	-	-
87-82	V8	305	5.0		w/STD FAN CLUTCH	215049	-	-	211049	-
81-80	V8	305	5.0			215043	-	-	211043	-
79-77	V8	305	5.0			215049	-	-	211049	-
67-59	V8	283	4.6			215011	-	-	211011	-
67-59	V8	283	4.6			215011	-	-	211011	-
82-80	V8	267	4.4		w/AC & HD FAN CLUTCH	-	215046	-	-	-
82	V8	267	4.4		w/STD FAN CLUTCH	215049	-	-	211049	-
81-80	V8	267	4.4		w/AC & STD FAN CLUTCH	215049	-	-	211049	-
81-80	V8	267	4.4		w/o AC & STD FAN CLUTCH	215043	-	-	211043	-
94	V8	265	4.3	STD	w/HD FAN CLUTCH	-	215046	215045	-	-
96-95	V6	262	4.3	STD	w/HD COOLING	-	215046	215045	-	-
93-89	V6	262	4.3	REV	w/HD FAN CLUTCH (INC. TAXI)	-	215145	-	-	-
88-85	V6	262	4.3	STD	w/STD FAN CLUTCH	215049	-	-	211049	-
88-85	V6	262	4.3	STD	w/HD FAN CLUTCH	-	215046	-	-	-
72-69	L6	250	4.1		w/18" FAN	215049	-	-	211049	220618
72-69	L6	250	4.1		w/17" FAN	215049	-	-	211049	-
68-66	L6	250	4.1		w/17" FAN	215011	-	-	211011	-
68-66	L6	250	4.1		w/18" FAN	215011	-	-	211011	220618
84-80	V6	231	3.8		w/o AC & STD FAN CLUTCH	215043	-	-	211043	220619
84-82	V6	229	3.8		w/STD FAN CLUTCH	215049	-	-	211049	220619
84-80	V6	229	3.8		w/HD FAN CLUTCH	-	215046	-	-	-
81-80	V6	229	3.8		w/STD FAN CLUTCH	215043	-	-	211043	220619
CHEVELLE, EL CAMINO, MALIBU & MONTE CARLO										
76-71	V8	454	7.4			215049	-	-	211049	-
76-70	V8	400	6.6			-	215046	-	-	-
72-69	V8	396	6.5			215049	-	-	211049	-
68-65	V8	396	6.5			215011	-	-	211011	-
81-78	V8	350	5.7		w/o AC & STD FAN CLUTCH	215043	-	-	211043	-
81-76	V8	350	5.7		w/HD FAN CLUTCH	-	215046	-	-	-
81-69	V8	350	5.7			215049	-	-	211049	-
68-64	V8	327	5.4			215011	-	-	211011	-
73-68	V8	307	5.0			215049	-	-	211049	-
88-82	V8	305	5.0		w/STD FAN CLUTCH	215049	-	-	211049	-
88-78	V8	305	5.0		w/HD FAN CLUTCH	-	215046	215045	-	-
81-78	V8	305	5.0		w/o AC & STD FAN CLUTCH	215043	-	-	211043	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
CHEVROLET CARS (Cont'd)										
CHEVELLE, EL CAMINO, MALIBU & MONTE CARLO (Cont'd)										
81-76	V8	305	5.0		w/ AC & STD FAN CLUTCH	215049	-	-	211049	-
67-64	V8	283	4.6			215011	-	-	211011	-
81-79	V8	267	4.4		w/o AC & STD FAN CLUTCH	215043	-	-	211043	-
81-79	V8	267	4.4		w/ AC & STD FAN CLUTCH	215049	-	-	211049	-
81-79	V8	267	4.4		w/HD FAN CLUTCH	-	215046	-	-	-
88-85	V6	262	4.3			215049	-	-	211049	-
83-82	V6	260	4.3		DIESEL	-	-	-	-	-
77-69	L6	250	4.1			215049	-	-	211049	220618
68-67	L6	250	4.1			215011	-	-	211011	220618
81-78	V6	231	3.8			215043	-	-	211043	220619
84-80	V6	229	3.8		w/ AC & STD FAN CLUTCH	215049	-	-	211049	220619
81-80	V6	229	3.8		w/o AC & STD FAN CLUTCH	215043	-	-	211043	220619
79-78	L6	200	3.3		w/o AC OR w/MANUAL TRANS	215043	-	-	211043	220619
79-78	L6	200	3.3		w/ AC OR w/AUTO TRANS	215049	-	-	211049	220619
CHEVETTE										
87-77	L4	98	1.6			215013	-	-	-	-
77-76	L4	85	1.4			215013	-	-	-	-
CORVETTE										
74-70	V8	454	7.4		w/o AC STD FAN CLUTCH	215065	-	-	-	-
74-70	V8	454	7.4		w/ AC HD FAN CLUTCH	-	-	215052	-	-
69-66	V8	427	7.0			215012	-	-	-	-
65	V8	396	6.6			215012	-	-	-	-
82-80	V8	350	5.7		w/ STD FAN CLUTCH	215017	-	-	-	-
80-74	V8	350	5.7		w/HD FAN CLUTCH	-	215041	-	-	-
79-72	V8	350	5.7		w/ STD FAN CLUTCH	215012	-	-	-	-
71-69	V8	350	5.7			215065	-	-	-	-
68-62	V8	327	5.4			215012	-	-	-	-
61-60	V8	283	4.6			215012	-	-	-	-
MONZA										
75	V8	350	5.7			215049	-	-	211049	-
78-76	V8	305	5.0			215049	-	-	211049	-
76-75	V8	262	4.3			215049	-	-	211049	-
80-78	V6	231	3.8		w/o AC	215039	-	-	-	-
80-78	V6	231	3.8		w/ AC	215049	-	-	211049	-
79-78	V6	196	3.2			215049	-	-	211049	-
80-78	L4	151	2.5			215049	-	-	211049	-
77-75	L4	140	2.3			215049	-	-	211049	-
NOVA, CHEVY II										
79-71	V8	350	5.7			215049	-	-	211049	-
69	V8	327	5.4			215049	-	-	211049	-
68-66	V8	327	5.4			215011	-	-	211011	-
73-69	V8	307	5.0			215049	-	-	211049	-
79-76	V8	305	5.0			215049	-	-	211049	-
79-76	L6	250	4.1			215049	-	-	211049	220618
VEGA										
77-75	V8	305	5.0			215049	-	-	211049	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN CHOICE IS GIVEN, BOLDED NUMBER INDICATES O.E. EQUIVALENT



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
CHEVROLET & GMC TRUCKS										
CHEVROLET & GMC LIGHT DUTY FULL-SIZE TRUCKS AND SUVs										
07-01	V8	498	8.1		NEW BODY STYLES, EXCEPT ALLISON AUTO TRANS, MARKED GGL	-	-	215139	-	-
06-01	V8	498	8.1		NEW BODY STYLES, ALLISON AUTO TRANS, MARKED GCJ	-	-	215139	-	-
02-01	V8	498	8.1		CLASSIC BODY STYLES & HD CAB CHASSIS, MARKED GFF	-	-	215158	-	-
00-88	V8	454	7.4	REV	REV ROTATION, FAN MOUNTING HOLES ARE 10 mm	-	-	215140	-	-
91-73	V8	454	7.4	STD	STD. ROTATION, FAN MOUNTING HOLES ARE 5/16"	-	-	215045	-	-
09-06	V8	400	6.6		TURBO DIESEL	-	-	216023	-	-
05-01	V8	400	6.6		TURBO DIESEL	-	-	216017	-	-
72-71	V8	400	6.6		w/ STD FAN CLUTCH	215043	-	-	211043	-
80-73	V8	400	6.6		w/HD FAN CLUTCH	-	-	215045	-	-
70-68	V8	396	6.5		w/ STD FAN CLUTCH	215043	-	-	211043	-
02-99	V8	399	6.5		DIESEL, MARKED GDF, THREAD ON TYPE	-	-	216014	-	-
99-97	V8	399	6.5		DIESEL, MARKED GCP, BOLT ON TYPE	-	-	216013	-	-
96-94	V8	399	6.5		TURBO DIESEL	-	-	216005	-	-
93-92	V8	399	6.5		TURBO DIESEL	-	-	216006	-	-
82	V8	379	6.2		DIESEL, W /6 FAN BOLTS	-	-	216002	-	-
91-82	V8	379	6.2		w/ FOUR 5/16" FAN BOLTS	-	-	215052	-	-
93-87	V8	379	6.2	REV	DIESEL, FAN MOUNTING HOLES ARE 10 mm	-	-	215154	-	-
09-02	V8	368	6.0		w/ AC OR W/ TOWING PACKAGE, EXCEPT 2006 SILVERADO SS	-	-	215152	-	-
06	V8	368	6.0		Silverado SS	-	-	215139	-	-
06-01	V8	368	6.0		w/o AC	-	215107	215158	-	-
01-99	V8	368	6.0		w/ TRL. TOW PKG. & 3.73. 3.42 OR 3.08 REAR AXLE RATIO	-	215107	215158	-	-
02-99	V8	368	6.0		w/o TRL. TOW PKG. & w/ 4.10 REAR AXLE RATIO	-	215107	215158	-	-
81-79	V8	350	5.7		DIESEL	-	215046	215045	-	-
00-96	V8	350	5.7		w/o AC	215157	-	-	-	-
00-96	V8	350	5.7		w/ AC, INCLUDING HD TOW PACKAGE	-	-	215158	-	-
95-88	V8	350	5.7	REV	w/3.73 OR NUMERICALLY HIGHER REAR AXLE RATIO, FAN MOUNTING HOLES ARE 10 mm	-	215145	215140	-	-
95-88	V8	350	5.7	REV	w/ AC & 3.42 OR NUMERICALLY LOWER REAR, FAN MOUNTING HOLES ARE 10 mm	-	215145	215140	-	-
95-88	V8	350	5.7	REV	w/o AC, w/3.08, 3.42 REAR AXLE RATIO	215142	-	-	-	-
91-82	V8	350	5.7	STD	w/3.73 OR NUMERICALLY HIGHER REAR AXLE RATIO, FAN MOUNTING HOLES ARE 5/16"	-	215046	215045	-	-
91-82	V8	350	5.7	STD	w/3.42 OR NUMERICALLY LOWER REAR AXLE RATIO, FAN MOUNTING HOLES ARE 5/16"	-	215046	215045	-	-
82-69	V8	350	5.7		w/ STD FAN CLUTCH	215049	-	-	211049	-
81-73	V8	350	5.7		w/HD FAN CLUTCH	-	215046	215045	-	-
68-66	V8	327	5.4		w/ STD. FAN CLUTCH	215049	-	-	211049	-
07-02	V8	325	5.3		FLEX FUEL	-	215107	215152	-	-
07-99	V8	325	5.3		w/ AC OR w/ TRL. TOW PKG. OR 4.10 REAR AXLE RATIO	-	-	215152	-	-
05-99	V8	325	5.3		w/o AC	-	215107	-	-	-
07-99	V8	325	5.3		w/o TRL. TOW PKG. & w/ 3.73. 3.42 OR 3.08 REAR AXLE RATIO	-	215107	215152	-	-
73	V8	307	5.0		w/HD FAN CLUTCH	-	215046	215045	-	-
73-67	V8	307	5.0		w/ STD. FAN CLUTCH	215049	-	-	211049	-
99-96	V8	305	5.0		w/ AC, INCLUDING HD TOW PACKAGE	-	-	215158	-	-
99-96	V8	305	5.0		w/o AC	215157	-	-	-	-
95-88	V8	305	5.0		w/o AC, w/3.42 OR NUMERICALLY LOWER REAR AXLE RATIO, FAN MOUNTING HOLES ARE 10 mm	215142	-	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN CHOICE IS GIVEN, BOLDED NUMBER INDICATES O.E. EQUIVALENT



ENGINE					FAN CLUTCH					
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
CHEVROLET & GMC TRUCKS (Cont'd)										
CHEVROLET & GMC LIGHT DUTY FULL-SIZE TRUCKS AND SUVs (Cont'd)										
95-88	V8	305	5.0	REV	w/ AC & 3.42 OR NUMERICALLY LOWER REAR AXLE RATIO, FAN MOUNTING HOLES ARE 10 mm	-	215145	215140	-	-
95-88	V8	305	5.0	REV	w/ 3.73 OR NUMERICALLY HIGHER REAR AXLE RATIO, FAN MOUNTING HOLES ARE 10 mm	-	215145	215140	-	-
88-77	V8	305	5.0	STD	w/ STD ROTATION FAN CLUTCH, FAN MOUNTING HOLES ARE 5/16"	215049	-	-	211049	-
88-77	V8	305	5.0	STD	w/o AC, w/3.42 OR NUMERICALLY LOWER REAR AXLE RATIO, FAN MOUNTING HOLES ARE 5/16"	-	215046	215045	-	-
88-77	V8	305	5.0	STD	w/ 3.73 OR NUMERICALLY HIGHER REAR AXLE RATIO, FAN MOUNTING HOLES ARE 5/16"	-	215046	215045	-	-
07-99	V8	292	4.8		w/ AC OR w/ TRL. TOW PKG. OR 4.10 REAR AXLE RATIO	-	-	215152	-	-
07-99	V8	292	4.8		w/o AC	-	215107	-	-	-
05-99	V8	292	4.8		w/o TRL. TOW PKG. & w/ 3.73. 3.42 OR 3.08 REAR AXLE RATIO	-	215107	-	-	-
77-63	L6	292	4.8		w/ STD. FAN CLUTCH	215049	-	-	211049	-
88-78	L6	292	4.8		w/o AC	215043	-	-	211043	-
88-78	L6	292	4.8		w/ AC	-	215046	215045	-	-
67-57	V8	283	4.6			215049	-	-	211049	-
05-99	V6	262	4.3		w/ AC OR w/ HD TOW PACKAGE	-	-	215152	-	-
05-99	V6	262	4.3		w/o AC	-	215107	-	-	-
98-96	V6	262	4.3		w/ AC, INCLUDING HD TOW PACKAGE	-	215107	215158	-	-
98-96	V6	262	4.3		w/o AC	215157	-	-	-	-
95-88	V6	262	4.3	REV	w/ AC & 3.42 OR N NUMERICALLY LOWER REAR AXLE RATIO	-	215145	215140	-	-
95-88	V6	262	4.3	REV	w/o AC, w/.3.42 OR NUMERICALLY LOWER REAR AXLE RATIO, FAN MOUNTING HOLES ARE 10 mm	215142	-	-	-	-
95-88	V6	262	4.3	REV	w/ 3.73 OR NUMERICALLY HIGHER REAR AXLE RATIO, FAN MOUNTING HOLES ARE 10 mm	-	215145	215140	-	-
88-85	V6	262	4.3	STD	w/ 3.73 OR NUMERICALLY HIGHER REAR AXLE RATIO, FAN MOUNTING HOLES ARE 5/16"	-	215046	215045	-	-
88-85	V6	262	4.3	STD	w/ 3.42 OR NUMERICALLY LOWER REAR AXLE RATIO, FAN MOUNTING HOLES ARE 5/16"	-	215046	215045	-	-
84-78	L6	250	4.1			215043	-	-	211043	220619
77-69	L6	250	4.1			215049	-	-	211049	220618
CHEVROLET & GMC MID-SIZE TRUCKS										
BLAZER, SONOMA, TRIALBLAZER, ENVOY, JIMMY & PICK-UPS S & T10, 15 SERIES										
09-07	V8	368	6.0		w/ ELECTRONIC FAN CLUTCH	-	-	216033	-	-
06	V8	368	6.0		w/ ELECTRONIC FAN CLUTCH	-	215156/216033 (1)	-	-	-
09-07	V8	325	5.3		w/o ELECTRONIC FAN CLUTCH	-	-	216034	-	-
06	V8	325	5.3		w/ ELECTRONIC FAN CLUTCH	-	-	216033	-	-
05-03	V8	325	5.3		w/ ELECTRONIC FAN CLUTCH	-	215156/216033 (1)	-	-	-
05-96	V6	262	4.3		w/ AC, CLASSIC BODY STYLE	-	-	215158	-	-
03-96	V6	262	4.3		w/o AC, CLASSIC BODY STYLE	215157	-	-	-	-
95-94	V6	262	4.3		w/o AC	215153	-	-	-	-
93-88	V6	262	4.3		w/o AC	215143	-	-	-	-
95-88	V6	262	4.3		w/ AC	-	215145	215140	-	-
09-08	L6	256	4.2		w/o ELECTRONIC FAN CLUTCH	-	-	216034	-	-
07-06	L6	256	4.2		w/ ELECTRONIC FAN CLUTCH	-	-	216033	-	-
05-02	L6	256	4.2			-	215156/216033 (1)	-	-	-
93-87	V6	173	2.8	REV	w/o AC, w/ FRONT MOUNTED FAN	215179	-	-	-	-
93-87	V6	173	2.8	REV	w/ AC, w/ REAR MOUNTED FAN	215142	-	-	-	-

(1) Sellout 215156 and reorder 216033.

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN CHOICE IS GIVEN, BOLDED NUMBER INDICATES O.E. EQUIVALENT



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
CHEVROLET & GMC MID-SIZE TRUCKS (Cont'd)										
BLAZER, SONOMA, TRIALBLAZER, ENVOY, JIMMY & PICK-UPS S & T10, 15 SERIES (Cont'd)										
86-82	V6	173	2.8	STD	w/o AC, w/STD FAN CLUTCH	215026	-	-	211026	-
86	V6	173	2.8	STD	w/ AC, w/HD FAN CLUTCH	215049	215046	-	-	-
85-82	V6	173	2.8	STD	w/ AC, w/STD FAN CLUTCH	215021	-	-	-	-
93-87	L4	151	2.5	REV	w/ AC, w/ REAR MOUNTED FAN, MARKED SC	215103	-	-	-	-
91-89	L4	151	2.5	REV	w/o AC FRONT MOUNTED FAN, MARKED RM	215179	-	-	-	-
86-85	L4	151	2.5	STD	w/o AC	215049	-	-	211049	-
86	L4	151	2.5	STD	w/ AC	215039	-	-	-	-
85	L4	151	2.5	STD	w/ AC, MARKED CCR, w/ 5/16" fan mounting holes	215021	-	-	-	-
85	L4	151	2.5	STD	w/ AC, MARKED HU, w/ 8mm FAN MOUNTING BOLTS	215055	-	-	-	-
03-97	L4	134	2.2		w/ AC	215157	-	-	-	-
96-94	L4	134	2.2		w/ AC	215153	-	-	-	220638
03-97	L4	134	2.2		w/o AC	215117	-	-	-	-
96-94	L4	134	2.2		w/o AC	215116	-	-	-	-
85-82	L4	135	2.2		DIESEL	215013	-	-	-	-
84-83	L4	121	2.0		w/ MANUAL TRANSMISSION	215013	-	-	-	-
84-83	L4	121	2.0		w/ AUTOMATIC TRANSMISSION	215021	-	-	-	-
85-83	L4	121	1.9		w/ MT, w/ FRONT MOUNTED FAN	215013	-	-	-	-
84-83	L4	121	1.9		w/ AT, w/ REAR MOUNTED FAN	215021	-	-	-	-
CANYON, COLORADO										
09	L5	223	3.9			-	-	-	-	-
08-07	L5	223	3.7			-	-	215113	-	-
06-04	L5	211	3.5			-	-	215113	-	-
09-07	L4	178	2.9			-	215138	-	-	-
06-04	L4	169	2.8			-	215138	-	-	-
SSR										
06-05	V8	368	6.0			-	-	216033	-	-
04-03	V8	325	5.3			-	215156/216033 (1)	-	-	-
TRACKER										
04-01	V6	153	2.5			215063	-	-	-	-
03-99	L4	122	2.0			215063	-	-	-	-
00-98	L4	98	1.6			215028	-	-	-	-
LUV PICKUP										
82-81	L4	135	2.2		DIESEL	215094	-	-	-	-
82-72	L4	110	1.8		GAS	215094	-	-	-	-
POSTAL VEHICLE (LLV)										
95-94	L4	151	2.2			-	-	-	-	-
93-87	L4	151	2.5			215103	-	-	-	-
CHEVROLET & GMC VANS										
CHEVROLET & GMC FULL-SIZE VANS -- G 10-30, EXPRESS / SAVANA, & CLASS C MOTORHOMES										
02-01	V8	498	8.1			-	-	215139	-	-
00-87	V8	454	7.4		REV	-	-	215140	-	-
78-73	V8	454	7.4		STD	-	-	215045	-	-
09-06	V8	400	6.6			-	-	216017	-	-
77-74	V8	400	6.6		w/ STD FAN CLUTCH	215049	-	-	211049	-
02-99	V8	399	6.5			-	-	216023	-	-
98-97	V8	399	6.5			-	-	216013	-	-
96	V8	399	6.5 (F)		TURBO DIESEL, NEW BODY STYLE	-	-	216005	-	-

(1) Sellout 215156 and reorder 216033.

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLD
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
CHEVROLET & GMC VANS (Cont'd)										
CHEVROLET & GMC FULL-SIZE VANS -- G 10-30, EXPRESS / SAVANA, & CLASS C MOTORHOMES (Cont'd)										
95-94	V8	399	6.5 (P)		DIESEL, OLD BODY STYLE	-	-	215154	-	-
96-94	V8	399	6.5 (Y)		DIESEL, OLD BODY STYLE	-	-	215154	-	-
93-83	V8	399	6.2			-	-	215052	-	-
06-99	V8	368	6.0		w/o AC	-	215107	-	-	-
02-96	V8	350	5.7	REV	w/o AC	215157	-	-	-	-
02-96	V8	350	5.7	REV	w/ AC	-	215107	-	-	-
95-87	V8	350	5.7	REV	w/ AC, w/3.42 OR NUMERICALLY LOWER REAR AXLE RATIO	-	215145	215140	-	-
95-87	V8	350	5.7	REV	w/ 3.73 OR NUMERICALLY HIGHER REAR AXLE RATIO	-	215145	215140	-	-
95-87	V8	350	5.7	REV	w/o AC, w/3.08, OR 3.42 REAR AXLE RATIO	215142	-	-	-	-
88-73	V8	350	5.7	STD	HD COOLING	-	-	215045	-	-
88-73	V8	350	5.7	STD	w/o HD COOLING	-	215046	215045	-	-
86-81	V8	350	5.7	STD	w/o AC, w/STD FAN CLUTCH	215026	-	-	211026	-
80-70	V8	350	5.7	STD	w/o AC, w/STD FAN CLUTCH	215049	-	-	211049	-
09-03	V8	325	5.3			-	-	215158	-	-
69-68	V8	327	5.3			215049	-	-	211049	-
73-69	V8	307	5.0			215049	-	-	211049	-
02-96	V8	305	5.0		w/ AC	-	215107	215158	-	-
02-96	V8	305	5.0		w/o AC	215157	-	-	-	-
95-87	V8	305	5.0	REV	w/ AC, w/3.08, OR 3.42 REAR AXLE RATIO	-	215145	215140	-	-
95-87	V8	305	5.0	REV	w/3.73 OR NUMERICALLY HIGHER REAR AXLE RATIO	-	215145	215140	-	-
95-87	V8	305	5.0	REV	w/o AC, w/ 3.42 OR 3.08 REAR AXLE RATIO	215142	-	-	-	-
86-81	V8	305	5.0	STD	w/o AC, w/3.08, OR 3.42 REAR AXLE RATIO	215026	-	-	211026	-
86-75	V8	305	5.0	STD	w/o AC, w/STD FAN CLUTCH	-	215046	215045	-	-
86-75	V8	305	5.0	STD	w/ AC, w/2.73 OR 3.08 REAR AXLE RATIO	-	215046	215045	-	-
80-68	V8	305	5.0	STD	w/ STD FAN CLUTCH	215049	-	-	211049	-
09-03	V8	292	4.8			-	-	215158	-	-
77-62	L6	292	4.8			215043	-	-	211043	-
09-03	V6	262	4.3			-	-	215158	-	-
02-00	V6	262	4.3		w/ AC	-	215107	-	-	-
02-00	V6	262	4.3		w/o AC	215157	-	-	-	-
99-96	V6	262	4.3		w/ AC	-	215107	-	-	-
99-96	V6	262	4.3		w/o AC	215157	-	-	-	-
95-87	V6	262	4.3	REV	w/o AC, w/ 3.08, 3.42 REAR AXLE RATIO	215142	-	-	-	-
95-87	V6	262	4.3	REV	w/ AC, w/3.08 OR 3.42 REAR AXLE RATIO	-	215145	215140	-	-
95-87	V6	262	4.3	REV	w/ 3.73, 4.10, OR 4.56 REAR AXLE RATIO	-	215145	215140	-	-
86-85	V6	262	4.3	STD	w/o AC, w/ STD FAN CLUTCH	215026	-	-	211026	-
86-85	V6	262	4.3	STD	w/ AC, HD FAN CLUTCH	215049	215046	-	-	-
85-67	L6	250	4.1		w/ AC	215049	-	-	211049	220619
85-67	L6	250	4.1		w/o AC	215026	-	-	211026	220619
69-63	L6	230	3.8			215049	-	-	211049	220618
CHEVROLET & GMC VANS - MINI VANS -- ASTRO & SAFARI										
05-96	V6	262	4.3			-	-	215158	-	-
95-90	V6	262	4.3	REV	w/ AC, w/3.42 OR NUMERICALLY LOWER REAR AXLE RATIO	-	215145	215140	-	-
95-87	V6	262	4.3	REV	w/ AC, w/ 3.73 REAR AXLE RATIO	-	215145	215140	-	-
89-87	V6	262	4.3	REV	w/ AC, w/3.42 OR NUMERICALLY LOWER REAR AXLE RATIO	-	215145	-	-	-
86-85	V6	262	4.3	STD	w/ AC, w/ 3.73 REAR AXLE RATIO	-	215046	215045	-	-
94-88	V6	262	4.3	REV	w/o AC	215153	-	-	-	-
86-85	V6	262	4.3	STD	w/ AC, w/3.42 OR NUMERICALLY LOWER REAR AXLE RATIO	215049	215046	-	-	-
86-85	V6	262	4.3	STD	w/o AC, w/STD FAN CLUTCH	215026	-	-	211026	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN CHOICE IS GIVEN, BOLDED NUMBER INDICATES O.E. EQUIVALENT



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
CHEVROLET & GMC VANS (Cont'd)										
CHEVROLET & GMC VANS - MINI VANS -- ASTRO & SAFARI (Cont'd)										
90-88	L4	151	2.5	REV	w/ AC	215103	-	-	-	-
87	L4	151	2.5	REV	w/o AC, w/ FRONT MOUNTED FAN	215179	-	-	-	-
86-85	L4	151	2.5	STD	w/ AC, w/ FRONT MOUNTED FAN	215013	-	-	-	-
85	L4	151	2.5	STD	w/o AC, w/ FRONT MOUNTED FAN	215010	-	-	-	-
CHEVROLET & GMC MEDIUM DUTY TRUCKS & BUSES										
C4500 & C5500 TRUCKS										
09-03	V8	496	8.1			-	-	216049	-	-
07-03	V8	403	6.6		HIGH OUTPUT DIESEL VIN 1 & 2	-	-	216035	-	-
08-07	V8	403	6.6		ENGINE DESIGNATION LMM, VIN 9, ELECTRONIC FAN CLUTCH	-	-	-	-	-
C6 & C7 TRUCKS										
87-73	V8	427	7.0		w/ MANUAL TRANS & 4 FAN MOUNTING HOLES	-	-	216003	-	-
93-82	V8	379	6.2		DIESEL w/ 6 BOLT FAN CLUTCH	-	-	216002	-	-
90-73	V8	366	6.0		w/ MANUAL TRANS & 4 FAN MOUNTING HOLES	-	-	216003	-	-
STEEL CONVENTIONAL TRUCK (SC6 & SC7)										
89-83	V8	427	7.0		w/ 6 FAN MOUNTING HOLES	-	-	216029	-	-
89-83	V8	427	7.0		w/ 4 FAN MOUNTING HOLES	-	-	216003	-	-
89-83	V8	366	6.0		w/ 6 FAN MOUNTING HOLES	-	-	216029	-	-
89-83	V8	366	6.0		w/ 4 FAN MOUNTING HOLES	-	-	216003	-	-
TOPKICK & KODIAK										
02-01	V8	498	8.1			-	-	216021	-	-
00-99	V8	454	7.4		w/ 6 FAN BOLT HOLES MARKED (GDR OR GDS)	-	-	216020	-	-
00-99	V8	454	7.4		w/ 4 FAN BOLT HOLES MARKED (RT)	-	-	216026	-	-
00-99	V8	454	7.4		w/ 6 FAN BOLT HOLES MARKED (NG)	-	-	216008	-	-
02-98	L6	441	7.2		CAT 3126 MARKED (GPK)	-	-	216024	-	-
98-90	V8	427	7.0	REV	w/ 4 FAN MOUNT BOLTS, MARKED (RT)	-	-	216026	-	-
98-90	V8	427	7.0	STD	w/ 6 FAN MOUNT BOLTS, MARKED (NG OR NF)	-	-	216008	-	-
98-97	V8	427	7.0	STD	MARKED (GDK), 2" SHAFT LENGTH	-	-	216022	-	-
98-97	L6	405	6.6		MARKED (GPK) w/ HIGH VISIBILITY HOOD	-	-	216024	-	-
98-90	V8	366	6.0		w/ 4 FAN MOUNT BOLTS, MARKED (RT)	-	-	216026	-	-
97-90	V8	366	6.0		w/ 6 FAN MOUNT BOLTS, MARKED (NG)	-	-	216008	-	-
98-90	V8	366	6.0		w/ 6 FAN MOUNT BOLTS, MARKED (NF)	-	-	216008	-	-
W3500 & W4500 TILTMASTER										
08-03	V8	368	6.0			-	-	215113	-	-
02-97	V8	350	5.7			-	-	215113	-	-
96	V8	350	5.7			-	-	215158	-	-
CHEVROLET & GMC										
P4, P6, P6S, P10-30 FORWARD CONTROL UTILITY VAN CHASSIS (includes Motorhomes and utility vans)										
01-00	V8	498	8.1		GAS ENGINE	-	-	216025	-	-
99-96	V8	454	7.4	REV	ALL	-	-	215140	-	-
95-73	V8	454	7.4	STD	ALL	-	-	215045	-	-
96-92	V8	427	7.0		w/ 6 FAN MOUNT BOLTS, MARKED (NF)	-	-	216008	-	-
87-85	V8	427	7.0		w/ 6 FAN MOUNTING HOLES	-	-	216029	-	-
99	V8	399	6.5		TURBO DIESEL, EXCEPT DIESEL HIGH OUTPUT & TURBO	-	-	216023	-	-
98-94	V8	399	6.5		NON TURBO DIESEL HIGH OUTPUT	-	-	215154	-	-
98-94	V8	399	6.5		TURBO DIESEL INCLUDING HIGH OUTPUT	-	-	216005	-	-
93-82	V8	379	6.2		DIESEL	-	-	215052	-	-
04	V8	366	6.0		GAS ENGINE	-	-	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN CHOICE IS GIVEN, BOLDED NUMBER INDICATES O.E. EQUIVALENT



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
CHEVROLET & GMC (Cont'd)										
P4, P6, P6S, P10-30 FORWARD CONTROL UTILITY VAN CHASSIS (includes Motorhomes and utility vans) (Cont'd)										
96-92	V8	366	6.0		w/ 6 FAN MOUNT BOLTS, MARKED (NF)	-	-	216008	-	-
89-83	V8	366	6.0		w/ 4 FAN MOUNTING HOLES	-	-	216003	-	-
89-83	V8	366	6.0		w/ 6 FAN MOUNTING HOLES	-	-	216029	-	-
04-00	V8	350	5.7		GAS ENGINE	-	-	-	-	-
99-96	V8	350	5.7	REV		-	-	215113	-	-
95-73	V8	350	5.7	STD	w/o HD COOLING	-	215046	215045	-	-
95-73	V8	350	5.7	STD	HD COOLING	-	215046	215045	-	-
89-85	L6	292	4.8	STD	w/ AUTOMATIC TRANS ONLY	-	-	216029	-	-
99-96	V6	262	4.3	REV		-	-	215158	-	-
95-85	V6	262	4.3	STD		-	-	215027	-	-
CHEVROLET & GMC MEDIUM DUTY BUSES										
SCHOOL BUSES, B7 SERIES, 1993 and later (Chassis B7T)										
02-01	V8	498	8.1			-	-	216025	-	-
00-99	V8	454	7.4			-	-	216020	-	-
98-93	V8	427	7.0		w/ 6 FAN MOUNTING HOLES	-	-	216008	-	-
98-94	V8	427	7.0		w/ 4 FAN MOUNTING HOLES	-	-	216026	-	-
02-94	L6	403	6.6	STD	CAT 3116	-	-	-	-	-
98-97	V8	399	6.5		DIESEL	-	-	216025	-	-
98-93	V8	366	6.0		w/ 6 FAN MOUNTING HOLES	-	-	216008	-	-
98-93	V8	366	6.0		w/ 4 FAN MOUNTING HOLES	-	-	216026	-	-
SCHOOL BUSES, B & S SERIES, 1991 and earlier										
86-83	V8	427	7.0		w/ 4 FAN MOUNTING HOLES	-	-	216003	-	-
85	V8	427	7.0		w/ 6 FAN MOUNTING HOLES	-	-	216029	-	-
91-83	V8	366	6.0		w/ 4 FAN MOUNTING HOLES	-	-	216003	-	-
91-85	V8	366	6.0		w/ 6 FAN MOUNTING HOLES	-	-	216029	-	-
CHRYSLER CARS										
5TH AVENUE										
78-66	V8	440	7.2		w/ STD FAN CLUTCH	215026	-	-	211026	-
78-66	V8	440	7.2		w/ HD FAN CLUTCH	-	215046	-	-	-
65-60	V8	413	6.8		w/ STD FAN CLUTCH	215043	-	-	211043	-
65-60	V8	413	6.8		w/ HD FAN CLUTCH	-	215046	-	-	-
78-75	V8	400	6.6		w/ STD FAN CLUTCH	215026	-	-	211026	-
78-75	V8	400	6.6		w/ HD FAN CLUTCH	-	215046	-	-	-
80-79	V8	360	5.9		w/ STD FAN CLUTCH	215026	-	-	211026	-
80-79	V8	360	5.9		w/ HD FAN CLUTCH	-	215046	-	-	-
89-79	V8	318	5.2		w/ STD FAN CLUTCH	215026	-	-	211026	-
89-79	V8	318	5.2		w/ HD FAN CLUTCH	-	215046	-	-	-
83-82	L6	225	3.7			215026	-	-	211026	220619
BROUGHAM										
78-66	V8	440	7.2		w/ STD FAN CLUTCH	215026	-	-	211026	-
78-66	V8	440	7.2		w/ HD FAN CLUTCH	-	215046	-	-	-
65-60	V8	413	6.8		w/ STD FAN CLUTCH	215043	-	-	211043	-
65-60	V8	413	6.8		w/ HD FAN CLUTCH	-	215046	-	-	-
78-75	V8	400	6.6		w/ STD FAN CLUTCH	215026	-	-	211026	-
78-75	V8	400	6.6		w/ HD FAN CLUTCH	-	215046	-	-	-
80-79	V8	360	5.9		w/ STD FAN CLUTCH	215026	-	-	211026	-
80-79	V8	360	5.9		w/ HD FAN CLUTCH	-	215046	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN CHOICE IS GIVEN, BOLDED NUMBER INDICATES O.E. EQUIVALENT



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
CHRYSLER CARS (Cont'd)										
BROUGHAM (Cont'd)										
89-79	V8	318	5.2		w/ STD FAN CLUTCH	215026	-	-	211026	-
89-79	V8	318	5.2		w/ HD FAN CLUTCH	-	215046	-	-	-
83-82	L6	225	3.7			215026	-	-	211026	220619
CONQUEST										
87-87	L4	156	2.6		EXC. w/ INTERCOOLER	215092	-	-	-	-
CORDOBA										
78-75	V8	400	6.6		w/ STD FAN CLUTCH	215026	-	-	211026	-
78-75	V8	400	6.6		w/ HD FAN CLUTCH	-	215046	-	-	-
79-75	V8	360	5.9		w/ STD FAN CLUTCH	215026	-	-	211026	-
79-75	V8	360	5.9		w/ HD FAN CLUTCH	-	215046	-	-	-
83-75	V8	318	5.2		w/ STD FAN CLUTCH	215026	-	-	211026	-
83-75	V8	318	5.2		w/ HD FAN CLUTCH	-	215046	-	-	-
83-80	L6	225	3.7			215026	-	-	211026	220619
IMPERIAL										
75-73	V8	440	7.2		w/ STD FAN CLUTCH	215026	-	-	211026	-
75-73	V8	440	7.2		w/ HD FAN CLUTCH	-	215046	-	-	-
75-73	V8	400	6.6		w/ STD FAN CLUTCH	215026	-	-	211026	-
75-73	V8	400	6.6		w/ HD FAN CLUTCH	-	215046	-	-	-
75-73	V8	360	5.9		w/ STD FAN CLUTCH	215026	-	-	211026	-
75-73	V8	360	5.9		w/ HD FAN CLUTCH	-	215046	-	-	-
75	V8	318	5.2		w/ STD FAN CLUTCH	215026	-	-	211026	-
75	V8	318	5.2		w/ HD FAN CLUTCH	-	215046	-	-	-
LE BARON										
81-77	V8	318	5.2			215026	-	-	211026	-
81-78	L6	225	3.7			215026	-	-	211026	220619
NEWPORT, INCLUDING TOWN & COUNTRY, CUSTOM & 300 SERIES										
78-68	V8	440	7.2		w/ STD FAN CLUTCH	215026	-	-	211026	-
78-68	V8	440	7.2		w/ HD FAN CLUTCH	-	215046	-	-	-
78-72	V8	400	6.6		w/ STD FAN CLUTCH	215026	-	-	211026	-
78-72	V8	400	6.6		w/ HD FAN CLUTCH	-	215046	-	-	-
71-65	V8	383	6.3		w/ HD FAN CLUTCH	-	215046	-	-	-
71-65	V8	383	6.3		w/ STD FAN CLUTCH	215043	-	-	211043	-
80-71	V8	360	5.9		w/ STD FAN CLUTCH	215026	-	-	211026	-
80-71	V8	360	5.9		w/ HD FAN CLUTCH	-	215046	-	-	-
81-79	V8	318	5.2		w/ STD FAN CLUTCH	215026	-	-	211026	-
81-79	V8	318	5.2		w/ HD FAN CLUTCH	-	215046	-	-	-
81-79	L6	225	3.7			215026	-	-	211026	220619
NEW YORKER										
78-66	V8	440	7.2		w/ STD FAN CLUTCH	215026	-	-	211026	-
78-66	V8	440	7.2		w/ HD FAN CLUTCH	-	215046	-	-	-
65-60	V8	413	6.8		w/ STD FAN CLUTCH	215043	-	-	211043	-
65-60	V8	413	6.8		w/ HD FAN CLUTCH	-	215046	-	-	-
78-75	V8	400	6.6		w/ STD FAN CLUTCH	215026	-	-	211026	-
78-75	V8	400	6.6		w/ HD FAN CLUTCH	-	215046	-	-	-
80-79	V8	360	5.9		w/ STD FAN CLUTCH	215026	-	-	211026	-
80-79	V8	360	5.9		w/ HD FAN CLUTCH	-	215046	-	-	-
89-79	V8	318	5.2		w/ STD FAN CLUTCH	215026	-	-	211026	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
CHRYSLER CARS (Cont'd)										
NEW YORKER (Cont'd)										
89-79	V8	318	5.2		w/ HD FAN CLUTCH	-	215046	-	-	-
83-82	L6	225	3.7			215026	-	-	211026	220619
CHRYSLER TRUCKS										
ASPEN										
09	V8	345	5.7			-	-	-	-	-
08-07	V8	345	5.7		HD COOLING	-	215128	-	-	-
09-07	V8	345	5.7		w/o HD COOLING	-	215136	-	-	-
09-07	V8	289	4.7		HD COOLING	-	215128	-	-	-
08-07	V8	289	4.7		w/o HD COOLING	-	215136	-	-	-
DODGE CARS										
ASPEN										
79-76	V8	360	5.9		w/ STD FAN CLUTCH	215026	-	-	211026	-
79-76	V8	360	5.9		w/ HD FAN CLUTCH	-	215046	-	-	-
80-76	V8	318	5.2		w/ STD FAN CLUTCH	215026	-	-	211026	-
80-76	V8	318	5.2		w/ HD FAN CLUTCH	-	215046	-	-	-
80-76	L6	225	3.7			215026	-	-	211026	220619
CHALLENGER										
71-70	V8	440	7.2		w/ STD FAN CLUTCH	215026	-	-	211026	-
71-70	V8	440	7.2		w/ HD FAN CLUTCH	-	215046	-	-	-
71-70	V8	383	6.3		w/ STD FAN CLUTCH	215026	-	-	211026	-
71-70	V8	383	6.3		w/ HD FAN CLUTCH	-	215046	-	-	-
74	V8	360	5.9		w/ STD FAN CLUTCH	215026	-	-	211026	-
74	V8	360	5.9		w/ HD FAN CLUTCH	-	215046	-	-	-
73-70	V8	340	5.6		w/ STD FAN CLUTCH	215026	-	-	211026	-
73-70	V8	340	5.6		w/ HD FAN CLUTCH	-	215046	-	-	-
74-70	V8	318	5.2		w/ HD FAN CLUTCH	-	215046	-	-	-
74-70	V8	318	5.2		w/ STD FAN CLUTCH	215026	-	-	211026	-
72-70	L6	225	3.7			215026	-	-	211026	220618
83-82	L4	156	2.6			215092	-	-	-	-
CHARGER, MAGNUM, CORONET & CORONET 440 & 500										
74-66	V8	440	7.2		w/ STD FAN CLUTCH	215026	-	-	211026	-
74-66	V8	440	7.2		w/ HD FAN CLUTCH	-	215046	-	-	-
78-72	V8	400	6.5		w/ HD FAN CLUTCH	-	215046	-	-	-
78-72	V8	400	6.5		w/ STD FAN CLUTCH	215026	-	-	211026	-
71-65	V8	383	6.3		w/ HD FAN CLUTCH	-	215046	-	-	-
71-65	V8	383	6.3		w/ STD FAN CLUTCH	215043	-	-	211043	-
79-74	V8	360	5.9		w/ STD FAN CLUTCH	215026	-	-	211026	-
79-74	V8	360	5.9		w/ HD FAN CLUTCH	-	215046	-	-	-
73-72	V8	340	5.6		w/ STD FAN CLUTCH	215026	-	-	211026	-
73-72	V8	340	5.6		w/ HD FAN CLUTCH	-	215046	-	-	-
79-65	V8	318	5.2		w/ STD FAN CLUTCH	215026	-	-	211026	-
79-65	V8	318	5.2		w/ HD FAN CLUTCH	-	215046	-	-	-
76-65	L6	225	3.7		ALL	215026	-	-	211026	220618
CONQUEST										
87-83	L4	156	2.6		EXC. w/ INTERCOOLER	215092	-	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN CHOICE IS GIVEN, BOLDED NUMBER INDICATES O.E. EQUIVALENT



ENGINE					FAN CLUTCH					
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
DODGE CARS (Cont'd)										
CUSTOM 880, L330 & M440										
65	V8	413	6.8			215043	-	-	211043	-
65-63	V8	383	6.3			215043	-	-	211043	-
64-63	V8	318	5.2			215026	-	-	211026	-
64-63	L6	225	3.7			215026	-	-	211026	220618
DART (INCLUDING SPORT, DEMON, SWINGER & GTS)										
62-61	V8	413	6.8			215043	-	-	211043	-
69-68	V8	383	6.3			215043	-	-	211043	-
76-74	V8	360	5.9		w/ STD FAN CLUTCH	215026	-	-	211026	-
76-74	V8	360	5.9		w/ HD FAN CLUTCH	-	215046	-	-	-
73-68	V8	340	5.6		w/ STD FAN CLUTCH	215043	-	-	211043	-
73-68	V8	340	5.6		w/ HD FAN CLUTCH	-	215046	-	-	-
76-63	V8	318	5.2		w/ STD FAN CLUTCH	215026	-	-	211026	-
76-63	V8	318	5.2		w/ HD FAN CLUTCH	-	215046	-	-	-
69-64	V8	273	4.5			215043	-	-	211043	-
76-60	L6	225	3.7			215043	-	-	211043	220619
74-70	L6	198	3.2			215043	-	-	211043	220618
69-63	L6	170	2.8			215026	-	-	211026	220618
DIPLOMAT, MONACO, ROYAL MONACO, ST. REGIS & MIRADA										
77-66	V8	440	7.2		w/ STD FAN CLUTCH	215026	-	-	211026	-
77-66	V8	440	7.2		w/ HD FAN CLUTCH	-	215046	-	-	-
78-72	V8	400	6.5		w/ STD FAN CLUTCH	215026	-	-	211026	-
78-72	V8	400	6.5		w/ HD FAN CLUTCH	-	215046	-	-	-
71-65	V8	383	6.3		w/ STD FAN CLUTCH	215043	-	-	211043	-
71-65	V8	383	6.3		w/ HD FAN CLUTCH	-	215046	-	-	-
80-72	V8	360	5.9		w/ STD FAN CLUTCH	215026	-	-	211026	-
80-72	V8	360	5.9		w/ HD FAN CLUTCH	-	215046	-	-	-
89-75	V8	318	5.2		w/ STD FAN CLUTCH	215026	-	-	211026	-
89-75	V8	318	5.2		w/ HD FAN CLUTCH	-	215046	-	-	-
83-77	L6	225	3.7			215026	-	-	211026	220619
POLARA										
73-66	V8	440	7.2		w/ STD FAN CLUTCH	215026	-	-	211026	-
73-66	V8	440	7.2		w/ HD FAN CLUTCH	-	215046	-	-	-
65-62	V8	413	6.8			215043	-	-	211043	-
73-72	V8	400	6.5		w/ STD FAN CLUTCH	215026	-	-	211026	-
73-72	V8	400	6.5		w/ HD FAN CLUTCH	-	215046	-	-	-
71-60	V8	383	6.3		w/ STD FAN CLUTCH	215043	-	-	211043	-
71-60	V8	383	6.3		w/ HD FAN CLUTCH	-	215046	-	-	-
73-71	V8	360	5.9		w/ HD FAN CLUTCH	-	215046	-	-	-
73-71	V8	360	5.9		w/ STD FAN CLUTCH	215026	-	-	211026	-
73-63	V8	318	5.2		w/ STD FAN CLUTCH	215026	-	-	211026	-
73-63	V8	318	5.2		w/ HD FAN CLUTCH	-	215046	-	-	-
71-63	L6	225	3.7			215026	-	-	211026	220618
DODGE TRUCKS AND SUVs										
DAKOTA										
03-01	V8	360	5.9			-	215127	-	-	-
00-98	V8	360	5.9			-	215170	216028	-	-
99-97	V8	318	5.2			-	215170	216028	-	-
96-92	V8	318	5.2		w/ MAX COOLING	-	-	215170	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN CHOICE IS GIVEN, BOLDED NUMBER INDICATES O.E. EQUIVALENT



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
DODGE TRUCKS AND SUVs (Cont'd)										
DAKOTA (Cont'd)										
96-94	V8	318	5.2		w/o MAX COOLING	-	215108	-	-	-
93-92	V8	318	5.2		w/o MAX COOLING	-	-	215170	-	-
91-90	V8	318	5.2	REV	w/ HD FAN CLUTCH	-	-	215130	-	-
89	V8	318	5.2	STD		215043	-	-	-	-
09-05	V8	289	4.7		w/o MAX COOLING	-	-	215106	-	-
09-05	V8	289	4.7		w/ MAX COOLING	-	-	216032	-	-
04-00	V8	289	4.7		ALL	-	215127	-	-	-
03-97	V6	239	3.9		ALL	-	215127	-	-	-
96-92	V6	239	3.9	REV	w/ THREAD ON FAN CLUTCH	-	215108	-	-	-
91-87	V6	239	3.9		w/ STD FAN CLUTCH & 19.5" FAN	215026	-	-	211026	220619
91-87	V6	239	3.9		w/ STD FAN CLUTCH & 18" FAN	215026	-	-	211026	220618
09-05	V6	226	3.7			-	-	215106	-	-
04	V6	226	3.7		ALL	215129	-	-	-	-
DURANGO										
03	V8	360	5.9		DRIVE RATIO 3.92	-	215123	-	-	-
03	V8	360	5.9		EXC. DRIVE RATIO 3.92 & EXC. HD COOLING	-	-	215170	-	-
02	V8	360	5.9		EXC. R/T SERIES, EXC. HD COOLING	-	-	215170	-	-
03-02	V8	360	5.9		w/o DRIVE RATIO 3.92 & w/o HD COOLING	-	215127	-	-	-
03-02	V8	360	5.9		R/T SERIES	-	215123	-	-	-
01-00	V8	360	5.9		w/o MAX COOLING	-	215127	-	-	-
01-00	V8	360	5.9		w/ MAX COOLING	-	-	215170	-	-
99-98	V8	360	5.9		ALL	-	215170	216028	-	-
08-04	V8	345	5.7		w/o MAX COOLING	215128	-	-	-	-
08-04	V8	345	5.7		w/ MAX COOLING	215128	-	-	-	-
00	V8	318	5.2		w/o MAX COOLING	-	215127	-	-	-
00	V8	318	5.2		w/ MAX COOLING	-	-	215170	-	-
99-98	V8	318	5.2		ALL	-	215170	216028	-	-
09	V8	289	4.7			-	215136	-	-	-
08-04	V8	289	4.7		w/ MAX COOLING	215128	-	-	-	-
08-04	V8	289	4.7		w/o MAX COOLING	-	215136	-	-	-
03-00	V8	289	4.7		ALL	-	-	215127	-	-
09-04	V6	226	3.7			-	215136	-	-	-
99-98	V6	239	3.9		ALL	-	215127	-	-	-
DODGE MOTORHOMES, FULL SIZE (CLASS A)										
81-63	V8	440	7.2			-	215046	-	-	-
81-73	V8	400	6.5			215026	-	-	211026	-
81-73	V8	318	5.2			215026	-	-	211026	-
DODGE & PLYMOUTH PICKUPS -- D & W 150-350, RAMCHARGER, RAM 1500-3500										
04	V10	505	8.3			-	-	-	-	-
03	V10	488	8.0			-	-	216027	-	-
02-94	V10	492	8.0			-	-	215159	-	-
79-73	V8	440	7.2			-	215046	-	-	-
09-07	L6	408	6.7		CUMMINS DIESEL ENGINE, ELECTRONIC CLUTCH	-	-	-	-	-
79-73	V8	400	6.5			215026	-	-	211026	-
03	V8	360	5.9			-	215137	-	-	-
02-00	V8	360	5.9		w/o MAX COOLING FROM 5/1/00	-	215160	-	-	-
03	V8	360	5.9			-	-	-	-	-
02-00	V8	360	5.9		w/ MAX COOLING FROM 5/1/00	-	215123	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE

FAN CLUTCH

YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
DODGE TRUCKS AND SUVs (Cont'd)										
DODGE & PLYMOUTH PICKUPS -- D & W 150-350, RAMCHARGER, RAM 1500-3500 (Cont'd)										
00-93	V8	360	5.9	REV	UP TO 5/1/00, THREAD-ON TYPE	-	-	215170	-	-
92-90	V8	360	5.9	STD	w/ HD TOWING PACKAGE, BOLT ON TYPE	-	215046	215045	-	-
89-73	V8	360	5.9		w/ STD FAN CLUTCH	215026	-	-	211026	-
09-05	L6	360	5.9		CUMMINS DIESEL ENGINE, ELECTRONIC CLUTCH	-	-	-	-	-
04	L6	360	5.9		NEXT GENERATION DIESEL TRACKING, MARKED 55056990AB	-	-	-	-	-
04	L6	360	5.9		EXCEPT NEXT GENERATION DIESEL TRACKING, MARKED 52028879AD OR 52058879AF	-	-	216046	-	-
03	L6	360	5.9		CUMMINS DIESEL ENGINE, ELECTRONIC CLUTCH	-	-	216046	-	-
02-00	L6	360	5.9		CUMMINS TURBO DIESEL ENGINE	-	-	216016	-	-
99-98	L6	360	5.9		24 VALVE ETC CUMMINS TURBO DIESEL ENGINE	-	-	215035	-	-
98-97	L6	360	5.9		12 VALVE ETB CUMMINS TURBO DIESEL ENGINE	-	-	215035	-	-
96-90	L6	360	5.9		CUMMINS TURBO DIESEL w/ INTERCOOLER	-	-	215035	-	-
93-88	L6	360	5.9		CUMMINS TURBO DIESEL w/o INTERCOOLER	-	-	215070	-	-
09	V8	345	5.7			-	-	-	-	-
08-07	V8	345	5.7		M/T, w/ SNOW PLOW OPTION), OR w/ MAX COOLING	-	-	215135	-	-
08-06	V8	345	5.7		M/T, w/o SNOW PLOW OPTION), OR w/ MAX COOLING	-	-	215150	-	-
08-03	V8	345	5.7		MANUAL TRANS . EXCEPT HEAVY DUTY COOLING	-	-	215150	-	-
08-03	V8	345	5.7		AUTO TRANS, w/o SNOW PLOW OPTION	-	-	215141	-	-
08-03	V8	345	5.7		MANUAL TRANS w/ SNOW PLOW OPTION	-	-	215141	-	-
07-03	V8	345	5.7		AUTO TRANS	-	215134	-	-	-
03	V8	345	5.7		MANUAL TRANS , w/o SNOW PLOW OPTION	-	-	215144	-	-
01-94	V8	318	5.2			-	215159	-	-	-
93-92	V8	318	5.2	REV	w/ THREAD ON FAN CLUTCH (1.25" SHAFT)	-	215108	215170	-	-
91-72	V8	318	5.2	STD	w/ STD FAN CLUTCH	215026	-	-	211026	-
91	V8	318	5.2	REV	w/ HD FAN CLUTCH	-	215146	-	-	-
79-78	V8	318	5.2			-	215046	-	-	-
09	V8	287	4.7			-	-	-	-	-
08	V8	287	4.7			-	215137	-	-	-
07	V8	287	4.7		MANUAL TRANS	-	215135	-	-	-
07	V8	287	4.7		AUTO TRANS	-	215137	-	-	-
06-05	V8	287	4.7		ALL	-	215137	-	-	-
04-02	V8	287	4.7		HEAVY DUTY COOLING	-	215135	-	-	-
04-02	V8	287	4.7		EXCEPT HEAVY DUTY COOLING	-	215137	-	-	-
01-94	V6	239	3.9		w/ THREAD ON FAN CLUTCH	-	215160	215159	-	-
93-92	V6	239	3.9	REV	w/ THREAD ON FAN CLUTCH	-	215108	215170	-	-
91-86	V6	239	3.9	STD	w/ STD FAN CLUTCH & 19.5" FAN	215026	-	-	211026	220619
91-86	V6	239	3.9	STD	w/ STD FAN CLUTCH & 18" FAN	215026	-	-	211026	220618
08-07	V6	255	3.7			-	215137	-	-	-
06-02	V6	255	3.7		AUTOMATIC TRANSMISSION	-	215134	-	-	-
06-02	V6	255	3.7		MANUAL TRANSMISSION	-	215137	-	-	-
87-73	L6	225	3.7			215026	-	-	211026	220618
72-70	L6	198	3.2			215043	-	-	211043	220618
POWER RAM 50										
89-83	L4	156	2.6			215092	-	-	-	-
85-83	L4	141	2.3		DIESEL	215073	-	-	-	-
84-83	L4	121	2.0			215086	-	-	-	-
RAM 50										
91-90	V6	184	3.0		4 WHEEL DRIVE	215073	-	-	-	-
91-90	V6	184	3.0		REAR WHEEL DRIVE	215086	-	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE					FAN CLUTCH					
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
DODGE TRUCKS AND SUVs (Cont'd)										
RAM 50 (Cont'd)										
89-83	L4	156	2.6			215092	-	-	-	-
93-90	L4	147	2.4			215086	-	-	-	-
89-83	L4	121	2.0			215086	-	-	-	-
RAIDER										
89	V6	184	3.0			215073	-	-	-	-
89-83	L4	156	2.6			215092	-	-	-	-
DODGE VANS & CLASS C MOTORHOMES										
SPRINTER 2500 & 3500										
09-07	V6		3.0	GAS		-	-	-	-	-
09-07	V6		3.5	DIESEL		-	-	-	-	-
06-03	L5	166	2.7			216031	-	-	-	-
VANS -- B150-350, B100-300, RAMWAGON, CLASS C MOTORHOMES										
79-73	V8	440	7.2			215049	215046	-	-	-
79-73	V8	400	6.5			215026	-	-	211026	-
03-93	V8	360	5.9	REV	w/ MAX COOLING	-	215160	215159	-	-
02-93	V8	360	5.9	REV	w/o MAX COOLING	-	215160	215159	-	-
93-92	V8	360	5.9	STD	w/ HD TOWING PACKAGE	-	215046	215045	-	-
92-72	V8	360	5.9	STD	w/ STD FAN CLUTCH	215026	-	-	211026	-
03-93	V8	318	5.2	REV	w/ MAX COOLING	-	215160	215159	-	-
02-93	V8	318	5.2	REV	w/o MAX COOLING	-	215160	215159	-	-
92-73	V8	318	5.2	STD	w/ STD FAN CLUTCH	215026	-	-	211026	-
03-92	V6	239	3.9		w/ MAX COOLING	-	215160	215159	-	-
03-92	V6	239	3.9		w/o MAX COOLING	-	215160	215159	-	-
91-86	V6	239	3.9		w/ STD FAN CLUTCH	215026	-	-	211026	220618
87-73	L6	225	3.7			215026	-	-	211026	220618
72-70	L6	198	3.2			215043	-	-	211043	220618
FORD CARS										
CUSTOM, FAIRLANE, GALAXIE & RANCHERO (INCLUDING WAGONS)										
74-73	V8	460	7.5			215012	-	-	-	-
73-69	V8	429	7.0			215011	-	-	211011	-
69-66	V8	428	7.0			215011	-	-	211011	-
68-63	V8	427	7.0			215011	-	-	211011	-
73-71	V8	400	6.6			215011	-	-	211011	-
70-61	V8	390	6.4			215011	-	-	211011	-
79-69	V8	351	5.8			215011	-	-	211011	-
79-68	V8	302	5.0			215011	-	-	211011	-
67-63	V8	289	4.7			215011	-	-	211011	-
72-65	L6	240	3.9			215011	-	-	211011	-
76-63	L6	200	3.3			215011	-	-	211011	-
FAIRMONT										
79-78	V8	302	5.0			215011	-	-	211011	-
83-80	V8	255	4.2			215011	-	-	211011	-
83-80	L6	200	3.3			215012	-	-	-	220618
FALCON & FUTURA (INCLUDING WAGONS)										
70	V8	351	5.8			215011	-	-	211011	-
77-68	V8	302	5.0			215011	-	-	211011	-
68-66	V8	289	4.7			215011	-	-	211011	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN CHOICE IS GIVEN, BOLD NUMBER INDICATES O.E. EQUIVALENT



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
FORD CARS (Cont'd)										
FALCON & FUTURA (INCLUDING WAGONS) (Cont'd)										
70-64	L6	200	3.3			215011	-	-	211011	-
69-61	L6	170	2.8			215011	-	-	211011	-
GRANADA										
77-75	V8	351	5.8			215011	-	-	211011	-
80-75	V8	302	5.0			215011	-	-	211011	-
81-80	V8	255	4.2			215011	-	-	211011	-
80-75	L6	250	4.1			215011	-	-	211011	220618
82-75	L6	200	3.3			215011	-	-	211011	220618
LTD & LTD CROWN VICTORIA (INCLUDING WAGONS)										
77-73	V8	460	7.5			215012	-	-	-	-
70-69	V8	429	7.0			215011	-	-	211011	-
68-67	V8	428	7.0			215011	-	-	211011	-
67	V8	427	7.0			215011	-	-	211011	-
78-71	V8	400	6.6			215011	-	-	211011	-
70-67	V8	390	6.4			215011	-	-	211011	-
91-70	V8	351	5.8		INCLUDING POLICE	215011	-	-	211011	-
91-68	V8	302	5.0	STD	INCLUDING POLICE	215011	-	-	211011	-
86-84	V8	302	5.0	REV	LTD w/ STD FAN CLUTCH	215126	-	-	-	-
86-84	V8	302	5.0	REV	LTD w/ HD FAN CLUTCH	-	215146	215130	-	-
06-98	V8	282	4.6		ALL INCLUDING HD COOLING	-	-	215169	-	-
97-92	V8	282	4.6		INCLUDING POLICE AND TRL. TOW PKG.	-	-	215169	-	-
86-81	V8	255	4.2		INCLUDING POLICE	215011	-	-	211011	-
86-82	V6	232	3.8			215126	-	-	-	220638
83-80	L6	200	3.3			215012	-	-	-	220618
MAVERICK										
70	V8	351	5.8			215011	-	-	211011	-
77-70	V8	302	5.0			215011	-	-	211011	-
77-71	L6	250	4.1			215011	-	-	211011	-
77-70	L6	200	3.3			215011	-	-	211011	-
72-70	L6	170	2.8			215011	-	-	211011	-
MUSTANG, MUSTANG II										
71-69	V8	429	7.0			215011	-	-	211011	-
69-68	V8	428	7.0			215012	-	-	211011	-
68	V8	427	7.0			215011	-	-	211011	-
69-67	V8	390	6.4			215011	-	-	211011	-
73-69	V8	351	5.8			215011	-	-	211011	-
95-86	V8	302	5.0	REV	w/o	-	215146	-	-	-
95-86	V8	302	5.0	REV	w/o AC	215126	215146	-	-	-
85-81	V8	302	5.0	REV		215126	-	-	-	-
80-68	V8	302	5.0	STD		215011	-	-	211011	-
76-75	V8	302	5.0	STD	w/ .89" PILOT DIA.	-	-	-	-	-
68-65	V8	289	4.7			215011	-	-	211011	-
82-80	V8	255	4.2			215126	-	-	-	-
73-68	L6	250	4.1			215011	-	-	211011	-
86-83	V6	232	3.8		w/ STD FAN CLUTCH	215126	-	-	-	220638
86-83	V6	232	3.8		w/ HD FAN CLUTCH	-	215146	-	-	-
82-81	L6	200	3.3	REV		215126	-	-	-	-
82-80	L6	200	3.3	STD		215012	-	-	-	220618
70-65	L6	200	3.3	STD		215011	-	-	211011	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
FORD CARS (Cont'd)										
PINTO										
79-75	V6	170	2.8			-	-	-	-	-
THUNDERBIRD										
76-72	V8	460	7.5			215012	-	-	-	-
73-68	V8	429	7.0			215011	-	-	211011	-
67-66	V8	428	7.0			215011	-	-	211011	-
78-77	V8	400	6.6			215011	-	-	211011	-
68-61	V8	390	6.4			215011	-	-	211011	-
79-77	V8	351	5.8			215011	-	-	211011	-
93-91	V8	302	5.0	REV		215100	-	-	-	-
90-86	V8	302	5.0	REV		215126	-	-	-	-
85-77	V8	302	5.0	STD	EXC. w/ 2-3/4" SHAFT	215011	-	-	211011	-
82-80	V8	255	4.2			215011	-	-	211011	-
94-82	V6	232	3.8			215126	-	-	-	220638
82-80	L6	200	3.3			215012	-	-	-	-
TORINO										
76-75	V8	460	7.5			215012	-	-	-	-
73-69	V8	429	7.0			215011	-	-	211011	-
69-68	V8	428	7.0			215011	-	-	211011	-
68	V8	427	7.0			215011	-	-	211011	-
76-72	V8	400	6.6			215011	-	-	211011	-
70-68	V8	390	6.4			215011	-	-	211011	-
74-69	V8	351	5.8			215011	-	-	211011	-
74-68	V8	302	5.0			215011	-	-	211011	-
74-69	L6	250	4.1			215011	-	-	211011	-
70-68	L6	240	3.9			215011	-	-	211011	-
FORD LIGHT DUTY TRUCKS										
BRONCO										
83-78	V8	400	6.5	w/o AC		-	215046	215045	-	-
83-78	V8	400	6.5	w/ AC		-	215046	215045	-	-
96-88	V8	351	5.8	REV		-	215146	215130	-	-
87-83	V8	351	5.8	STD	w/o AC	215011	-	-	211011	-
87-78	V8	351	5.8	STD		-	215046	-	-	-
82-78	V8	351	5.8			-	215046	-	-	-
96-94	V8	302	5.0	REV		-	-	215130	-	-
93-87	V8	302	5.0	REV		-	215146	-	-	-
86-70	V8	302	5.0	STD	w/ AC	-	215046	-	-	-
86-70	V8	302	5.0	STD	w/o AC	215011	-	-	211011	-
92-87	L6	300	4.9	REV		215161	-	-	-	-
86-80	L6	300	4.9	STD	EXC. w/ PONY OPT.	215061	-	-	-	-
83-80	L6	300	4.9	STD	w/ PONY OPT.	215061	-	-	-	-
77-73	L6	200	3.3			215011	-	-	211011	-
72-66	L6	173	2.8			215012	-	-	-	220618
BRONCO II										
89-84	V6	182	3.0			215060	-	-	-	-
90-86	V6	177	2.9			215060	-	-	-	-
90-86	V6	177	2.9	w/ AC		215060	-	-	-	-
85-83	V6	173	2.8	w/ AC		215060	-	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN CHOICE IS GIVEN, BOLDDED NUMBER INDICATES O.E. EQUIVALENT



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
FORD LIGHT DUTY TRUCKS (Cont'd)										
BRONCO II (Cont'd)										
85-83	V6	173	2.8	w/o AC		215060	-	-	-	-
88-85	L4	140	2.3	GAS		215010	-	-	-	-
87-85	L4	140	2.3	DIESEL, w/o AC		215019	-	-	-	-
EXCURSION										
03-00	V8	448	7.3			-	-	216011	-	-
05-00	V10	418	6.8			-	-	216010	-	-
05-03	V8	363	6.0			-	-	216018	-	-
05-00	V8	332	5.4			-	-	215168	-	-
EXPEDITION										
09	V8	332	5.4		ELECTRONIC TYPE FAN CLUTCH	-	-	216053	-	-
08-07	V8	332	5.4		ELECTRONIC TYPE FAN CLUTCH	-	-	216045	-	-
06-05	V8	332	5.4			-	-	216037	-	-
04-97	V8	332	5.4			-	-	215168	-	-
04-97	V8	282	4.6			-	-	215168	-	-
EXPLORER, EXPLORER SPORT, EXPLORER SPORT TRAC										
01-96	V8	305	5.0			-	-	216015	-	-
09-07	V8	282	4.6		ELECTRONIC TYPE FAN CLUTCH	-	-	216044	-	-
06-02	V8	282	4.6			-	-	215124	-	-
09-07	V6	246	4.0		ELECTRONIC TYPE FAN CLUTCH	-	-	216044	-	-
06-01	V6	246	4.0		NEW BODY STYLE, FROM 11/13/2000	-	-	215124	-	-
01-98	V6	246	4.0		OLD BODY STYLE, TO 10/25/01	-	-	215114	-	-
97-95	V6	246	4.0			-	-	215125	-	-
94-91	V6	246	4.0		w/ AT, HD FAN CLUTCH	-	-	215125	-	-
94-91	V6	246	4.0		w/ MT, w/ STD CLUTCH	215166	-	-	-	-
FULL-SIZE PICKUPS -- F SERIES										
97-73	V8	460	7.5			-	-	215052	-	-
03-99	V8	448	7.3	REV	DIRECT INJECTION TURBO DIESEL	-	-	216011	-	-
97-94	V8	448	7.3	REV	DIRECT INJECTION TURBO DIESEL	-	-	216009	-	-
94-93	V8	448	7.3	STD	INDIRECT INJECTION TURBO DIESEL	-	-	216007	-	-
94-92	V8	448	7.3	STD	INDIRECT INJECTION NON TURBO DIESEL, FROM 2/14/92	-	-	216007	-	-
92-88	V8	448	7.3	STD	INDIRECT INJECTION DIESEL, UP TO 2/14/92	-	-	216001	-	-
87-83	V8	421	6.9			-	-	216001	-	-
09-05	V10	418	6.8		w/ 6 mm FAN BOLT HOLES	-	-	216048	-	-
07-99	V10	418	6.8		w/ 5/16" FAN BOLT HOLES	-	-	216010	-	-
83-69	V8	400	6.6		w/o AC	-	-	215045	-	-
82-75	V8	400	6.6		w/ AC	-	215046	215052	-	-
09-08	V8	391	6.4		w/ SNOW PLOW PKG.	-	-	-	-	-
09-08	V8	391	6.4		w/o SNOW PLOW PKG.	-	-	216052	-	-
76-68	V8	390	6.3			215011	-	-	211011	-
07-03	V8	363	6.0		w/ SNOW PLOW OR SPECIAL EQUIPMENT PKG.	-	-	216019	-	-
07-03	V8	363	6.0		w/o SNOW PLOW OR SPECIAL EQUIPMENT PKG.	-	-	216018	-	-
76-68	V8	360	5.9			215011	-	-	211011	-
67-65	V8	352	5.8			215011	-	-	211011	-
97-88	V8	351	5.8	REV	w/o AC	-	215146	-	-	-
97-88	V8	351	5.8	REV	w/ AC, 19" FAN	-	215146	215130	-	-
87-69	V8	351	5.8	STD	w/o AC	215011	-	-	211011	-
87-83	V8	351	5.8	STD	w/ AC	-	215046	215045	-	-
82-75	V8	351	5.8	STD	w/ AC	-	215046	215052	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN CHOICE IS GIVEN, BOLDED NUMBER INDICATES O.E. EQUIVALENT



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
FORD LIGHT DUTY TRUCKS (Cont'd)										
FULL-SIZE PICKUPS -- F SERIES (Cont'd)										
09	V8	332	5.4		F-150 ELECTRONIC TYPE FAN CLUTCH	-	-	216053	-	-
08-07	V8	332	5.4		F-150 ELECTRONIC TYPE FAN CLUTCH	-	-	216045	-	-
08-07	V8	332	5.4		F-150 w/o ELECTRONIC TYPE FAN CLUTCH, w/ 5/16" FAN BOLT HOLES	-	-	216037	-	-
06-05	V8	332	5.4		F-150, w/ 5/16" FAN BOLT HOLES	-	-	216037	-	-
09-08	V8	332	5.4		F-250, w/ 6 mm FAN BOLT HOLES	-	-	216038	-	-
07-05	V8	332	5.4		F-250, w/ 5/16" FAN BOLT HOLES	-	-	216037	-	-
08	V8	332	5.4		F-350, w/ 6 mm FAN BOLT HOLES	-	-	216038	-	-
07-05	V8	332	5.4		F-350, w/ 5/16" FAN BOLT HOLES	-	-	216037	-	-
04-97	V8	332	5.4		F Series, EXCEPT F 150 LIGHTNING	-	-	215168	-	-
04-01	V8	332	5.4		F 150 LIGHTNING, w/ 36 mm (1.42") SHAFT NUT	-	-	215168	-	-
00-99	V8	332	5.4		F 150 LIGHTNING, w/ 47 mm (1.85") SHAFT NUT	-	-	216010	-	-
96-94	V8	302	5.0	REV		-	-	215130	-	-
93-87	V8	302	5.0	REV		-	215146	-	-	-
86-70	V8	302	5.0	STD	w/ AC	-	215046	215045	-	-
86-70	V8	302	5.0	STD	w/o AC	215011	-	-	211011	-
96-93	L6	300	4.9	REV	w/ 36 mm HEX NUT, 30mm PILOT	215161	-	-	-	-
96-93	L6	300	4.9	REV	w/ 40 mm HEX NUT, 33mm PILOT	215155	-	-	-	-
92-87	L6	300	4.9	REV		215161	-	-	-	-
86-83	L6	300	4.9	STD	w/ THREAD ON FAN CLUTCH	215061	-	-	-	-
83-82	L6	300	4.9	STD	w/ PONY OPTION	-	-	-	-	-
82-65	L6	300	4.9	STD	EXC. PONY OPTION	215011	-	-	211011	-
09	V8	282	4.6		ELECTRONIC TYPE FAN CLUTCH	-	-	216053	-	-
08-07	V8	282	4.6		ELECTRONIC TYPE FAN CLUTCH	-	-	216045	-	-
08-05	V8	282	4.6		F-150, F-250 w/ 5/16" FAN BOLT HOLES	-	-	216037	-	-
04-97	V8	282	4.6			-	-	215168	-	-
08-97	V6	256	4.2			-	-	215111	-	-
82-81	V8	255	4.2		w/ 18" FAN	215011	-	-	211011	-
82-81	V8	255	4.2		w/ 17" FAN	215011	-	-	211011	-
77-65	L6	240	3.9		w/ 17" FAN	215011	-	-	211011	-
77-65	L6	240	3.9		w/ 18" FAN	215011	-	-	211011	220618
83-82	L6	230	3.8			215126	-	-	-	220638
64-60	L6	223	3.6		w/ 18" FAN	215011	-	-	211011	220618
64-60	L6	223	3.6		w/ 17" FAN	215011	-	-	211011	-
MINI PICKUPS -- RANGER										
09-05	V6	246	4.0			-	-	215114	-	-
04-03	V6	246	4.0			-	-	215151	-	-
02-98	V6	246	4.0			-	-	215114	-	-
97-90	V6	246	4.0		HD COOLING	-	-	215125	-	-
94-90	V6	246	4.0		w/ STD FAN CLUTCH	215166	-	215125	-	-
08-98	V6	181	3.0		ALL	-	-	215112	-	-
97-95	V6	181	3.0		w/ SUPER COOLING	-	-	215112	-	-
97-91	V6	181	3.0		w/ STANDARD COOLING	215064	-	-	-	-
92-86	V6	177	2.9			215060	-	-	-	-
88-83	V6	173	2.8		ALL	215060	-	-	-	-
01-98	L4	151	2.5		w/ AC	215015	-	-	-	-
01-98	L4	151	2.5		w/o AC	215010	-	-	-	-
09-05	L4	140	2.3			215084	-	-	-	-
04-01	L4	140	2.3			215122	-	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN CHOICE IS GIVEN, BOLDED NUMBER INDICATES O.E. EQUIVALENT



ENGINE

FAN CLUTCH

YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
FORD LIGHT DUTY TRUCKS (Cont'd)										
MINI PICKUPS -- RANGER (Cont'd)										
97-83	L4	140	2.3	w/ AC		215010	-	-	-	-
87-85	L4	140	2.3	DIESEL		215019	-	-	-	-
97-83	L4	140	2.3	w/o AC		215010	-	-	-	-
84-83	L4	135	2.2	DIESEL		-	-	-	-	-
89-83	L4	122	2.0	w/o AC		215010	-	-	-	-
88-83	L4	122	2.0	w/ AC		215010	-	-	-	-
MOTORHOMES, CLASS A										
94-70	V8	460	7.5	STD	w/ 1-3/4" SHAFT LEN., INC. JOHN DEERE CHASSIS	-	-	215052	-	-
FORD MEDIUM/HEAVY TRUCKS & BUSES										
B600										
87-80	V8	501	8.2			-	-	216004	-	-
F600										
87-80	V8	501	8.2			-	-	216004	-	-
F700										
87-80	V8	501	8.2			-	-	216004	-	-
F800										
87-80	V8	501	8.2			-	-	216004	-	-
L & LN 600 & 700 SERIES										
78-64	V8	391				-	-	216004	-	-
76-69	V8	360			WATER PUMP MOUNT	-	-	216004	-	-
78-64	V8	330			WATER PUMP MOUNT	-	-	216004	-	-
FORD VANS										
AEROSTAR										
97-90	V6	246	4.0			215166	-	-	-	-
97-86	V6	185	3.0	w/o AC		215064	-	-	-	-
97-86	V6	185	3.0	w/ AC		215064	-	-	-	-
86	V6	172	2.8	w/o AC		215019	-	-	-	-
86	V6	172	2.8	w/ AC		215019	-	-	-	-
87-86	L4	140	2.3	w/o AC		215010	-	-	-	-
87-86	L4	140	2.3	w/ AC		215044	-	-	-	-
FORD VANS & CLASS C MOTORHOMES										
FULL-SIZE VANS -- E 100-350 ECONOLINE, CLASS C MOTORHOMES										
96-76	V8	460	7.5			-	-	215052	-	-
03-98	V8	448	7.3	REV		-	-	216012	-	-
97-95	V8	448	7.3	REV		-	-	216009	-	-
94-92	V8	448	7.3	STD	INDIRECT INJECTION NON TURBO	-	-	216007	-	-
92-88	V8	448	7.3	STD	DIESEL, UP TO 2/14/92	-	-	216001	-	-
87-84	V8	421	6.9			-	-	216001	-	-
09-07	V10	418	6.8		FROM 10/16/06, w/ 6 mm FAN BOLT HOLES	-	-	216048	-	-
07-97	V10	418	6.8		TO 10/16/06, w/ 5/16" FAN BOLT HOLES	-	-	216010	-	-
83-80	V8	400	6.6	w/o AC		-	215046	-	-	-
83-80	V8	400	6.6	w/ AC		-	215046	215052	-	-
09-04	V8	366	6.0		ELECTRONIC FAN CLUTCH	-	-	216018	-	-
96-88	V8	351	5.8	REV	w/o AC	-	215146	215130	-	-
96-88	V8	351	5.8	REV	w/ AC	-	215146	215130	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE

FAN CLUTCH

YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
FORD VANS & CLASS C MOTORHOMES (Cont'd)										
FULL-SIZE VANS -- E 100-350 ECONOLINE, CLASS C MOTORHOMES (Cont'd)										
87-83	V8	351	5.8	STD	w/ AC	-	215046	215045	-	-
82-75	V8	351	5.8	STD	w/ AC	-	215046	215052	-	-
87-75	V8	351	5.8	STD	w/o AC	215011	-	-	211011	-
09-07	V8	332	5.4		FROM 10/16/06, w/ 6 mm FAN BOLT HOLES	-	-	216038	-	-
07-05	V8	332	5.4		TO 10/16/06, w/ 5/16" FAN BOLT HOLES	-	-	216037	-	-
04-97	V8	332	5.4			-	-	215168	-	-
96-90	V8	302	5.0	REV	w/o AC	-	215146	-	-	-
96-90	V8	302	5.0	REV	w/ AC	-	215146	215130	-	-
89-87	V8	302	5.0	REV		-	215146	-	-	-
86-79	V8	302	5.0	STD	w/ AC	-	215046	-	-	-
86-83	V8	302	5.0	STD	w/o AC	215011	-	-	211011	-
82-69	V8	302	5.0	STD		215011	-	-	211011	-
82-69	V8	302	5.0	STD		215011	-	-	211011	-
97-92	L6	300	4.9	REV		215155	-	-	-	-
91-87	L6	300	4.9	REV		215161	-	-	-	-
86-83	L6	300	4.9	STD		215061	-	-	-	-
09-07	V8	282	4.6		FROM 10/16/06, w/ 6 mm FAN BOLT HOLES	-	-	216038	-	-
07-06	V8	282	4.6		w/ 5/16" FAN BOLT HOLES	-	-	216037	-	-
05-97	V8	282	4.6		TO 10/16/06, w/ 5/16" FAN BOLT HOLES	-	-	215168	-	-
03-97	V6	256	4.2			-	-	215168	-	-
74-67	L6	240			w/ 17" FAN	215012	-	-	-	-
74-71	L6	173			w/ 18" FAN	215012	-	-	-	220618
74-67	L6	240			w/ 18" FAN	215012	-	-	-	220618
68-63	L6	173			w/ 17" FAN	215012	-	-	-	-
GEO										
TRACKER										
97-89	L4	98	1.6		CANADIAN AND EXPORT	215028	-	-	-	-
GMC TRUCKS -- SEE CHEVROLET & GMC TRUCKS & VANS										
HONDA										
PASSPORT										
02-98	V6		3.2		DOHC, w/ FRONT MOUNT FAN	215118	-	-	-	-
97-94	V6		3.2		SOHC, w/ FRONT MOUNT FAN	215033	-	-	-	-
96-94	L4		2.6		w/ REAR MOUNT FAN	215072	-	-	-	-
HUMMER										
HUMMER										
04-98	V8	395	6.5		FROM CHASSIS VIN 180136	-	-	-	-	-
98-97	V8	395	6.5		TO CHASSIS VIN 180136	-	-	216013	-	-
96-94	V8	395	6.5(Y)		NON TURBO	-	-	215154	-	-
96	V8	395	6.5(Z)		TURBO	-	-	-	-	-
94-92	V8	379	6.2			-	-	-	-	-
96-95	V8	350	5.7			-	215145	-	-	-
HUMMER H1										
04-02	V8	395	6.5			-	-	-	-	-
HUMMER H2										
07-03	V8	364	6.0			-	-	215152	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN CHOICE IS GIVEN, BOLDED NUMBER INDICATES O.E. EQUIVALENT



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
HUMMER (Cont'd)										
HUMMER H3										
09	L5	223	3.7			-	-	-	-	-
08-07	L5	223	3.7			-	-	215113	-	-
06	L5	211	3.5			-	-	215113	-	-
HUMMER H3T										
09	V8		5.3			-	-	-	-	-
INFINITI										
FX35										
07-03	V6		3.5			-	-	-	-	-
FX45										
08-03	V8		4.5			215062	-	-	-	-
G35										
05-03	V6		3.5			215099	-	-	-	-
J30										
97-93	V6		3.0			215057	-	-	-	-
M30										
92-90	V6		3.0			215082	-	-	-	-
QX4										
03-01	V6		3.5			215062	-	-	-	-
00-97	V6		3.3			215056	-	-	-	-
Q45										
96-93	V8		4.5			215056	-	-	-	-
92-90	V8		4.5			215058	-	-	-	-
01-97	V8		4.1			215062	-	-	-	-
QX56										
09-04	V8		5.6			-	-	-	-	-
INTERNATIONAL										
PICKUP, SCOUT, TRAVELALL SERIES										
80-60	V8	345			EXC. THREAD ON FAN CLUTCH	215049	-	-	211049	-
80-60	V8	304			EXC. THREAD ON FAN CLUTCH	215049	-	-	211049	-
80-60	L6	258			EXC. THREAD ON FAN CLUTCH	215049	-	-	211049	-
80-60	L6	232			EXC. THREAD ON FAN CLUTCH	215049	-	-	211049	-
ISUZU CARS										
IMPULSE										
89-87	L4		2.3			-	-	-	-	-
89-87	L4		2.0	TURBO		215042	-	-	-	-
ISUZU LIGHT TRUCKS										
AMIGO										
00-98	V6		3.2			215118	-	-	-	-
94-89	L4		2.6			215087	-	-	-	-
93-89	L4		2.3			215087	-	-	-	-
ASCENDER										
06-03	V8		5.3		ELECTRONIC FAN CLUTCH	-	215156/216033 (1)	-	-	-
08	L6		4.2			-	-	216034	-	-

(1) Sellout 215156 and reorder 216033.

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
ISUZU LIGHT TRUCKS (Cont'd)										
ASCENDER (Cont'd)										
07	L6		4.2		ELECTRONIC FAN CLUTCH	-	-	216033	-	-
06-03	L6		4.2		ELECTRONIC FAN CLUTCH	-	215156/216033 (1)	-	-	-
AXIOM										
03	V6		3.5		FROM 08/2002	-	-	-	-	-
02	V6		3.5		TO 08/2002	215118	-	-	-	-
HOMBRE										
00-97	V6	262	4.3		w/ AC	-	-	215158	-	-
00-97	V6	262	4.3		w/o AC	215157	-	-	-	-
00-97	L4	135	2.2		w/ AC	215157	-	-	-	-
00-97	L4	135	2.2		w/o AC	215117	-	-	-	-
96	L4	135	2.2		w/ AC	215153	-	-	-	-
96	L4	135	2.2		w/o AC	215116	-	-	-	-
I-280										
06	L4		2.8			-	215138	-	-	-
I-290										
08-07	L4		2.9			-	215138	-	-	-
I-350										
06	L5		3.5			-	-	215113	-	-
I-370										
08-07	L5		3.7			-	-	215113	-	-
PICKUPS										
94-91	V6		3.1			215175	-	-	-	-
95-93	L4		2.6		w/ REAR MOUNT FAN	215072	-	-	-	-
92-88	L4		2.6		w/ FRONT MOUNT FAN	215087	-	-	-	-
95-86	L4		2.3		w/ FRONT MOUNT FAN	215087	-	-	-	-
88-81	L4		2.2		DIESEL	215094	-	-	-	-
87-81	L4		1.9		w/ AC	215094	-	-	-	-
86-81	L4		1.8		w/ AC	215094	-	-	-	-
RODEO										
04	V6		3.5			-	-	-	-	-
04-03	V6		3.2	REV	FROM 08/2002	-	-	-	-	-
02-98	V6		3.2	REV	TO 08/2002	215118	-	-	-	-
97-95	V6		3.2	STD		215033	-	-	-	-
94-93	V6		3.2	STD		215076	-	-	-	-
92-91	V6		3.1	REV		215175	-	-	-	-
97-94	L4		2.6		w/ REAR MOUNT FAN	215072	-	-	-	-
93-91	L4		2.6		w/ FRONT MOUNT FAN	215087	-	-	-	-
RODEO SPORT										
03	V6		3.2		FROM 08/2002	-	-	-	-	-
02-01	V6		3.2	REV	TO 08/2002	215118	-	-	-	-
TROOPER, TROOPER II, TROOPER LX										
02-98	V6		3.5			215040	-	-	-	-
97-94	V6		3.2		AFTER 12/93	215033	-	-	-	-
94-92	V6		3.2		BEFORE 12/93	215076	-	-	-	-
94-93	V6		3.2		DOHC, SOHC	215076	-	-	-	-

(1) Sellout 215156 and reorder 216033.

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN CHOICE IS GIVEN, BOLDED NUMBER INDICATES O.E. EQUIVALENT



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
ISUZU LIGHT TRUCKS (Cont'd)										
TROOPER, TROOPER II, TROOPER LX (Cont'd)										
91-89	V6		2.8			215175	-	-	-	-
91-88	L4		2.6			215087	-	-	-	-
87-86	L4		2.3			215087	-	-	-	-
87-86	L4		2.2	DIESEL		215094	-	-	-	-
85-84	L4		1.9			215094	-	-	-	-
VEHICROSS										
01-99	V6		3.5			215040	-	-	-	-
ISUZU MEDIUM DUTY TRUCKS										
NPR										
08-03	V8	368	6.0			-	-	215113	-	-
02-97	V8	350	5.7			-	-	215113	-	-
96	V8	350	5.7			-	-	215158	-	-
JAGUAR										
XJ6 SOVEREIGN										
92-90	L6		4.0			215018	-	-	-	-
XJ6, XJ6 VANDEN PLAS										
87-85	L6		4.2			215066	-	-	-	-
73-71	L6		4.2			215049	-	-	-	-
92-90	L6		4.0			215018	-	-	-	-
89-87	L6		3.6			215018	-	-	-	-
XJS										
95-94	V12		6.0			215066	-	-	-	-
92-85	V12		5.3			215066	-	-	-	-
96-92	L6		4.0			215066	-	-	-	-
XJ12										
96-94	V12		6.0			-	-	-	-	-
JEEP										
BRIARWOOD										
93-91	L6	242	4.0			215101	-	-	-	-
93-91	L4	151	2.5			215148	-	-	-	-
CHEROKEE										
78-74	V8	401	6.6			215049	-	-	211049	-
86-74	V8	360	5.9			215049	-	-	211049	-
93	V8	318	5.2			215049	-	-	211049	-
86-81	L6	258	4.2	STD	V BELT DRIVE w/ HD COOLING	215043	-	-	211043	-
86-81	L6	258	4.2	REV	SERPENTINE BELT DRIVE, w/ HD COOLING	215126	-	-	-	-
80-79	L6	258	4.2	STD	V BELT DRIVE	215049	-	-	211049	-
01-87	L6	242	4.0			215101	-	-	-	-
86-84	V6	173	2.8			215021	-	-	-	-
00-94	L4	151	2.5	REV	ALL GAS ENGINES	215149	-	-	-	-
01-94	L4	151	2.5	STD	DIESEL	-	-	-	-	-
93-84	L4	151	2.5	REV	SERPENTINE BELT DRIVE	215148	-	-	-	-
86-84	L4	151	2.5	STD	V BELT DRIVE	215021	-	-	-	-
96-84	L4	129	2.1		DIESEL	-	-	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
JEEP (Cont'd)										
CJ 5-8, YJ, TJ, XJ, LJ & WRANGLER										
81-72	V8	304	5.0			215049	-	-	211049	-
90-87	L6	258	4.2	STD	V BELT DRIVE	215021	-	-	-	-
86-81	L6	258	4.2	STD	V BELT DRIVE	215026	-	-	-	-
90-81	L6	258	4.2	REV	SERPENTINE BELT DRIVE	215148	-	-	-	-
06-00	L6	246	4.0			-	215160	-	-	-
99-91	L6	246	4.0			-	215149	-	-	-
09-07	V6	231	3.8			-	216030	-	-	-
79-74	L6	232	3.8			215049	-	-	211049	-
02-97	L4	151	2.5	REV	SERPENTINE BELT DRIVE	215101	-	-	-	-
95-91	L4	151	2.5	REV	SERPENTINE BELT DRIVE	215148	-	-	-	-
90-80	L4	151	2.5	STD	V BELT DRIVE	215021	-	-	-	-
06-03	L4	148	2.4			215101	-	-	-	-
COMANCHE										
92-87	L6	246	4.0			215101	-	-	-	-
86	V6	173	2.8			215021	-	-	-	-
92-86	L4	151	2.5	REV	SERPENTINE BELT DRIVE	215148	-	-	-	-
86	L4	151	2.5	STD	V BELT DRIVE	215021	-	-	-	-
93-86	L4	129	2.1		DIESEL	-	-	-	-	-
COMMANDER										
08-06	V8	285	4.7			-	-	216036	-	-
GRAND CHEROKEE										
98-97	V8	360	5.9		ALL	-	-	215159	-	-
98-94	V8	318	5.2			-	-	215159	-	-
93	V8	318	5.2		w/ MAX COOLING	-	215108	-	-	-
93	V8	318	5.2		w/o MAX COOLING	-	215105	-	-	-
09-05	V8	285	4.7			-	-	216036	-	-
04-01	V8	285	4.7		HYDRAULIC FAN, NO FAN CLUTCH USED	-	-	-	-	-
00-99	V8	285	4.7			-	215123	-	-	-
04-99	L6	246	4.0		ALL	-	215123	-	-	-
98-93	L6	246	4.0			-	-	215115	-	-
J 10-40 PICKUP TRUCKS										
78-74	V8	401	6.6		w/o HD COOLING	215049	-	-	211049	-
86-74	V8	360	5.9		w/o HD COOLING	215049	-	-	211049	-
89-81	L6	258	4.2	STD	V BELT DRIVE	215026	-	-	211026	-
89-81	L6	258	4.2	REV	SERPENTINE BELT DRIVE	215126	-	-	-	-
80-74	L6	258	4.2	STD	V BELT DRIVE	215049	-	-	211049	-
LIBERTY										
09	V6	226	3.7			-	-	-	-	-
08-02	V6	226	3.7			-	215123	-	-	-
06-05	L4	173	2.8			-	-	216036	-	-
WAGONEER & GRAND WAGONEER										
78-74	V8	401	6.6			215049	-	-	211049	-
91-74	V8	360	5.9			215049	-	-	211049	-
89-81	L6	258	4.2	REV	SERPENTINE BELT DRIVE	215126	-	-	-	-
89-81	L6	258	4.2	STD	V BELT DRIVE	215026	-	-	211026	-
90-87	L6	246	4.0			215101	-	-	-	-
86-84	V6	173	2.8			215021	-	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN CHOICE IS GIVEN, BOLDED NUMBER INDICATES O.E. EQUIVALENT



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
JEEP (Cont'd)										
WAGONEER & GRAND WAGONEER (Cont'd)										
89-84	L4	151	2.5	REV	SERPENTINE BELT DRIVE	215148	-	-	-	-
86-84	L4	151	2.5	STD	V BELT DRIVE	215021	-	-	-	-
KIA										
SPORTAGE										
01	L4		2.0		FROM 6/21/01, W/17" FAN BLADE	216051	-	-	-	-
01-95	L4		2.0		TO 6/21/01, W/16" OR 15" FAN BLADE	216050	-	-	-	-
LAND ROVER										
DEFENDER 110										
93	V8		3.9			-	-	-	-	-
DEFENDER 90										
97	V8		4.0			-	-	-	-	-
95-94	V8		3.9			-	-	-	-	-
DISCOVERY										
04-03	V8		4.6			-	-	-	-	-
02-00	V8		4.0			-	-	216039	-	-
99	V8		4.0		SERIES II	-	-	216039	-	-
99-96	V8		4.0		EXCEPT SERIES II	-	-	-	-	-
95-94	V8		3.9			-	-	-	-	-
FREELANDER										
04-02	V6	153	2.5			-	-	-	-	-
RANGE ROVER										
02-96	V8		4.6			-	-	216039	-	-
09-03	V8		4.4			-	-	-	-	-
08-06	V8		4.2			-	-	-	-	-
95-93	V8		4.2		USED WITH 7 BLADE FAN	-	-	-	-	-
95-93	V8		4.2		USED WITH 11 BLADE FAN	-	215053	-	-	-
00-95	V8		4.0		INCLUDING 1995 SE MODEL	-	-	216039	-	-
95-89	V8		3.9		USED WITH 11 BLADE FAN, EXCEPT 1995 SE MODEL	-	215053	-	-	-
95-92	V8		3.9		USED WITH 7 BLADE FAN, FROM ENGINE 40D09582B	-	-	-	-	-
88-87	V8	216	3.5		USED WITH 7 BLADE FAN	-	-	-	-	-
88-87	V8	216	3.5		USED WITH 11 BLADE FAN	-	215053	-	-	-
LEXUS										
GS300										
98-93	I6		3.0			215071	-	-	-	-
GX470										
09-05	V8		4.7		FROM 11/04	216047	-	-	-	-
05-03	V8		4.7		TO 11/04	215121	-	-	-	-
LS400										
00-97					WITH TOWING PACKAGE					
00-90	V8		4.0		WITHOUT TOWING PACKAGE	215102	-	-	-	-
LX450										
97-96	L6		4.5			215074	-	-	-	-
LX470										
07-05	V8		4.7		FROM 05/05	216047	-	-	-	-
05-98	V8		4.7		TO 05/05	215120	-	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
LEXUS (Cont'd)										
LX570										
09-08	V8		5.7			-	-	-	-	-
SC300										
00-92	I6		3.0			215071	-	-	-	-
LINCOLN TRUCKS										
AVIATOR										
05-03	V8		4.6			-	-	215124	-	-
BLACKWOOD										
02	V8		5.4			-	-	215104	-	-
MARK LT										
08-07	V8		5.4		ELECTRONIC TYPE FAN CLUTCH	-	-	216045	-	-
08-06	V8		5.4		w/o ELECTRONIC FAN CLUTCH	-	-	216037	-	-
NAVIGATOR										
09	V8	332	5.4		ELECTRONIC TYPE FAN CLUTCH	-	-	216053	-	-
08-07	V8		5.4		ELECTRONIC TYPE FAN CLUTCH	-	-	216045	-	-
06-05	V8		5.4			-	-	216037	-	-
04-98	V8		5.4			-	-	215168	-	-
LINCOLN CARS										
CONTINENTAL										
78-68	V8	460	7.5			215011	-	-	211011	-
79-77	V8	400	6.6			215011	-	-	211011	-
80	V8	351	5.8			215011	-	-	211011	-
92-85	V8	302	5.0	REV		215126	-	-	-	-
84-80	V8	302	5.0	STD		215011	-	-	211011	-
82	V6	232	3.8			215126	-	-	-	220638
85-84	V6	148	2.4			-	-	-	-	-
MARK III, IV, V, VI, VII										
78-71	V8	460	7.5			215011	-	-	211011	-
79-77	V8	400	6.6			215011	-	-	211011	-
80	V8	351	5.8			215011	-	-	211011	-
92-85	V8	302	5.0	REV		215126	-	-	-	-
84-80	V8	302	5.0	STD		215011	-	-	211011	-
85-84	V6	148	2.4			-	-	-	-	-
TOWN CAR										
90-80	V8	302	5.0			215011	-	-	211011	-
97-93	V8	282	4.6			-	-	215169	-	-
92-91	V8	282	4.6			215165	-	-	-	-
VERSAILLES										
77	V8	351	5.8			215011	-	-	211011	-
80-77	V8	302	5.0			215011	-	-	211011	-
MAZDA CARS										
929										
95-92	V6	181	3.0			215038	-	-	-	-
91-88	V6	181	3.0			215023	-	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
MAZDA TRUCKS										
B4000										
09-98	V6	246	4.0		OHV ALL	-	-	215114	-	-
97-94	V6	246	4.0		w/ SUPER COOLING	-	-	215125	-	-
99-98	V6	246	4.0			-	-	215114	-	-
97-94	V6	246	4.0		w/ STD COOLING	215166	-	-	-	-
B3000										
07-94	V6	181	3.0		w/ SUPER COOLING	-	-	215112	-	-
07-94	V6	181	3.0		w/ STANDARD COOLING	215064	-	-	-	-
B2600										
93-89	L4	156	2.6			215090	-	-	-	-
88-86	L4	156	2.6			215092	-	-	-	-
B2500										
01-98	L4	151	2.5		w/o AC	215010	-	-	-	-
01-98	L4	151	2.5		w/ AC	215015	-	-	-	-
B2300										
09-01	L4	141	2.3			215122	-	-	-	-
97-94	L4	141	2.3			215010	-	-	-	-
B2200										
93-87	L4	135	2.2		w/ AUTOMATIC TRANSMISSION	-	-	-	-	-
93-87	L4	135	2.2		w/ MANUAL TRANSMISSION	215096	-	-	-	-
B2000										
89-86	L4	121	2.0			215096	-	-	-	-
NAVAJO										
94-91	V6	246	4.0			215166	-	215125	-	-
MAZDA VANS										
MPV										
98-96	V6	181	3.0			215038	-	-	-	-
95-92	V6	181	3.0		FROM VIN# 350467	-	-	-	-	-
91-89	V6	181	3.0		UP TO VIN# 350466	215098	-	-	-	-
94-89	L4	151	2.6			215090	-	-	-	-
MERCEDES-BENZ										
190D										
89-86	L5		2.5		DIESEL	215075	-	-	-	-
190E										
93-87	L6		2.6			216040	-	-	-	-
260E										
89-87	L6		2.6			215075	-	-	-	-
300CDT										
85-82	L5		3.0		DIESEL	-	-	-	-	-
300CE										
92-88	L6		3.0			215075	-	-	-	-
93	L6		3.2			215075	-	-	-	-
300DT										
85-81	L5		3.0			-	-	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
MERCEDES-BENZ (Cont'd)										
300E										
93	L6		3.2			215075	-	-	-	-
93-90	L6		3.0	4-MATIC		215075	-	-	-	-
93-86	L6		3.0	INCLUDING AMG		215075	-	-	-	-
93	L6		2.8			215075	-	-	-	-
92-90	L6		2.6			215075	-	-	-	-
300SD										
85-81	L5		3.0			-	-	-	-	-
300SE										
93-92	L6		3.2			215131	-	-	-	-
91-88	L6		3.0			215075	-	-	-	-
300SEL										
91-90	L6		3.0			215075	-	-	-	-
300SL										
93-90	L6		3.0			215131	-	-	-	-
300SLC										
81	V8		3.8			215083	-	-	-	-
300TE										
93	L6		3.2			215075	-	-	-	-
93-88	L6		3.0	INCLUDING 4 MATIC MODELS		215075	-	-	-	-
300TDC										
85-82	L6		3.0			-	-	-	-	-
300TDT										
87-85	L6		3.0			-	-	-	-	-
380SE										
85-84	V8		3.8			215083	-	-	-	-
380SEC										
83-82	V8		3.8			215083	-	-	-	-
380SEL										
83-81	V8		3.8			215083	-	-	-	-
380SL										
85-81	V8		3.8			215083	-	-	-	-
400SE										
92	V8		4.2			215079	-	-	-	-
400SEL										
93-92	V8		4.2			215079	-	-	-	-
420SEL										
91-86	V8		4.2			215083	-	-	-	-
500SEC										
93	V8		5.0			215079	-	-	-	-
85	V8		5.0			215083	-	-	-	-
500SEL										
93-92	V8		5.0			215079	-	-	-	-
85	V8		5.0			215083	-	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



FAN CLUTCHES

ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
MERCEDES-BENZ (Cont'd)										
500SL										
93-90	V8		5.0			215079	-	-	-	-
560SEC										
91-86	V8		5.6			215083	-	-	-	-
560SEL										
91-86	V8		5.6			215083	-	-	-	-
560SL										
89-86	V8		5.6			215083	-	-	-	-
C220										
96-94	L4		2.2			215078	-	-	-	-
C230										
04-01	L4		2.3			-	-	-	-	-
00-97	L4		2.3			215078	-	-	-	-
C280										
00-98	V6		2.8			215132	-	-	-	-
97-94	L6		2.8			215075	-	-	-	-
C36										
97-95	L6		3.6			215075	-	-	-	-
C43										
00-98	V8		4.3			215132	-	-	-	-
CL500										
03-01	V8		5.0			-	-	-	-	-
00-98	V8		5.0			215079	-	-	-	-
CLK430										
03-99	V8		4.3			215132	-	-	-	-
CLK55										
03	V8		5.5		AMG	-	-	-	-	-
02-01	V8		5.5			215132	-	-	-	-
E300D										
99-98	L6		3.0			-	-	-	-	-
97-95	L6		3.0			215075	-	-	-	-
E320										
03-98	V6		3.2			215132	-	-	-	-
97-96	L6		3.2			215131	-	-	-	-
E320										
03-98	V6		3.2		INCLUDING 4-MATIC	215132	-	-	-	-
97-96	L6		3.2			215131	-	-	-	-
95-94	L6		3.2			215075	-	-	-	-
E420										
97-94	V8		4.2			-	-	-	-	-
E430										
02-98	V8		4.3			216041	-	-	-	-
G500										
08-02	V8		5.0			-	-	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE					FAN CLUTCH					
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
MERCEDES-BENZ (Cont'd)										
ML320										
03-98	V6		3.2		TO CHASSIS VIN 033140	215133	-	-	-	-
ML350										
03	V6		3.7			215133	-	-	-	-
ML430										
01-99	V8		4.3			216041	-	-	-	-
ML55										
03-00	V8		5.5		AMG	216041	-	-	-	-
S320										
99-94	L6		3.2		EXCEPT AMG	215131	-	-	-	-
S350D										
95	L6		3.4			215075	-	-	-	-
94	L6		3.4			-	-	-	-	-
S420										
98-94	V8		4.2			215079	-	-	-	-
S430										
03-00	V8		4.3			-	-	-	-	-
S500										
03-00	V8		5.0			-	-	-	-	-
99-94	V8		5.0			215079	-	-	-	-
SL320										
99-94	L6		3.2			215131	-	-	-	-
SL500										
02-99	V8		5.0			216041	-	-	-	-
98-94	V8		5.0			215079	-	-	-	-
MERCURY CARS										
BOBCAT										
79-75	V6	169	2.8			-	-	-	-	-
CAPRI										
86-80	V8	302	5.0	REV	w/o AC	215126	-	-	-	-
86-80	V8	302	5.0	REV	w/AC	-	215146	-	-	-
80-79	V8	302	5.0	STD		215011	-	-	211011	-
82-80	V8	255				215126	-	-	-	-
86-83	V6	232	3.8			-	215146	-	-	-
82-81	L6	200		REV		215126	-	-	-	220638
82-80	L6	200		STD		215012	-	-	-	220618
CAPRI II										
79-73	V6	171	2.8			-	-	-	-	-
79-73	V6	159	2.6			-	-	-	-	-
COMET										
69-66	V8	390	6.4			215011	-	-	211011	-
70-69	V8	351	5.8			215011	-	-	211011	-
77-69	V8	302	5.0			215011	-	-	211011	-
68-64	V8	289				215011	-	-	211011	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
MERCURY CARS (Cont'd)										
COMET (Cont'd)										
77-69	L6	250				215011	-	-	211011	-
68-64	L6	200				215012	-	-	-	-
COUGAR & XR7										
76-74	V8	460	7.5			215012	-	-	-	-
71-70	V8	429	7.0			215011	-	-	211011	-
70-69	V8	428	7.0			215011	-	-	211011	-
68	V8	427	7.0			215011	-	-	211011	-
78-74	V8	400	6.6			215011	-	-	211011	-
69-67	V8	390	6.4			215011	-	-	211011	-
79-69	V8	351	5.8			215011	-	-	211011	-
93-91	V8	302	5.0	REV	w/ THREAD-ON FAN CLUTCH	215100	-	-	-	-
90-86	V8	302	5.0	REV	w/o THREAD-ON FAN CLUTCH	215126	-	-	-	-
85-68	V8	302	5.0	STD	EXC. w/ 2-3/4" SHAFT	215011	-	-	211011	-
68-67	V8	289	4.7			215011	-	-	211011	-
85-80	V8	255				215011	-	-	211011	-
94-82	V6	232				215126	-	-	-	220638
82-80	L6	200				215012	-	-	-	-
CYCLONE										
71-70	V8	429	7.0			215011	-	-	211011	-
69-68	V8	428	7.0			215011	-	-	211011	-
68	V8	427	7.0			215011	-	-	211011	-
69-68	V8	390	6.4			215011	-	-	211011	-
71-69	V8	351	5.8			215011	-	-	211011	-
69-68	V8	302	5.0			215011	-	-	211011	-
MARAUDER										
04-03	V8	282				-	-	215168	-	-
MARAUDER & MONTEGO										
76-74	V8	460	7.5			215012	-	-	-	-
73-70	V8	429	7.0			215011	-	-	211011	-
69-68	V8	428	7.0			215011	-	-	211011	-
68	V8	427	7.0			215011	-	-	211011	-
76-71	V8	400	6.6			215011	-	-	211011	-
70-67	V8	390				215011	-	-	211011	-
73-71	V8	351	5.8			215011	-	-	211011	-
MARQUIS & GRAND MARQUIS (INCLUDING WAGONS)										
78-72	V8	460	7.5			215012	-	-	-	-
73-70	V8	429	7.0			215011	-	-	211011	-
69-68	V8	428	7.0			215011	-	-	211011	-
78-75	V8	400	6.6			215011	-	-	211011	-
70-68	V8	390	6.4			215011	-	-	211011	-
86-78	V8	351	5.8			215011	-	-	211011	-
91-79	V8	302	5.0	STD	INCLUDING POLICE	215011	-	-	211011	-
86-84	V8	302	5.0	REV	MARQUIS w/ STD FAN CLUTCH	215126	-	-	-	-
86-84	V8	302	5.0	REV	MARQUIS w/ HD FAN CLUTCH & INCLUDING POLICE	-	-	215130	-	-
06-98	V8	282	4.6		ALL INCLUDING HD COOLING	-	-	215169	-	-
97-92	V8	282	4.6		INC. POLICE & TRL. TOW PKG.	-	-	215169	-	-
92	V8	282	4.6		w/o TRL. TOW PKG.	215165	-	215169	-	-
86-81	V8	255				215011	-	-	211011	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
MERCURY CARS (Cont'd)										
MARQUIS & GRAND MARQUIS (INCLUDING WAGONS) (Cont'd)										
86-82	V6	232				215126	-	-	-	220638
83-80	L6	200			EXCEPT POLICE	215012	-	-	-	220618
83-80	L6	200			INCLUDING POLICE	215011	-	-	211011	220618
MONARCH										
77-75	V8	351	5.8			215011	-	-	211011	-
80-75	V8	302	5.0			215011	-	-	211011	-
82-80	V8	255	4.2			215011	-	-	211011	-
80-75	L6	250				215011	-	-	211011	-
77-75	L6	200				215012	-	-	-	-
MONTEREY, MONTCLAIR & PARKLANE (INCLUDING WAGONS)										
74-72	V8	460	7.5			215012	-	-	-	-
73-70	V8	429	7.0			215011	-	-	211011	-
69-66	V8	428	7.0			215011	-	-	211011	-
65-63	V8	427	7.0			215011	-	-	211011	-
74-72	V8	400	6.6			215011	-	-	211011	-
70-61	V8	390	6.4			215011	-	-	211011	-
73-71	V8	351	5.8			215011	-	-	211011	-
ZEPHYR										
79-78	V8	302	5.0			215011	-	-	211011	-
82-80	V8	255	4.2		INCLUDING POLICE	215011	-	-	211011	-
83-78	L6	200			EXCEPT POLICE	215012	-	-	-	-
83-78	L6	200			INCLUDING POLICE	215011	-	-	211011	-
MERCURY TRUCKS										
MOUNTAINEER										
01-97	V8	305	5.0			-	-	216015	-	-
09-07	V8	282	4.6		ELECTRONIC TYPE FAN CLUTCH	-	-	216044	-	-
06-02	V8	282	4.6			-	-	215124	-	-
09-07	V6	246	4.0		ELECTRONIC TYPE FAN CLUTCH	-	-	216044	-	-
06-01	V6	246	4.0		NEW BODY STYLE, FROM 11/13/2000	-	-	215124	-	-
01-98	V6	246	4.0			-	-	215114	-	-
MERKUR										
SCORPIO										
89-88	V6	178	2.9			215067	-	-	-	-
MITSUBISHI CARS										
STARION										
89-82	L4	156	2.6		w/ TURBO	215092	-	-	-	-
MITSUBISHI TRUCKS										
MONTERO										
06-03	V6		3.8			-	-	-	-	-
02-01	V6		3.5			-	-	-	-	-
00-94	V6		3.5			215073	-	-	-	-
96-89	V6		3.0			215073	-	-	-	-
89-83	L4		2.6			215092	-	-	-	-
MONTERO SPORT										
04-02	V6		3.5		FROM 12/01	215059	-	-	-	-
02-99	V6		3.5		TO 12/01	215073	-	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN CHOICE IS GIVEN, BOLDED NUMBER INDICATES O.E. EQUIVALENT



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
MITSUBISHI TRUCKS (Cont'd)										
MONTERO SPORT (Cont'd)										
03-97	V6		3.0			215059	-	-	-	-
99-97	L4		2.4			215036	-	-	-	-
MIGHTY MAX PICKUP										
94-90	V6		3.0			215073	-	-	-	-
96-90	L4		2.4			215086	-	-	-	-
89-83	L4		2.6			215092	-	-	-	-
85-83	L4		2.3		TURBO DIESEL	215073	-	-	-	-
89-83	L4		2.0			215086	-	-	-	-
RAIDER										
07-06	V8		4.7			-	-	215106	-	-
09-06	V6		3.7			-	-	215106	-	-
MITSUBISHI VANS										
VAN/WAGON										
90-87	L4		2.4			215086	-	-	-	-
NISSAN CARS										
200SX										
88-87	V6		3.0			215082	-	-	-	-
83-82	L4		2.2		w/ FAN CLUTCH & WATER PUMP COMBINATION	215089	-	-	-	-
81-80	L4		2.0		w/ FAN CLUTCH & WATER PUMP COMBINATION	215089	-	-	-	-
79-77	L4		2.0		w/ FAN CLUTCH & WATER PUMP COMBINATION	215089	-	-	-	-
88-84	L4		2.0			215088	-	-	-	-
88-84	L4		1.8		w/ TURBO	215088	-	-	-	-
240SX										
98-88	L4		2.4			215082	-	-	-	-
96-91	L4		2.4		TWIN CAM	215082	-	-	-	-
240Z										
73-71	I6		2.4			215082	-	-	-	-
260Z										
74	I6		2.6			215082	-	-	-	-
280Z, 280ZX										
83-75	I6		2.8		INC. TURBO	215082	-	-	-	-
300ZX										
96-90	V6		3.0			215091	-	-	-	-
89-83	V6		3.0			215082	-	-	-	-
MAXIMA, 810										
83-81	L6		2.8		DIESEL	215020	-	-	-	-
85-77	L6		2.4			215082	-	-	-	-
NISSAN TRUCKS										
ARMADA										
09-05	V8		5.6			-	-	-	-	-
FRONTIER										
09-05	V6		4.0			-	-	-	-	-
04-99	V6		3.3			215056	-	-	-	-
09-05	L4		2.5			-	-	-	-	-
04-98	L4		2.4			215020	-	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE							FAN CLUTCH			
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
NISSAN TRUCKS (Cont'd)										
PATHFINDER										
09-08	V8		5.6			-	-	-	-	-
09-05	V6		4.0			-	-	-	-	-
04-01	V6		3.5			215062	-	-	-	-
00-96	V6		3.3			215056	-	-	-	-
95-90	V6		3.0			215091	-	-	-	-
89-87	V6		3.0			215082	-	-	-	-
88-87	L4		2.4		w/ FAN CLUTCH & WATER PUMP COMBINATION	215089	-	-	-	-
TITAN										
09-04	V8		5.6			-	-	-	-	-
TRUCK -- 4 X 4, 720										
96-90	V6		3.0			215091	-	-	-	-
89-86	V6		3.0			215082	-	-	-	-
86-83	L4		2.5		DIESEL	215082	-	-	-	-
97-90	L4		2.4			215020	-	-	-	-
89-86	L4		2.4		w/ FAN CLUTCH & WATER PUMP COMBINATION	215089	-	-	-	-
83-81	L4		2.2		DIESEL	215082	-	-	-	-
82-81	L4		2.2		w/ FAN CLUTCH & WATER PUMP COMBINATION, Z22	215089	-	-	-	-
85-83	L4		2.0		w/ FAN CLUTCH & WATER PUMP COMBINATION	215089	-	-	-	-
80-75	L4		2.0		w/ FAN CLUTCH & WATER PUMP COMBINATION	215089	-	-	-	-
XTERRA										
09-05	V6		4.0			-	-	-	-	-
04-00	V6		3.3			215056	-	-	-	-
04-00	L4		2.4			215020	-	-	-	-
NISSAN VANS										
VAN										
89-86	L4		2.4			215088	-	-	-	-
OLDSMOBILE CARS										
98, REGENCY										
76-68	V8	455	7.5			215049	-	-	211049	-
79-77	V8	403	6.6			215049	-	-	211049	-
84-80	V8	350	5.7		DIESEL w/ STD FAN CLUTCH	215049	-	-	211049	-
84-80	V8	350	5.7		DIESEL w/ HD FAN CLUTCH	-	215046	215045	-	-
80-77	V8	350	5.7		GAS, w/ STD FAN CLUTCH	215049	-	-	211049	-
80-77	V8	350	5.7		GAS, w/ HD FAN CLUTCH	-	215046	-	-	-
84-80	V8	307	5.0		w/ STD FAN CLUTCH	215049	-	-	211049	-
84-80	V8	307	5.0		w/ HD FAN CLUTCH	-	215046	-	-	-
83-81	V6	252	4.1			215043	-	-	211043	-
83-82	V6	231	3.8		w/ AC	215043	-	-	211043	220619
CUSTOM CRUISER & DELTA 88										
76-68	V8	455	7.5			215049	-	-	211049	-
78-77	V8	403	6.6			215049	-	-	211049	-
75	V8	400	6.6			215049	-	-	211049	-
85-79	V8	350	5.7	STD	DIESEL w/ STD FAN CLUTCH	215049	-	-	211049	-
85-79	V8	350	5.7	STD	DIESEL w/ HD FAN CLUTCH	-	215046	215045	-	-
92	V8	350	5.7	REV		-	215145	-	-	-
80-68	V8	350	5.7	STD	GAS, w/ STD FAN CLUTCH	215049	-	-	211049	-
80-68	V8	350	5.7	STD	GAS, w/ HD FAN CLUTCH	-	215046	215045	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
OLDSMOBILE CARS (Cont'd)										
CUSTOM CRUISER & DELTA 88 (Cont'd)										
87-80	V8	307	5.0	STD	w/ STD FAN CLUTCH	215049	-	-	211049	-
87-80	V8	307	5.0	STD	w/ HD FAN CLUTCH	-	215046	215045	-	-
92-91	V8	305	5.0	REV		-	215145	-	-	-
90-88	V8	305	5.0	STD	w/ STD FAN CLUTCH	215049	-	-	211049	-
90-88	V8	305	5.0	STD	w/ HD FAN CLUTCH	-	215046	-	-	-
79	V8	301	5.0	STD		-	215046	-	-	-
81	V8	267	4.4	STD		-	215046	-	-	-
82-77	V8	260	4.3		w/ STD FAN CLUTCH, EXC. DIESEL	215049	-	-	211049	-
82-77	V8	260	4.3		w/ HD FAN CLUTCH, EXC. DIESEL	-	215046	-	-	-
81	V6	252	4.1			215043	-	-	211043	220619
85-79	V6	231	3.8			215043	-	-	211043	220619
CUTLASS, CUTLASS SUPREME, CUTLASS CRUISER, F85 & 442										
76-68	V8	455	7.5			215049	-	-	211049	-
77	V8	403	6.6			215049	-	-	211049	-
69-65	V8	400	6.6			215049	-	-	211049	-
85-80	V8	350	5.7		DIESEL w/ STD FAN CLUTCH	215049	-	-	211049	-
85-80	V8	350	5.7		DIESEL w/ HD FAN CLUTCH	-	215046	215045	-	-
80	V8	350	5.7		GAS	-	215046	-	-	-
88-81	V8	307	5.0		w/ STD FAN CLUTCH	215049	-	-	211049	-
88-81	V8	307	5.0		w/ HD FAN CLUTCH	-	215046	-	-	-
87-85	V8	305	5.0		w/ STD FAN CLUTCH	215049	-	-	211049	-
81-80	V8	305	5.0		w/ HD FAN CLUTCH	-	215046	-	-	-
81	V6	267	4.4		w/ AC, HD FAN CLUTCH	-	215046	-	-	-
84-82	V8	260	4.3		DIESEL	-	-	-	-	-
82-80	V8	260	4.3		w/ STD FAN CLUTCH	215049	-	-	211049	-
82-80	V8	260	4.3		w/ HD FAN CLUTCH	-	215046	-	-	-
87-79	V6	231	3.8		STD. FAN CLUTCH	215043	-	-	211043	220619
OMEGA										
79-73	V8	350	5.7			215049	-	-	211049	-
79-77	V8	305	5.0			215049	-	-	211049	-
77-75	V8	260	4.3			215049	-	-	211049	-
79-77	V6	231	3.8			215043	-	-	211043	220619
STARFIRE										
79-77	V8	305	5.0			215049	-	-	211049	-
80-75	V6	231	3.8		STD. FAN CLUTCH	215043	-	-	211043	220619
80-78	L4	151	2.5			215049	-	-	211049	220619
TORONADO										
76-68	V8	455	7.5			215049	-	-	211049	-
78-77	V8	403	6.6			215049	-	-	211049	-
85-79	V8	350	5.7		DIESEL w/ STD FAN CLUTCH	215049	-	-	211049	-
85-79	V8	350	5.7		DIESEL w/ HD FAN CLUTCH	-	215046	215045	-	-
80-79	V8	350	5.7		GAS	-	215046	215045	-	-
85-80	V8	307	5.0		STD. FAN CLUTCH	215049	-	-	211049	-
85-80	V8	307	5.0		HD FAN CLUTCH	-	215046	-	-	-
84-81	V6	252	4.1			215043	-	-	211043	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLD
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
OLDSMOBILE TRUCKS										
BRAVADA										
04-02	V8		4.2			-	215156/216033 (1)	-	-	-
01-96	V6		4.3	w/ AC		-	-	215158	-	-
95-91	V6		4.3	w/ AC		-	215145	215140	-	-
01-96	V6		4.3	w/o AC		215157	-	-	-	-
95-94	V6		4.3	w/o AC		215153	-	-	-	-
93-91	V6		4.3	w/o AC		215143	-	-	-	-
PLYMOUTH CARS										
BARRACUDA										
71-67	V8	383	6.3	w/ STD FAN CLUTCH		215043	-	-	211043	-
71-67	V8	383	6.3	w/ HD FAN CLUTCH		-	215046	-	-	-
73-68	V8	340	5.6	w/ HD FAN CLUTCH		-	215046	-	-	-
73-68	V8	340	5.6	w/ STD FAN CLUTCH		215043	-	-	211043	-
74-68	V8	318	5.2	w/ STD FAN CLUTCH		215043	-	-	211043	-
74-68	V8	318	5.2	w/ HD FAN CLUTCH		-	215046	-	-	-
73-65	L6	225	3.7			215043	-	-	211043	220618
CONQUEST										
87-84	L4	156	2.6	EXC. w/ INTERCOOLER		215092	-	-	-	-
BELVEDERE & SAVOY										
70-60	V8	383		w/ STD FAN CLUTCH		215043	-	-	211043	-
70-60	V8	383		w/ HD FAN CLUTCH		-	215046	-	-	-
68-60	V8	318	5.2	w/ STD FAN CLUTCH		215043	-	-	211043	-
68-60	V8	318	5.2	w/ HD FAN CLUTCH		-	215046	-	-	-
70-60	L6	225	3.7			215043	-	-	211043	220618
DUSTER & VALIANT										
76-74	V8	360	5.9	w/ HD FAN CLUTCH		-	215046	-	-	-
76-74	V8	360	5.9	w/ STD FAN CLUTCH		215043	-	-	211043	-
73-70	V8	340	5.6	w/ HD FAN CLUTCH		-	215046	-	-	-
73-70	V8	340	5.6	w/ STD FAN CLUTCH		215043	-	-	211043	-
76-71	V8	318	5.2	w/ STD FAN CLUTCH		215043	-	-	211043	-
76-71	V8	318	5.2	w/ HD FAN CLUTCH		-	215046	-	-	-
76-72	L6	225	3.7			215043	-	-	211043	220618
74-70	L6	198	3.2			215043	-	-	211043	220618
FURY, GRAN FURY, SPORT FURY & SUBURBAN (INCLUDING WAGONS)										
77-66	V8	440	7.2	w/ STD FAN CLUTCH		215043	-	-	211043	-
77-66	V8	440	7.2	w/ HD FAN CLUTCH		-	215046	-	-	-
71-60	V8	383		w/ STD FAN CLUTCH		215043	-	-	211043	-
71-60	V8	383		w/ HD FAN CLUTCH		-	215046	-	-	-
80-71	V8	360	5.9	w/ HD FAN CLUTCH		-	215046	-	-	-
80-71	V8	360	5.9	w/ STD FAN CLUTCH		215043	-	-	211043	-
89-60	V8	318	5.2	w/ HD FAN CLUTCH		-	215046	-	-	-
89-60	V8	318	5.2	w/ STD FAN CLUTCH		215043	-	-	211043	-
83-60	L6	225	3.7			215043	-	-	211043	220618
ROAD RUNNER, GTX, VIP & SATELLITE (INCLUDING WAGONS)										
74-67	V8	440	7.2	w/ STD FAN CLUTCH		215043	-	-	211043	-
74-67	V8	440	7.2	w/ HD FAN CLUTCH		-	215046	-	-	-
71-65	V8	383	6.3	w/ STD FAN CLUTCH		215043	-	-	211043	-
71-65	V8	383	6.3	w/ HD FAN CLUTCH		-	215046	-	-	-

(1) Sellout 215156 and reorder 216033.

FAN CLUTCHES / FAN BLADES

Application Guide

FAN CLUTCHES

AC.....AIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN CHOICE IS GIVEN, BOLDED NUMBER INDICATES O.E. EQUIVALENT



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
PLYMOUTH CARS (Cont'd)										
ROAD RUNNER, GTX, VIP & SATELLITE (INCLUDING WAGONS) (Cont'd)										
74	V8	360	5.9		w/ STD FAN CLUTCH	215043	-	-	211043	-
74	V8	360	5.9		w/ HD FAN CLUTCH	-	215046	-	-	-
74-65	V8	318	5.2		w/ STD FAN CLUTCH	215043	-	-	211043	-
74-65	V8	318	5.2		w/ HD FAN CLUTCH	-	215046	-	-	-
74-68	L6	225	3.7			215043	-	-	211043	220618
SAPPORO										
83-82	L4		2.6			215092	-	-	-	-
PLYMOUTH TRUCKS, UTILITY 4 X 4'S										
ARROW										
82	L4		2.6			215092	-	-	-	-
82	L4		2.0			215086	-	-	-	-
UTILITY 4 X 4'S -- TRAILDUSTER PD, PW 100-150 SERIES										
78-74	V8	440	7.2			-	215046	-	-	-
78-74	V8	400	6.5			215043	-	-	211043	-
81-74	V8	360	5.9		w/ STD FAN CLUTCH	215043	-	-	211043	-
81-75	V8	318	5.2		w/ STD FAN CLUTCH	215043	-	-	211043	-
80-75	L6	225	3.7			215043	-	-	211043	220618
PLYMOUTH VANS										
VANS -- PB 150-350, PB 100-300 SERIES										
79-73	V8	440	7.2			-	215046	-	-	-
79-73	V8	400	6.5			215043	-	-	211043	-
81-76	V8	360	5.9		w/ STD FAN CLUTCH	215043	-	-	211043	-
83-74	V8	318	5.2		w/ STD FAN CLUTCH	215043	-	-	211043	-
83-74	L6	225	3.7			215043	-	-	211043	220618
PONTIAC										
ASTRE & SUNBIRD										
79-78	V8	305	5.0			215049	-	-	211049	-
80-76	V6	231	3.8			215039	-	-	-	-
80-77	L4	151	2.5			215049	-	-	211049	-
FIREBIRD & TRANS AM SERIES										
76-71	V8	455	7.5			-	215046	-	-	-
79-77	V8	403	6.6		w/ STD FAN CLUTCH	215049	-	-	211049	-
79-77	V8	403	6.6		w/ HD FAN CLUTCH	-	215046	215045	-	-
79-67	V8	400	6.6		w/ STD FAN CLUTCH	215049	-	-	211049	-
79-67	V8	400	6.6		w/ HD FAN CLUTCH	-	215046	-	-	-
83-76	V8	350	5.7		w/ HD FAN CLUTCH	-	215046	215045	-	-
79-68	V8	350	5.7		w/ STD FAN CLUTCH	215049	-	-	211049	-
86-77	V8	305	5.0		w/ STD FAN CLUTCH	215049	-	-	211049	-
86-77	V8	305	5.0		w/ HD FAN CLUTCH	-	215046	215045	-	-
81-79	V8	301	4.9		w/ AC & STD FAN CLUTCH	215049	-	-	211049	-
81-79	V8	301	4.9		w/o AC & w/STD FAN CLUTCH	215043	-	-	211043	-
81-79	V8	301	4.9		w/ HD FAN CLUTCH	-	215046	215045	-	-
81-80	V8	267	4.4			-	215046	-	-	-
81-80	V8	260	4.3			-	215046	-	-	-
76-68	L6	250	4.1			215049	-	-	211049	220618
81-77	V6	231	3.8			215043	-	-	211043	220619

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
PONTIAC (Cont'd)										
FIREBIRD & TRANS AM SERIES (Cont'd)										
84-82	V6	173	2.8			215049	-	-	211049	220619
85-82	L4	151	2.5			215049	-	-	211049	-
FULL-SIZE -- BONNEVILLE, CATALINA, VENTURA, SAFARI										
76-70	V8	455	7.5			-	215046	-	-	-
68-67	V8	428	7.0			-	215046	-	-	-
66-61	V8	421	6.9			-	215046	-	-	-
79-77	V8	403	6.6		w/ STD FAN CLUTCH	215049	-	-	211049	-
79-77	V8	403	6.6		w/ HD FAN CLUTCH	-	215046	215045	-	-
79-67	V8	400	6.6		w/ STD FAN CLUTCH	215049	-	-	211049	-
79-67	V8	400	6.6		w/ HD FAN CLUTCH & INC.POLICE	-	215046	215045	-	-
66-60	V8	389	6.3			-	215046	-	-	-
84-76	V8	350	5.7		DIESEL w/ STD FAN CLUTCH	215049	-	-	211049	-
84-76	V8	350	5.7		DIESEL w/ HD FAN CLUTCH	-	215046	215045	-	-
80	V8	350	5.7		GAS	215043	-	-	211043	-
79-76	V8	350	5.7		GAS, w/ STD FAN CLUTCH	215043	-	-	211043	-
79-76	V8	350	5.7		GAS, w/ HD FAN CLUTCH	-	215046	-	-	-
81	V8	307	5.0		w/ STD FAN CLUTCH	215049	-	-	211049	-
81	V8	307	5.0		w/ HD FAN CLUTCH	-	215046	-	-	-
89-77	V8	305	5.0		w/ STD FAN CLUTCH	215049	-	-	211049	-
89-77	V8	305	5.0		w/ HD FAN CLUTCH	-	215046	215045	-	-
81-77	V8	301	4.9		w/ HD FAN CLUTCH	-	215046	-	-	-
81-77	V8	301	4.9		w/ AC & STD FAN CLUTCH	215049	-	-	211049	-
81-77	V8	301	4.9		w/o AC & w/STD FAN CLUTCH	215043	-	-	211043	-
81-80	V8	265	4.3		w/o AC & w/STD FAN CLUTCH	215043	-	-	211043	-
81-80	V8	265	4.3		w/ AC & STD FAN CLUTCH	215049	-	-	211049	-
81-80	V8	265	4.3		w/ HD FAN CLUTCH	-	215046	-	-	-
87-77	V6	265	4.3		w/ STD FAN CLUTCH	215049	-	-	211049	-
82	V6	252	4.1			215043	-	-	211043	220619
87-77	V6	231	3.8			215043	-	-	211043	220619
81	V6	229	3.8			215043	-	-	211043	220619
LeMANS, TEMPEST, GRAND PRIX, GTO & GRAND AM										
76-70	V8	455	7.5			-	215046	-	-	-
68-67	V8	428	6.9			-	215046	-	-	-
66-63	V8	421	6.8			-	215046	-	-	-
77-67	V8	403	6.6			215049	-	-	211049	-
77-67	V8	400	6.6		INCLUDING POLICE	-	215046	215045	-	-
66-63	V8	389	6.3			-	215046	-	-	-
84-81	V8	350	5.7		DIESEL, w/ STD FAN CLUTCH	215049	-	-	211049	-
84-81	V8	350	5.7		DIESEL, w/ HD FAN CLUTCH	-	215046	215045	-	-
79-68	V8	350	5.7		w/ STD FAN CLUTCH	215043	-	-	211043	-
79-68	V8	350	5.7		w/ HD FAN CLUTCH	-	215046	-	-	-
87-77	V8	305	5.0		w/ AC & STD FAN CLUTCH	215049	-	-	211049	-
87-77	V8	305	5.0		w/ HD FAN CLUTCH	-	215046	215045	-	-
81-77	V8	305	5.0		w/o AC & w/STD FAN CLUTCH	215043	-	-	211043	-
81-77	V8	301	4.9		w/ AC & STD FAN CLUTCH	215049	-	-	211049	-
81-77	V8	301	4.9		w/o AC & w/STD FAN CLUTCH	215043	-	-	211043	-
81-77	V8	301	4.9		w/ HD FAN CLUTCH	-	215046	-	-	-
81	V8	267	4.4			-	215046	-	-	-
81-76	V8	265	4.3		w/ AC & STD FAN CLUTCH	215049	-	-	211049	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE					FAN CLUTCH					
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
PONTIAC (Cont'd)										
LeMANS, TEMPEST, GRAND PRIX, GTO & GRAND AM (Cont'd)										
81-76	V8	265	4.3		w/o AC & w/STD FAN CLUTCH	215043	-	-	211043	-
81-76	V8	265	4.3		w/ HD FAN CLUTCH	-	215046	-	-	-
76-68	L6	250	4.1			-	215046	-	-	-
81-77	V6	231	3.8			215043	-	-	211043	220619
81-80	V6	229	3.8			215049	-	-	211049	220619
PARISIENNE										
85-83	V8	350	5.7		DIESEL w/ STD FAN CLUTCH	215049	-	-	211049	-
85-83	V8	350	5.7		DIESEL w/ HD FAN CLUTCH	-	215046	-	-	-
86-83	V8	305	5.0		w/ STD FAN CLUTCH	215049	-	-	211049	-
86-83	V8	305	5.0		w/ HD FAN CLUTCH	-	215046	-	-	-
86-85	V8	260	4.3		w/ HD FAN CLUTCH	-	215046	-	-	-
86-85	V6	260	4.3		w/ STD FAN CLUTCH	215049	-	-	211049	-
85-83	V6	231	3.8		w/o AC	215049	-	-	211049	220619
85-83	V6	231	3.8		w/ AC	215043	-	-	211043	220619
83	V6	229	3.8		w/ STD FAN CLUTCH	215049	-	-	211049	220619
83	V6	229	3.8		w/ HD FAN CLUTCH	-	215046	-	-	-
PHOENIX & VENTURA										
79-72	V8	350	5.7		w/ STD FAN CLUTCH	215049	-	-	211049	-
79-72	V8	350	5.7		w/ HD FAN CLUTCH	-	215046	-	-	-
79-77	V8	305	5.0			215049	-	-	211049	-
77	V8	301	4.9			-	215046	-	-	-
76-75	V8	265	4.3			-	215046	-	-	-
76-71	L6	250	4.1			215049	-	-	211049	220618
79-77	V6	231	3.8			215043	-	-	211043	220619
79-77	L4	151	2.5			215049	-	-	211049	-
T1000										
87-81	L4	98	1.6			215013	-	-	-	-
SAAB										
9-7X										
09-08	V8		6.0			-	-	216034	-	-
09-08	V8		5.3			-	-	216034	-	-
07-05	V8		5.3			-	-	216033	-	-
09-08	L6		4.2			-	-	216034	-	-
07-05	L6		4.2			-	-	216033	-	-
SUZUKI										
EQUATOR										
09	V6		4.0			-	-	-	-	-
09	L4		2.5			-	-	-	-	-
GRAND VITARA										
08-06	V6	166	2.7			-	-	-	-	-
01	V6	166	2.7		XL-7 MODEL	215063	-	-	-	-
05-99	V6	154	2.5			215063	-	-	-	-
XL-7										
06-04	V6	166	2.7			-	-	-	-	-
03-01	V6	166	2.7			215063	-	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

**WHEN CHOICE IS
 GIVEN, BOLDED
 NUMBER INDICATES
 O.E. EQUIVALENT**



ENGINE					FAN CLUTCH					
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
SUZUKI (Cont'd)										
SAMURAI										
95-85	L4	80	1.3			215029	-	-	-	-
SIDEKICK										
98-96	L4	98	1.6			215028	-	-	-	-
95-92	L4	98	1.6			215028	-	-	-	-
91-89	L4	98	1.6			215029	-	-	-	-
89	L4	80	1.3			215029	-	-	-	-
SIDEKICK SPORT										
98-96	L4	110	1.8			215063	-	-	-	-
VITARA										
04	V6	154	2.5			-	-	-	-	-
03-99	L4	122	2.0			215063	-	-	-	-
02-99	L4	98	1.6			215029	-	-	-	-
X-90										
98-96	L4	98	1.6			215028	-	-	-	-
TOYOTA CARS										
CELICA										
85-79	L4		2.4			215081	-	-	-	-
81-76	L4		2.2			215081	-	-	-	-
COROLLA										
87-83	L4		1.6			215080	-	-	-	-
85-80	L4		1.8			215080	-	-	-	-
79	L4		1.6			215080	-	-	-	-
CORONA										
82-79	L4		2.4			215081	-	-	-	-
82-76	L4		2.2			215081	-	-	-	-
CRESSIDA										
92-89	L6		3.0			215077	-	-	-	-
88-85	L6		2.8			215077	-	-	-	-
82-81	L6		2.8			215077	-	-	-	-
84-83	L6		2.8			215077	-	-	-	-
80	L6		2.6			215077	-	-	-	-
79-78	L6		2.6			215077	-	-	-	-
SUPRA										
98-93	L6		3.0			215071	-	-	-	-
92-86	L6		3.0			215077	-	-	-	-
85-80	L6		2.8			215077	-	-	-	-
81-79	L6		2.6			215077	-	-	-	-
TOYOTA TRUCKS										
4-RUNNER										
09-04	V8		4.7		FROM 11/04	216047	-	-	-	-
05-03	V8		4.7		TO 11/04	215121	-	-	-	-
09-03	V6		4.0			215050	-	-	-	-
02-96	V6		3.4		EXCEPT 2 WHEEL DRIVE	215033	-	-	-	-
95-88	V6		3.0			215076	-	-	-	-
00-96	L4		2.7			215032	-	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HD.....HEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STD.....STANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN CHOICE IS GIVEN, BOLDED NUMBER INDICATES O.E. EQUIVALENT



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
TOYOTA TRUCKS (Cont'd)										
4-RUNNER (Cont'd)										
85-84	L4		2.5			-	-	-	-	-
95-84	L4		2.4			215081	-	-	-	-
FJ CRUISER										
09-07	V6		4.0			215050	-	-	-	-
LANDCRUISER										
09-08	V8		5.7			-	-	-	-	-
07-05	V8		4.7		FROM 05/05	216047	-	-	-	-
05-98	V8		4.7		TO 05/05	215120	-	-	-	-
97-93	I6		4.5		FZJ80	215074	-	-	-	-
87-81	I6		4.2		FJ60 (EXC. CANADIAN)	215076	-	-	-	-
84-77	I6		4.2		FJ40 (EXC. CANADIAN)	215076	-	-	-	-
80-79	I6		4.2		FJ55 (EXC. CANADIAN)	215076	-	-	-	-
92-90	I6		4.0		FJ80 & FJ62	215076	-	-	-	-
89-88	I6		4.0		FJ62 (EXC. CANADIAN)	215076	-	-	-	-
PICKUPS										
95-88	V6		3.0			215076	-	-	-	-
95-81	L4		2.4		GAS	215081	-	-	-	-
85	I4		2.4		DIESEL	-	-	-	-	-
83-76	L4		2.2			215081	-	-	-	-
SEQUOIA										
09-08	V8		5.7			-	-	-	-	-
08-05	V8		4.7		FROM 8/05	216047	-	-	-	-
05-01	V8		4.7		UP TO 8/05	215121	-	-	-	-
T 100 PICKUP										
98-95	V6		3.4			215033	-	-	-	-
94-93	V6		3.0			215076	-	-	-	-
98-94	L4		2.7			215032	-	-	-	-
TACOMA PICKUP										
08-05	V6		4.0			215050	-	-	-	-
04-95	V6		3.4			215033	-	-	-	-
08-06	L4		2.7			215032	-	-	-	-
05	L4		2.7			215095	-	-	-	-
04-95	L4		2.7			215032	-	-	-	-
04-95	L4		2.4			215032	-	-	-	-
TUNDRA										
09-07	V8		5.7			-	-	-	-	-
09-05	V8		4.7		FROM 8/04	216047	-	-	-	-
05-03	V8		4.7		UP TO 8/04	215121	-	-	-	-
02-00	V8		4.7			215119	-	-	-	-
09-05	V6		4.0			215050	-	-	-	-
04-00	V6		3.4			215033	-	-	-	-
TOYOTA VANS										
PREVIA										
97-91	L4		2.4			215022	-	-	-	-

FAN CLUTCHES / FAN BLADES

Application Guide

AC.....AIR CONDITIONING
 HDHEAVY DUTY
 REV ROTATION.....COUNTER CLOCKWISE ROTATION FROM FRONT OF VEHICLE
 STDSTANDARD
 STD ROTATION.....CLOCKWISE ROTATION FROM FRONT OF VEHICLE

WHEN CHOICE IS GIVEN, BOLDED NUMBER INDICATES O.E. EQUIVALENT



ENGINE						FAN CLUTCH				
YEAR	TYPE	SIZE	LITERS	ROT	APPLICATION	THERMAL	HEAVY DUTY	SEVERE DUTY	NON-THERMAL	CLUTCH FAN
TOYOTA VANS (Cont'd)										
VAN										
89-85	L4		2.2			215086	-	-	-	-
87-84	L4		2.0			215086	-	-	-	-
VOLKSWAGEN										
PASSAT										
05-98	V6		2.8			215069	-	-	-	-
05-04	L4		2.0	DIESEL		215068	-	-	-	-
05-98	L4		1.8			215068	-	-	-	-
VOLVO										
140, 160 SERIES, P1800										
75-69	L6		3.0			-	-	-	-	-
74-62	L4		2.0			-	-	-	-	-
240 DL, GL, GT, GLT SERIES										
88-81	L6		2.4	DIESEL		215030	-	-	-	-
93-81	L4		2.3			215030	-	-	-	-
85-81	L4		2.1			215030	-	-	-	-
82-76	L4		2.1			215030	-	-	-	-
75	L4		2.0			215030	-	-	-	-
260 GL, GLE SERIES										
82-80	V6		2.8			215030	-	-	-	-
79-76	V6		2.7			215030	-	-	-	-
82-80	L6		2.4	DIESEL		215030	-	-	-	-
81-80	L4		2.1			215030	-	-	-	-