

## XENARC 66240XNB

XENARC NIGHT BREAKER UNLIMITED | Gas discharge headlight lamps for cars



---

### Areas of application

---

- Headlight

---

### Product benefits

---

- Up to 70 % more light (compared to standard xenon lamps)
- Up to 20 m longer beam (compared to standard xenon lamps)

---

### Product features

---

- Color temperature: up to 4,350 K

---

## Technical data

---

### Electrical data

Nominal wattage	35 W
Nominal voltage	85 V
Test voltage	13.5 V

### Light technical data

Color temperature	4350 K
-------------------	--------

### Dimensions & weight

Length	77.0 mm
Diameter	9.0 mm
Product weight	16.00 g

### Additional product data

Base (standard designation)	P32d-2
-----------------------------	--------

### Certificates & standards

ECE category	D2S <sup>1)</sup>
--------------	-------------------

<sup>1)</sup> To be operated only with approved electronic control gear

### Country specific categorizations

Order reference	66240XNB
-----------------	----------

## Product datasheet

---

### Safety advice

XENARC lamp change is recommended to be carried out by a professional.

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Volume	Gross weight
4052899047082	XENARC 66240XNB	Folding carton box 1	- x - x -		
4052899047099	XENARC 66240XNB	Shipping carton box 10	93 mm x 76 mm x 186 mm	1.31 dm <sup>3</sup>	297.00 g
4052899047105	XENARC 66240XNB	Hard Cover Box 2	95 mm x 47 mm x 114 mm	0.51 dm <sup>3</sup>	106.00 g
4052899047112	XENARC 66240XNB	Shipping carton box 20	106 mm x 240 mm x 250 mm	6.36 dm <sup>3</sup>	1200.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Legal advice

— ECE approval

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.